

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
25 May 2001 (25.05.2001)

PCT

(10) International Publication Number
WO 01/35725 A1

(51) International Patent Classification⁷: A01H 1/00, 5/00,
C12N 5/04, 15/00, 15/82, C12P 21/02

CA 94611 (US). YU, Guo-Liang [CN/US]; 242 Gravatt
Drive, Berkeley, CA 94705 (US). SAMAHA, Raymond
[US/US]; 2224 Albert Lane, Capitola, CA 95010 (US).

(21) International Application Number: PCT/US00/31414

(22) International Filing Date:

14 November 2000 (14.11.2000)

(74) Agent: GUERRERO, Karen; Mendel Biotechnology,
Inc., 21375 Cabot Boulevard, Hayward, CA 94545 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/166,228 17 November 1999 (17.11.1999) US

60/197,899 17 April 2000 (17.04.2000) US

60/227,439 22 August 2000 (22.08.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*):
MENDEL BIOTECHNOLOGY, INC. [US/US]; 21375
Cabot Boulevard, Hayward, CA 94541 (US).

(71) Applicants and

(72) Inventors: JIANG, Cai-Zhong [CN/US]; 34495
Heathrow Terrace, Fremont, CA 94555 (US). HEARD,
Jacqueline [US/US]; 810 Guildford Avenue, San Mateo,
CA 94402 (US). PINEDA, Omaira [US/US]; 19563
Helen Place, Castro Valley, CA 94546 (US). PILGRIM,
Marsha [—/US]; 790 Saltillo Place, Fremont, CA 94536
(US). ADAM, Luc [CA/US]; 25800 Industrial Boul-
vard, L403, Hayward, CA 94545 (US). RIECHMANN,
Jose, Luis [ES/US]; 115 Moss Avenue #308, Oakland,

Published:

- With international search report.
- Before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments.

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: YIELD-RELATED GENES

(57) Abstract: Recombinant polynucleotides and methods for modifying the phenotype of a plant are provided. In particular, the
phenotype that is being modified is a plant's sugar-sensing characteristics.

WO 01/35725 A1

YIELD-RELATED GENES

RELATED APPLICATION INFORMATION

The present invention claims the benefit from US Provisional Patent Application Serial
5 Nos. 60/166,228 filed November 17, 1999 and 60/197,899 filed April 17, 2000 and "Plant Trait
Modification III" filed August 22, 2000.

FIELD OF THE INVENTION

This invention relates to the field of plant biology. More particularly, the present
invention pertains to compositions and methods for phenotypically modifying a plant.

10

BACKGROUND OF THE INVENTION

Because sugars are important signaling molecules, the ability to control either the
concentration of a signaling sugar or how the plant perceives or responds to a signaling sugar can
be used to control plant development, physiology or metabolism. For example, the flux of sucrose
(a disaccharide sugar used for systemically transporting carbon and energy in most plants) has
15 been shown to affect gene expression and alter storage compound accumulation in seeds (Wobus
et al (1999) Biol. Chem. 380:937-944). Manipulation of the sucrose signaling pathway in seeds
may therefore cause seeds to have more protein, oil or carbohydrate, depending on the type of
manipulation. Similarly, in tubers, sucrose is converted to starch which is used as an energy store.

It is thought that sugar signaling pathways may partially determine the levels of
20 starch synthesized in the tubers (Zrenner et al. (1996) Plant J. 9:671-681). The manipulation of
sugar signaling in tubers could lead to tubers with a higher starch content. Thus, manipulating the
sugar signal transduction pathway may lead to altered gene expression to produce plants with
desirable traits. In particular, manipulation of sugar signal transduction pathways could be used to
alter source-sink relationships in seeds, tubers, roots and other storage organs leading to an
25 increase in yield.

The present invention provides novel transcription factors useful for modifying a
plant's phenotype in desirable ways by modifying a plant's sugar-sensing characteristics and
thereby, increasing the yield.

30

SUMMARY OF THE INVENTION

In a first aspect, the invention relates to a recombinant polynucleotide comprising
a nucleotide sequence selected from the group consisting of: (a) a nucleotide sequence encoding a
polypeptide comprising a sequence selected from SEQ ID Nos. 2N, where N=1-35, or a
complementary nucleotide sequence thereof; (b) a nucleotide sequence encoding a polypeptide

comprising a conservatively substituted variant of a polypeptide of (a); (c) a nucleotide sequence comprising a sequence selected from those of SEQ ID Nos. 2N-1, where N=1-35, or a complementary nucleotide sequence thereof; (d) a nucleotide sequence comprising silent substitutions in a nucleotide sequence of (c); (e) a nucleotide sequence which hybridizes under
5 stringent conditions over substantially the entire length of a nucleotide sequence of one or more of: (a), (b), (c), or (d); (f) a nucleotide sequence comprising at least 15 consecutive nucleotides of a sequence of any of (a)-(e); (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide having a biological activity that modifies a plant's sugar-sensing characteristics; (h) a nucleotide sequence having at least
10 34% sequence identity to a nucleotide sequence of any of (a)-(g); (i) a nucleotide sequence having at least 60% identity sequence identity to a nucleotide sequence of any of (a)-(g); (j) a nucleotide sequence which encodes a polypeptide having at least 34% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-35; (k) a nucleotide sequence which encodes a polypeptide having at least 60% identity sequence identity to a polypeptide of SEQ ID Nos. 2N,
15 where N=1-35; and (l) a nucleotide sequence which encodes a conserved domain of a polypeptide having at least 65% sequence identity to a conserved domain of a polypeptide of SEQ ID Nos. 2N, where N=1-35. The recombinant polynucleotide may further comprise a constitutive, inducible, or tissue-active promoter operably linked to the nucleotide sequence. The invention also relates to compositions comprising at least two of the above described polynucleotides.

20 In a second aspect, the invention is an isolated or recombinant polypeptide comprising a subsequence of at least about 15 contiguous amino acids encoded by the recombinant or isolated polynucleotide described above.

In another aspect, the invention is a transgenic plant comprising one or more of the above described recombinant polynucleotides. In yet another aspect, the invention is a plant
25 with altered expression levels of a polynucleotide described above or a plant with altered expression or activity levels of an above described polypeptide. Further, the invention is a plant lacking a nucleotide sequence encoding a polypeptide described above. The plant may be a soybean, wheat, corn, potato, cotton, rice, oilseed rape, sunflower, alfalfa, sugarcane, turf, banana, blackberry, blueberry, strawberry, raspberry, cantaloupe, carrot, cauliflower, coffee,
30 cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers, pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, rosaceous fruits, or vegetable brassicas plant.

In a further aspect, the invention relates to a cloning or expression vector comprising the isolated or recombinant polynucleotide described above or cells comprising the cloning or expression vector.

5 In yet a further aspect, the invention relates to a composition produced by incubating a polynucleotide of the invention with a nuclease, a restriction enzyme, a polymerase; a polymerase and a primer; a cloning vector, or with a cell.

Furthermore, the invention relates to a method for producing a plant having improved sugar-sensing traits. The method comprises altering the expression of an isolated or recombinant polynucleotide of the invention or altering the expression or activity of a polypeptide
10 of the invention in a plant to produce a modified plant, and selecting the modified plant for modified sugar-sensing traits.

In another aspect, the invention relates to a method of identifying a factor that is modulated by or interacts with a polypeptide encoded by a polynucleotide of the invention. The method comprises expressing a polypeptide encoded by the polynucleotide in a plant; and
15 identifying at least one factor that is modulated by or interacts with the polypeptide. In one embodiment the method for identifying modulating or interacting factors is by detecting binding by the polypeptide to a promoter sequence, or by detecting interactions between an additional protein and the polypeptide in a yeast two hybrid system, or by detecting expression of a factor by hybridization to a microarray, subtractive hybridization or differential display.

20 In yet another aspect, the invention is a method of identifying a molecule that modulates activity or expression of a polynucleotide or polypeptide of interest. The method comprises placing the molecule in contact with a plant comprising the polynucleotide or polypeptide encoded by the polynucleotide of the invention and monitoring one or more of the expression level of the polynucleotide in the plant, the expression level of the polypeptide in the
25 plant, and modulation of an activity of the polypeptide in the plant.

In yet another aspect, the invention relates to an integrated system, computer or computer readable medium comprising one or more character strings corresponding to a polynucleotide of the invention, or to a polypeptide encoded by the polynucleotide. The integrated system, computer or computer readable medium may comprise a link between one or
30 more sequence strings to a modified plant sugar-sensing trait.

In yet another aspect, the invention is a method for identifying a sequence similar or homologous to one or more polynucleotides of the invention, or one or more polypeptides encoded by the polynucleotides. The method comprises providing a sequence database; and, querying the sequence database with one or more target sequences corresponding to the one or

more polynucleotides or to the one or more polypeptides to identify one or more sequence members of the database that display sequence similarity or homology to one or more of the one or more target sequences.

The method may further comprise of linking the one or more of the
5 polynucleotides of the invention, or encoded polypeptides, to a modified plant sugar-sensing phenotype.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 provides a table of exemplary polynucleotide and polypeptide sequences of the invention. The table includes from left to right for each sequence: the SEQ ID No., the
10 internal code reference number (GID), whether the sequence is a polynucleotide or polypeptide sequence, and identification of any conserved domains for the polypeptide sequences.

Figure 2 provides a table of exemplary sequences that are homologous to other sequences provided in the Sequence Listing and that are derived from *Arabidopsis thaliana*. The table includes from left to right: the SEQ ID No., the internal code reference number (GID),
15 identification of the homologous sequence, whether the sequence is a polynucleotide or polypeptide sequence, and identification of any conserved domains for the polypeptide sequences.

Figure 3 provides a table of exemplary sequences that are homologous to the sequences provided in Figures 1 and 2 and that are derived from plants other than *Arabidopsis thaliana*. The table includes from left to right: the SEQ ID No., the internal code reference
20 number (GID), the unique GenBank sequence ID No. (NID), the probability that the comparison was generated by chance (P-value), and the species from which the homologous gene was identified.

DETAILED DESCRIPTION

25 The present invention relates to polynucleotides and polypeptides, e.g. for modifying phenotypes of plants.

In particular, the polynucleotides or polypeptides are useful for modifying traits associated with a plant's sugar-sensing characteristics when the expression levels of the
30 polynucleotides or expression levels or activity levels of the polypeptides are altered. Sugars are central regulatory molecules that control aspects of physiology, metabolism and development. Therefore, the polynucleotides and polypeptides are useful for modifying the growth and germination rates of plants, photosynthesis, glyoxylate metabolism, respiration, starch and

sucrose synthesis and degradation, pathogen response, wounding response, cell cycle regulation, pigmentation, flowering and senescence of plants and for modifying sink-source relationships in seeds, tubers, roots and other storage organs leading to an increase in yield.

The polynucleotides of the invention encode plant transcription factors. The plant transcription factors are derived, e.g., from *Arabidopsis thaliana* and can belong, e.g., to one or more of the following transcription factor families: the AP2 (APETALA2) domain transcription factor family (Riechmann and Meyerowitz (1998) J. Biol. Chem. 379:633-646); the MYB transcription factor family (Martin and Paz-Ares (1997) Trends Genet. 13:67-73); the MADS domain transcription factor family (Riechmann and Meyerowitz (1997) J. Biol. Chem. 378:1079-1101); the WRKY protein family (Ishiguro and Nakamura (1994) Mol. Gen. Genet. 244:563-571); the ankyrin-repeat protein family (Zhang et al. (1992) Plant Cell 4:1575-1588); the miscellaneous protein (MISC) family (Kim et al. (1997) Plant J. 11:1237-1251); the zinc finger protein (Z) family (Klug and Schwabe (1995) FASEB J. 9: 597-604); the homeobox (HB) protein family (Duboule (1994) Guidebook to the Homeobox Genes, Oxford University Press); the CAAT-element binding proteins (Forsburg and Guarente (1989) Genes Dev. 3:1166-1178); the squamosa promoter binding proteins (SPB) (Klein et al. (1996) Mol. Gen. Genet. 1996 250:7-16); the NAM protein family; the IAA/AUX proteins (Rouse et al. (1998) Science 279:1371-1373); the HLH/MYC protein family (Littlewood et al. (1994) Prot. Profile 1:639-709); the DNA-binding protein (DBP) family (Tucker et al. (1994) EMBO J. 13:2994-3002); the bZIP family of transcription factors (Foster et al. (1994) FASEB J. 8:192-200); the BPF-1 protein (Box P-binding factor) family (da Costa e Silva et al. (1993) Plant J. 4:125-135); and the golden protein (GLD) family (Hall et al. (1998) Plant Cell 10:925-936).

In addition to methods for modifying a plant phenotype by employing one or more polynucleotides and polypeptides of the invention described herein, the polynucleotides and polypeptides of the invention have a variety of additional uses. These uses include their use in the recombinant production (i.e., expression) of proteins; as regulators of plant gene expression, as diagnostic probes for the presence of complementary or partially complementary nucleic acids (including for detection of natural coding nucleic acids); as substrates for further reactions, e.g., mutation reactions, PCR reactions, or the like, of as substrates for cloning e.g., including digestion or ligation reactions, and for identifying exogenous or endogenous modulators of the transcription factors.

DEFINITIONS

A "polynucleotide" is a nucleic acid sequence comprising a plurality of polymerized nucleotide residues, e.g., at least about 15 consecutive polymerized nucleotide residues, optionally at least about 30 consecutive nucleotides, at least about 50 consecutive
5 nucleotides. In many instances, a polynucleotide comprises a nucleotide sequence encoding a polypeptide (or protein) or a domain or fragment thereof. Additionally, the polynucleotide may comprise a promoter, an intron, an enhancer region, a polyadenylation site, a translation initiation site, 5' or 3' untranslated regions, a reporter gene, a selectable marker, or the like. The polynucleotide can be single stranded or double stranded DNA or RNA. The polynucleotide
10 optionally comprises modified bases or a modified backbone. The polynucleotide can be, e.g., genomic DNA or RNA, a transcript (such as an mRNA), a cDNA, a PCR product, a cloned DNA, a synthetic DNA or RNA, or the like. The polynucleotide can comprise a sequence in either sense or antisense orientations.

A "recombinant polynucleotide" is a polynucleotide that is not in its native state,
15 e.g., the polynucleotide comprises a nucleotide sequence not found in nature, or the polynucleotide is in a context other than that in which it is naturally found, e.g., separated from nucleotide sequences with which it typically is in proximity in nature, or adjacent (or contiguous with) nucleotide sequences with which it typically is not in proximity. For example, the sequence at issue can be cloned into a vector, or otherwise recombined with one or more additional nucleic
20 acid.

An "isolated polynucleotide" is a polynucleotide whether naturally occurring or recombinant, that is present outside the cell in which it is typically found in nature, whether purified or not. Optionally, an isolated polynucleotide is subject to one or more enrichment or purification procedures, e.g., cell lysis, extraction, centrifugation, precipitation, or the like.

25 A "recombinant polypeptide" is a polypeptide produced by translation of a recombinant polynucleotide. An "isolated polypeptide," whether a naturally occurring or a recombinant polypeptide, is more enriched in (or out of) a cell than the polypeptide in its natural state in a wild type cell, e.g., more than about 5% enriched, more than about 10% enriched, or more than about 20%, or more than about 50%, or more, enriched, i.e., alternatively denoted:
30 105%, 110%, 120%, 150% or more, enriched relative to wild type standardized at 100%. Such an enrichment is not the result of a natural response of a wild type plant. Alternatively, or additionally, the isolated polypeptide is separated from other cellular components with which it is typically associated, e.g., by any of the various protein purification methods herein.

The term "transgenic plant" refers to a plant that contains genetic material, not found in a wild type plant of the same species, variety or cultivar. The genetic material may include a transgene, an insertional mutagenesis event (such as by transposon or T-DNA insertional mutagenesis), an activation tagging sequence, a mutated sequence, a homologous recombination event or a sequence modified by chimeraplasty. Typically, the foreign genetic material has been introduced into the plant by human manipulation.

A transgenic plant may contain an expression vector or cassette. The expression cassette typically comprises a polypeptide-encoding sequence operably linked (i.e., under regulatory control of) to appropriate inducible or constitutive regulatory sequences that allow for the expression of polypeptide. The expression cassette can be introduced into a plant by transformation or by breeding after transformation of a parent plant. A plant refers to a whole plant as well as to a plant part, such as seed, fruit, leaf, or root, plant tissue, plant cells or any other plant material, e.g., a plant explant, as well as to progeny thereof, and to *in vitro* systems that mimic biochemical or cellular components or processes in a cell.

The phrase "ectopically expression or altered expression" in reference to a polynucleotide indicates that the pattern of expression in, e.g., a transgenic plant or plant tissue, is different from the expression pattern in a wild type plant or a reference plant of the same species. For example, the polynucleotide or polypeptide is expressed in a cell or tissue type other than a cell or tissue type in which the sequence is expressed in the wild type plant, or by expression at a time other than at the time the sequence is expressed in the wild type plant, or by a response to different inducible agents, such as hormones or environmental signals, or at different expression levels (either higher or lower) compared with those found in a wild type plant. The term also refers to altered expression patterns that are produced by lowering the levels of expression to below the detection level or completely abolishing expression. The resulting expression pattern can be transient or stable, constitutive or inducible. In reference to a polypeptide, the term "ectopic expression or altered expression" further may relate to altered activity levels resulting from the interactions of the polypeptides with exogenous or endogenous modulators or from interactions with factors or as a result of the chemical modification of the polypeptides.

The term "fragment" or "domain," with respect to a polypeptide, refers to a subsequence of the polypeptide. In some cases, the fragment or domain, is a subsequence of the polypeptide which performs at least one biological function of the intact polypeptide in substantially the same manner, or to a similar extent, as does the intact polypeptide. For example, a polypeptide fragment can comprise a recognizable structural motif or functional domain such as a DNA binding domain that binds to a DNA promoter region, an activation domain or a domain

for protein-protein interactions. Fragments can vary in size from as few as 6 amino acids to the full length of the intact polypeptide, but are preferably at least about 30 amino acids in length and more preferably at least about 60 amino acids in length. In reference to a nucleotide sequence, "a fragment" refers to any subsequence of a polynucleotide, typically, of at least consecutive about 15 nucleotides, preferably at least about 30 nucleotides, more preferably at least about 50, of any of the sequences provided herein.

The term "trait" refers to a physiological, morphological, biochemical or physical characteristic of a plant or particular plant material or cell. In some instances, this characteristic is visible to the human eye, such as seed or plant size, or can be measured by available biochemical techniques, such as the protein, starch or oil content of seed or leaves or by the observation of the expression level of genes, e.g., by employing Northern analysis, RT-PCR, microarray gene expression assays or reporter gene expression systems, or by agricultural observations such as stress tolerance, yield or pathogen tolerance.

"Trait modification" refers to a detectable difference in a characteristic in a plant ectopically expressing a polynucleotide or polypeptide of the present invention relative to a plant not doing so, such as a wild type plant. In some cases, the trait modification can be evaluated quantitatively. For example, the trait modification can entail at least about a 2% increase or decrease in an observed trait (difference), at least a 5% difference, at least about a 10% difference, at least about a 20% difference, at least about a 30%, at least about a 50%, at least about a 70%, or at least about a 100%, or an even greater difference. It is known that there can be a natural variation in the modified trait. Therefore, the trait modification observed entails a change of the normal distribution of the trait in the plants compared with the distribution observed in wild type plant.

Trait modifications of particular interest include those to seed (such as embryo or endosperm), fruit, root, flower, leaf, stem, shoot, seedling or the like, including: enhanced tolerance to environmental conditions including freezing, chilling, heat, drought, water saturation, radiation and ozone; improved tolerance to microbial, fungal or viral diseases; improved tolerance to pest infestations, including nematodes, molluscs, parasitic higher plants or the like; decreased herbicide sensitivity; improved tolerance of heavy metals or enhanced ability to take up heavy metals; improved growth under poor photoconditions (e.g., low light and/or short day length), or changes in expression levels of genes of interest. Other phenotype that can be modified relate to the production of plant metabolites, such as variations in the production of taxol, tocopherol, tocotrienol, sterols, phytosterols, vitamins, wax monomers, anti-oxidants, amino acids, lignins, cellulose, tannins, prenolipids (such as chlorophylls and carotenoids),

glucosinolates, and terpenoids, enhanced or compositionally altered protein or oil production (especially in seeds), or modified sugar (insoluble or soluble) and/or starch composition.

Physical plant characteristics that can be modified include cell development (such as the number of trichomes), fruit and seed size and number, yields of plant parts such as stems, leaves and roots, the stability of the seeds during storage, characteristics of the seed pod (e.g., susceptibility to shattering), root hair length and quantity, internode distances, or the quality of seed coat. Plant growth characteristics that can be modified include growth rate, germination rate of seeds, vigor of plants and seedlings, leaf and flower senescence, male sterility, apomixis, flowering time, flower abscission, rate of nitrogen uptake, biomass or transpiration characteristics, as well as plant architecture characteristics such as apical dominance, branching patterns, number of organs, organ identity, organ shape or size.

POLYPEPTIDES AND POLYNUCLEOTIDES OF THE INVENTION

The present invention provides, among other things, transcription factors (TFs), and transcription factor homologue polypeptides, and isolated or recombinant polynucleotides encoding the polypeptides. These polypeptides and polynucleotides may be employed to modify a plant's sugar-sensing characteristics..

Exemplary polynucleotides encoding the polypeptides of the invention were identified in the *Arabidopsis thaliana* GenBank database using publicly available sequence analysis programs and parameters. Sequences initially identified were then further characterized to identify sequences comprising specified sequence strings corresponding to sequence motifs present in families of known transcription factors. Polynucleotide sequences meeting such criteria were confirmed as transcription factors.

Additional polynucleotides of the invention were identified by screening *Arabidopsis thaliana* and/or other plant cDNA libraries with probes corresponding to known transcription factors under low stringency hybridization conditions. Additional sequences, including full length coding sequences were subsequently recovered by the rapid amplification of cDNA ends (RACE) procedure, using a commercially available kit according to the manufacturer's instructions. Where necessary, multiple rounds of RACE are performed to isolate 5' and 3' ends. The full length cDNA was then recovered by a routine end-to-end polymerase chain reaction (PCR) using primers specific to the isolated 5' and 3' ends. Exemplary sequences are provided in the Sequence Listing.

The polynucleotides of the invention were ectopically expressed in overexpressor or knockout plants and changes in the sugar-sensing characteristics of the plants were observed.

Therefore, the polynucleotides and polypeptides can be employed to improve the sugar-sensing characteristics of plants.

Making polynucleotides

The polynucleotides of the invention include sequences that encode transcription factors and transcription factor homologue polypeptides and sequences complementary thereto, as well as unique fragments of coding sequence, or sequence complementary thereto. Such polynucleotides can be, e.g., DNA or RNA, e.g., mRNA, cRNA, synthetic RNA, genomic DNA, cDNA synthetic DNA, oligonucleotides, etc. The polynucleotides are either double-stranded or single-stranded, and include either, or both sense (i.e., coding) sequences and antisense (i.e., non-coding, complementary) sequences. The polynucleotides include the coding sequence of a transcription factor, or transcription factor homologue polypeptide, in isolation, in combination with additional coding sequences (e.g., a purification tag, a localization signal, as a fusion-protein, as a pre-protein, or the like), in combination with non-coding sequences (e.g., introns or inteins, regulatory elements such as promoters, enhancers, terminators, and the like), and/or in a vector or host environment in which the polynucleotide encoding a transcription factor or transcription factor homologue polypeptide is an endogenous or exogenous gene.

A variety of methods exist for producing the polynucleotides of the invention. Procedures for identifying and isolating DNA clones are well known to those of skill in the art, and are described in, e.g., Berger and Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology volume 152 Academic Press, Inc., San Diego, CA ("Berger"); Sambrook et al., Molecular Cloning - A Laboratory Manual (2nd Ed.), Vol. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1989 ("Sambrook") and Current Protocols in Molecular Biology, F.M. Ausubel et al., eds., Current Protocols, a joint venture between Greene Publishing Associates, Inc. and John Wiley & Sons, Inc., (supplemented through 2000) ("Ausubel").

Alternatively, polynucleotides of the invention, can be produced by a variety of in vitro amplification methods adapted to the present invention by appropriate selection of specific or degenerate primers. Examples of protocols sufficient to direct persons of skill through in vitro amplification methods, including the polymerase chain reaction (PCR) the ligase chain reaction (LCR), Qbeta-replicase amplification and other RNA polymerase mediated techniques (e.g., NASBA), e.g., for the production of the homologous nucleic acids of the invention are found in Berger, Sambrook, and Ausubel, as well as Mullis et al., (1987) PCR Protocols A Guide to Methods and Applications (Innis et al. eds) Academic Press Inc. San Diego, CA (1990) (Innis). Improved methods for cloning in vitro amplified nucleic acids are described in Wallace et al., U.S. Pat. No. 5,426,039. Improved methods for amplifying large nucleic acids by PCR are

summarized in Cheng et al. (1994) Nature 369: 684-685 and the references cited therein, in which PCR amplicons of up to 40kb are generated. One of skill will appreciate that essentially any RNA can be converted into a double stranded DNA suitable for restriction digestion, PCR expansion and sequencing using reverse transcriptase and a polymerase. See, e.g., Ausubel,

5 Sambrook and Berger, *all supra*.

Alternatively, polynucleotides and oligonucleotides of the invention can be assembled from fragments produced by solid-phase synthesis methods. Typically, fragments of up to approximately 100 bases are individually synthesized and then enzymatically or chemically ligated to produce a desired sequence, e.g., a polynucleotide encoding all or part of a
10 transcription factor. For example, chemical synthesis using the phosphoramidite method is described, e.g., by Beaucage et al. (1981) Tetrahedron Letters 22:1859-69; and Matthes et al. (1984) EMBO J. 3:801-5. According to such methods, oligonucleotides are synthesized, purified, annealed to their complementary strand, ligated and then optionally cloned into suitable vectors. And if so desired, the polynucleotides and polypeptides of the invention can be custom ordered
15 from any of a number of commercial suppliers.

HOMOLOGOUS SEQUENCES

Sequences homologous, i.e., that share significant sequence identity or similarity, to those provided in the Sequence Listing, derived from *Arabidopsis thaliana* or from other plants of choice are also an aspect of the invention. Homologous sequences can be derived from any
20 plant including monocots and dicots and in particular agriculturally important plant species, including but not limited to, crops such as soybean, wheat, corn, potato, cotton, rice, oilseed rape (including canola), sunflower, alfalfa, sugarcane and turf; or fruits and vegetables, such as banana, blackberry, blueberry, strawberry, and raspberry, cantaloupe, carrot, cauliflower, coffee, cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers,
25 pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, rosaceous fruits (such as apple, peach, pear, cherry and plum) and vegetable brassicas (such as broccoli, cabbage, cauliflower, brussel sprouts and kohlrabi). Other crops, fruits and vegetables whose phenotype can be changed include barley, rye, millet, sorghum, currant, avocado, citrus fruits such as oranges, lemons, grapefruit and tangerines, artichoke, cherries, nuts such as the walnut and
30 peanut, endive, leek, roots, such as arrowroot, beet, cassava, turnip, radish, yam, and sweet potato, and beans. The homologous sequences may also be derived from woody species, such as pine, poplar and eucalyptus.

Transcription factors that are homologous to the listed sequences will typically share at least about 34% amino acid sequence identity. More closely related transcription factors can share at least about 50%, about 60%, about 65%, about 70%, about 75% or about 80% or about 90% or about 95% or about 98% or more sequence identity with the listed sequences.

- 5 Factors that are most closely related to the listed sequences share, e.g., at least about 85%, about 90% or about 95% or more % sequence identity to the listed sequences. At the nucleotide level, the sequences will typically share at least about 40% nucleotide sequence identity, preferably at least about 50%, about 60%, about 70% or about 80% sequence identity, and more preferably about 85%, about 90%, about 95% or about 97% or more sequence identity to one or more of the
- 10 listed sequences. The degeneracy of the genetic code enables major variations in the nucleotide sequence of a polynucleotide while maintaining the amino acid sequence of the encoded protein. Conserved domains within a transcription factor family may exhibit a higher degree of sequence homology, such as at least 65% sequence identity including conservative substitutions, and preferably at least 80% sequence identity.

- 15 Identifying Nucleic Acids by Hybridization
Polynucleotides homologous to the sequences illustrated in the Sequence Listing can be identified, e.g., by hybridization to each other under stringent or under highly stringent conditions. Single stranded polynucleotides hybridize when they associate based on a variety of well characterized physico-chemical forces, such as hydrogen bonding, solvent exclusion, base
- 20 stacking and the like. The stringency of a hybridization reflects the degree of sequence identity of the nucleic acids involved, such that the higher the stringency, the more similar are the two polynucleotide strands. Stringency is influenced by a variety of factors, including temperature, salt concentration and composition, organic and non-organic additives, solvents, etc. present in both the hybridization and wash solutions and incubations (and number), as described in more
- 25 detail in the references cited above.

- An example of stringent hybridization conditions for hybridization of complementary nucleic acids which have more than 100 complementary residues on a filter in a Southern or northern blot is about 5°C to 20°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined
- 30 ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Nucleic acid molecules that hybridize under stringent conditions will typically hybridize to a probe based on either the entire cDNA or selected portions, e.g., to a unique subsequence, of the cDNA under wash conditions of 0.2x SSC to 2.0 x SSC, 0.1% SDS at 50-65° C, for example 0.2 x SSC, 0.1% SDS at 65° C. For identification of less closely related homologues washes can

be performed at a lower temperature, e.g., 50° C. In general, stringency is increased by raising the wash temperature and/or decreasing the concentration of SSC.

As another example, stringent conditions can be selected such that an oligonucleotide that is perfectly complementary to the coding oligonucleotide hybridizes to the coding oligonucleotide with at least about a 5-10x higher signal to noise ratio than the ratio for hybridization of the perfectly complementary oligonucleotide to a nucleic acid encoding a transcription factor known as of the filing date of the application. Conditions can be selected such that a higher signal to noise ratio is observed in the particular assay which is used, e.g., about 15x, 25x, 35x, 50x or more. Accordingly, the subject nucleic acid hybridizes to the unique coding oligonucleotide with at least a 2x higher signal to noise ratio as compared to hybridization of the coding oligonucleotide to a nucleic acid encoding known polypeptide. Again, higher signal to noise ratios can be selected, e.g., about 5x, 10x, 25x, 35x, 50x or more. The particular signal will depend on the label used in the relevant assay, e.g., a fluorescent label, a colorimetric label, a radio active label, or the like.

Alternatively, transcription factor homologue polypeptides can be obtained by screening an expression library using antibodies specific for one or more transcription factors. With the provision herein of the disclosed transcription factor, and transcription factor homologue nucleic acid sequences, the encoded polypeptide(s) can be expressed and purified in a heterologous expression system (e.g., *E. coli*) and used to raise antibodies (monoclonal or polyclonal) specific for the polypeptide(s) in question. Antibodies can also be raised against synthetic peptides derived from transcription factor, or transcription factor homologue, amino acid sequences. Methods of raising antibodies are well known in the art and are described in Harlow and Lane (1988) Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, New York. Such antibodies can then be used to screen an expression library produced from the plant from which it is desired to clone additional transcription factor homologues, using the methods described above. The selected cDNAs can be confirmed by sequencing and enzymatic activity.

SEQUENCE VARIATIONS

It will readily be appreciated by those of skill in the art, that any of a variety of polynucleotide sequences are capable of encoding the transcription factors and transcription factor homologue polypeptides of the invention. Due to the degeneracy of the genetic code, many different polynucleotides can encode identical and/or substantially similar polypeptides in addition to those sequences illustrated in the Sequence Listing.

For example, Table 1 illustrates, e.g., that the codons AGC, AGT, TCA, TCC, TCG, and TCT all encode the same amino acid: serine. Accordingly, at each position in the sequence where there is a codon encoding serine, any of the above trinucleotide sequences can be used without altering the encoded polypeptide.

5

Table 1

Amino acids			Codon						
Alanine	Ala	A	GCA	GCC	GCG	GCU			
Cysteine	Cys	C	TGC	TGT					
Aspartic acid	Asp	D	GAC	GAT					
Glutamic acid	Glu	E	GAA	GAG					
Phenylalanine	Phe	F	TTC	TTT					
Glycine	Gly	G	GGA	GGC	GGG	GGT			
Histidine	His	H	CAC	CAT					
Isoleucine	Ile	I	ATA	ATC	ATT				
Lysine	Lys	K	AAA	AAG					
Leucine	Leu	L	TTA	TTG	CTA	CTC	CTG	CTT	
Methionine	Met	M	ATG						
Asparagine	Asn	N	AAC	AAT					
Proline	Pro	P	CCA	CCC	CCG	CCT			
Glutamine	Gln	Q	CAA	CAG					
Arginine	Arg	R	AGA	AGG	CGA	CGC	CGG	CGT	
Serine	Ser	S	AGC	AGT	TCA	TCC	TCG	TCT	
Threonine	Thr	T	ACA	ACC	ACG	ACT			
Valine	Val	V	GTA	GTC	GTG	GTT			
Tryptophan	Trp	W	TGG						
Tyrosine	Tyr	Y	TAC	TAT					

Sequence alterations that do not change the amino acid sequence encoded by the polynucleotide are termed "silent" variations. With the exception of the codons ATG and TGG, encoding methionine and tryptophan, respectively, any of the possible codons for the same amino acid can be substituted by a variety of techniques, e.g., site-directed mutagenesis, available in the art. Accordingly, any and all such variations of a sequence selected from the above table are a feature of the invention.

In addition to silent variations, other conservative variations that alter one, or a few amino acids in the encoded polypeptide, can be made without altering the function of the polypeptide, these conservative variants are, likewise, a feature of the invention.

For example, substitutions, deletions and insertions introduced into the sequences provided in the Sequence Listing are also envisioned by the invention. Such sequence modifications can be engineered into a sequence by site-directed mutagenesis (Wu (ed.) Meth. Enzymol. (1993) vol. 217, Academic Press) or the other methods noted below. Amino acid

substitutions are typically of single residues; insertions usually will be on the order of about from 1 to 10 amino acid residues; and deletions will range about from 1 to 30 residues. In preferred embodiments, deletions or insertions are made in adjacent pairs, e.g., a deletion of two residues or insertion of two residues. Substitutions, deletions, insertions or any combination thereof can be combined to arrive at a sequence. The mutations that are made in the polynucleotide encoding the transcription factor should not place the sequence out of reading frame and should not create complementary regions that could produce secondary mRNA structure. Preferably, the polypeptide encoded by the DNA performs the desired function.

Conservative substitutions are those in which at least one residue in the amino acid sequence has been removed and a different residue inserted in its place. Such substitutions generally are made in accordance with the Table 2 when it is desired to maintain the activity of the protein. Table 2 shows amino acids which can be substituted for an amino acid in a protein and which are typically regarded as conservative substitutions.

Table 2

Residue	Conservative Substitutions
Ala	Ser
Arg	Lys
Asn	Gln; His
Asp	Glu
Gln	Asn
Cys	Ser
Glu	Asp
Gly	Pro
His	Asn; Gln
Ile	Leu, Val
Leu	Ile; Val
Lys	Arg; Gln
Met	Leu; Ile
Phe	Met; Leu; Tyr
Ser	Thr; Gly
Thr	Ser; Val
Trp	Tyr
Tyr	Trp; Phe
Val	Ile; Leu

Substitutions that are less conservative than those in Table 2 can be selected by picking residues that differ more significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in protein properties will be those in which (a) a hydrophilic residue, e.g., seryl or threonyl, is substituted for (or by) a hydrophobic residue, e.g., leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue having an electropositive side chain, e.g., lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g., glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g., phenylalanine, is substituted for (or by) one not having a side chain, e.g., glycine.

FURTHER MODIFYING SEQUENCES OF THE INVENTION—MUTATION/ FORCED EVOLUTION

In addition to generating silent or conservative substitutions as noted, above, the present invention optionally includes methods of modifying the sequences of the Sequence Listing. In the methods, nucleic acid or protein modification methods are used to alter the sequences to produce new sequences and/or to chemically or enzymatically modify given sequences to change the properties of the nucleic acids or proteins.

Thus, in one embodiment, given nucleic acid sequences are modified, e.g., according to standard mutagenesis or artificial evolution methods to produce modified sequences.

For example, Ausubel, *supra*, provides additional details on mutagenesis methods. Artificial forced evolution methods are described, e.g., by Stemmer (1994) *Nature* 370:389-391, and Stemmer (1994) *Proc. Natl. Acad. Sci. USA* 91:10747-10751. Many other mutation and evolution methods are also available and expected to be within the skill of the practitioner.

Similarly, chemical or enzymatic alteration of expressed nucleic acids and polypeptides can be performed by standard methods. For example, sequence can be modified by addition of lipids, sugars, peptides, organic or inorganic compounds, by the inclusion of modified nucleotides or amino acids, or the like. For example, protein modification techniques are illustrated in Ausubel, *supra*. Further details on chemical and enzymatic modifications can be found herein. These modification methods can be used to modify any given sequence, or to modify any sequence produced by the various mutation and artificial evolution modification methods noted herein.

Accordingly, the invention provides for modification of any given nucleic acid by mutation, evolution, chemical or enzymatic modification, or other available methods, as well as for the products produced by practicing such methods, e.g., using the sequences herein as a starting substrate for the various modification approaches.

For example, optimized coding sequence containing codons preferred by a particular prokaryotic or eukaryotic host can be used e.g., to increase the rate of translation or to produce recombinant RNA transcripts having desirable properties, such as a longer half-life, as compared with transcripts produced using a non-optimized sequence. Translation stop codons can also be modified to reflect host preference. For example, preferred stop codons for *S. cerevisiae* and mammals are TAA and TGA, respectively. The preferred stop codon for monocotyledonous plants is TGA, whereas insects and *E. coli* prefer to use TAA as the stop codon.

The polynucleotide sequences of the present invention can also be engineered in order to alter a coding sequence for a variety of reasons, including but not limited to, alterations which modify the sequence to facilitate cloning, processing and/or expression of the gene product. For example, alterations are optionally introduced using techniques which are well known in the art, e.g., site-directed mutagenesis, to insert new restriction sites, to alter glycosylation patterns, to change codon preference, to introduce splice sites, etc.

Furthermore, a fragment or domain derived from any of the polypeptides of the invention can be combined with domains derived from other transcription factors or synthetic domains to modify the biological activity of a transcription factor. For instance, a DNA binding domain derived from a transcription factor of the invention can be combined with the activation domain of another transcription factor or with a synthetic activation domain. A transcription activation domain assists in initiating transcription from a DNA binding site. Examples include the transcription activation region of VP16 or GAL4 (Moore et al. (1998) Proc. Natl. Acad. Sci. USA 95: 376-381; and Aoyama et al. (1995) Plant Cell 7:1773-1785), peptides derived from bacterial sequences (Ma and Ptashne (1987) Cell 51; 113-119) and synthetic peptides (Giniger and Ptashne, (1987) Nature 330:670-672).

EXPRESSION AND MODIFICATION OF POLYPEPTIDES

Typically, polynucleotide sequences of the invention are incorporated into recombinant DNA (or RNA) molecules that direct expression of polypeptides of the invention in appropriate host cells, transgenic plants, in vitro translation systems, or the like. Due to the inherent degeneracy of the genetic code, nucleic acid sequences which encode substantially the same or a functionally equivalent amino acid sequence can be substituted for any listed sequence to provide for cloning and expressing the relevant homologue.

Vectors, Promoters and Expression Systems

The present invention includes recombinant constructs comprising one or more of the nucleic acid sequences herein. The constructs typically comprise a vector, such as a plasmid, a cosmid, a phage, a virus (e.g., a plant virus), a bacterial artificial chromosome (BAC), a yeast artificial chromosome (YAC), or the like, into which a nucleic acid sequence of the invention has been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art, and are commercially available.

General texts which describe molecular biological techniques useful herein, including the use and production of vectors, promoters and many other relevant topics, include Berger, Sambrook and Ausubel, *supra*. Any of the identified sequences can be incorporated into a cassette or vector, e.g., for expression in plants. A number of expression vectors suitable for stable transformation of plant cells or for the establishment of transgenic plants have been described including those described in Weissbach and Weissbach, (1989) Methods for Plant Molecular Biology, Academic Press, and Gelvin et al., (1990) Plant Molecular Biology Manual, Kluwer Academic Publishers. Specific examples include those derived from a Ti plasmid of *Agrobacterium tumefaciens*, as well as those disclosed by Herrera-Estrella et al. (1983) Nature 303: 209, Bevan (1984) Nucl Acid Res. 12: 8711-8721, Klee (1985) Bio/Technology 3: 637-642, for dicotyledonous plants.

Alternatively, non-Ti vectors can be used to transfer the DNA into monocotyledonous plants and cells by using free DNA delivery techniques. Such methods can involve, for example, the use of liposomes, electroporation, microprojectile bombardment, silicon carbide whiskers, and viruses. By using these methods transgenic plants such as wheat, rice (Christou (1991) Bio/Technology 9: 957-962) and corn (Gordon-Kamm (1990) Plant Cell 2: 603-618) can be produced. An immature embryo can also be a good target tissue for monocots for direct DNA delivery techniques by using the particle gun (Weeks et al. (1993) Plant Physiol 102: 1077-1084; Vasil (1993) Bio/Technology 10: 667-674; Wan and Lemeaux (1994) Plant Physiol 104: 37-48, and for *Agrobacterium*-mediated DNA transfer (Ishida et al. (1996) Nature Biotech 14: 745-750).

Typically, plant transformation vectors include one or more cloned plant coding sequence (genomic or cDNA) under the transcriptional control of 5' and 3' regulatory sequences and a dominant selectable marker. Such plant transformation vectors typically also contain a promoter (e.g., a regulatory region controlling inducible or constitutive, environmentally- or developmentally-regulated, or cell- or tissue-specific expression), a transcription initiation start site, an RNA processing signal (such as intron splice sites), a transcription termination site, and/or a polyadenylation signal.

Examples of constitutive plant promoters which can be useful for expressing the TF sequence include: the cauliflower mosaic virus (CaMV) 35S promoter, which confers constitutive, high-level expression in most plant tissues (*see*, e.g., Odel et al. (1985) Nature 313:810); the nopaline synthase promoter (An et al. (1988) Plant Physiol 88:547); and the octopine synthase promoter (Fromm et al. (1989) Plant Cell 1: 977).

A variety of plant gene promoters that regulate gene expression in response to environmental, hormonal, chemical, developmental signals, and in a tissue-active manner can be used for expression of a TF sequence in plants. Choice of a promoter is based largely on the phenotype of interest and is determined by such factors as tissue (e.g., seed, fruit, root, pollen, vascular tissue, flower, carpel, etc.), inducibility (e.g., in response to wounding, heat, cold, drought, light, pathogens, etc.), timing, developmental stage, and the like. Numerous known promoters have been characterized and can favorably be employed to promote expression of a polynucleotide of the invention in a transgenic plant or cell of interest. For example, tissue specific promoters include: seed-specific promoters (such as the napin, phaseolin or DC3 promoter described in US Pat. No. 5,773,697), fruit-specific promoters that are active during fruit ripening (such as the dru 1 promoter (US Pat. No. 5,783,393), or the 2A11 promoter (US Pat. No. 4,943,674) and the tomato polygalacturonase promoter (Bird et al. (1988) Plant Mol Biol 11:651), root-specific promoters, such as those disclosed in US Patent Nos. 5,618,988, 5,837,848 and 5,905,186, pollen-active promoters such as PTA29, PTA26 and PTA13 (US Pat. No. 5,792,929), promoters active in vascular tissue (Ringli and Keller (1998) Plant Mol Biol 37:977-988), flower-specific (Kaiser et al. (1995) Plant Mol Biol 28:231-243), pollen (Baerson et al. (1994) Plant Mol Biol 26:1947-1959), carpels (Ohl et al. (1990) Plant Cell 2:837-848), pollen and ovules (Baerson et al. (1993) Plant Mol Biol 22:255-267), auxin-inducible promoters (such as that described in van der Kop et al. (1999) Plant Mol Biol 39:979-990 or Baumann et al. (1999) Plant Cell 11:323-334), cytokinin-inducible promoter (Guevara-Garcia (1998) Plant Mol Biol 38:743-753), promoters responsive to gibberellin (Shi et al. (1998) Plant Mol Biol 38:1053-1060, Willmott et al. (1998) 38:817-825) and the like. Additional promoters are those that elicit expression in response to heat (Ainley et al. (1993) Plant Mol Biol 22: 13-23), light (e.g., the pea rbcS-3A promoter, Kuhlemeier et al. (1989) Plant Cell 1:471, and the maize rbcS promoter, Schaffner and Sheen (1991) Plant Cell 3: 997); wounding (e.g., *wun1*, Siebertz et al. (1989) Plant Cell 1: 961); pathogens (such as the PR-1 promoter described in Buchel et al. (1999) Plant Mol. Biol. 40:387-396, and the PDF1.2 promoter described in Manners et al. (1998) Plant Mol. Biol. 38:1071-80), and chemicals such as methyl jasmonate or salicylic acid (Gatz et al. (1997) Plant Mol Biol 48: 89-108). In addition, the timing of the expression can be controlled by using promoters such as those acting at senescence (An and Amazon (1995) Science 270: 1986-1988); or late seed development (Odell et al. (1994) Plant Physiol 106:447-458).

Plant expression vectors can also include RNA processing signals that can be positioned within, upstream or downstream of the coding sequence. In addition, the expression vectors can include additional regulatory sequences from the 3'-untranslated region of plant

genes, e.g., a 3' terminator region to increase mRNA stability of the mRNA, such as the PI-II terminator region of potato or the octopine or nopaline synthase 3' terminator regions.

Additional Expression Elements

Specific initiation signals can aid in efficient translation of coding sequences.

5 These signals can include, e.g., the ATG initiation codon and adjacent sequences. In cases where a coding sequence, its initiation codon and upstream sequences are inserted into the appropriate expression vector, no additional translational control signals may be needed. However, in cases where only coding sequence (e.g., a mature protein coding sequence), or a portion thereof, is inserted, exogenous transcriptional control signals including the ATG initiation codon can be
10 separately provided. The initiation codon is provided in the correct reading frame to facilitate transcription. Exogenous transcriptional elements and initiation codons can be of various origins, both natural and synthetic. The efficiency of expression can be enhanced by the inclusion of enhancers appropriate to the cell system in use.

Expression Hosts

15 The present invention also relates to host cells which are transduced with vectors of the invention, and the production of polypeptides of the invention (including fragments thereof) by recombinant techniques. Host cells are genetically engineered (i.e., nucleic acids are introduced, e.g., transduced, transformed or transfected) with the vectors of this invention, which may be, for example, a cloning vector or an expression vector comprising the relevant nucleic
20 acids herein. The vector is optionally a plasmid, a viral particle, a phage, a naked nucleic acids, *etc.* The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants, or amplifying the relevant gene. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to those skilled in the art and in the
25 references cited herein, including, Sambrook and Ausubel.

The host cell can be a eukaryotic cell, such as a yeast cell, or a plant cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Plant protoplasts are also suitable for some applications. For example, the DNA fragments are introduced into plant tissues, cultured plant cells or plant protoplasts by standard methods including electroporation (Fromm et al.,
30 (1985) Proc. Natl. Acad. Sci. USA 82, 5824, infection by viral vectors such as cauliflower mosaic virus (CaMV) (Hohn et al., (1982) Molecular Biology of Plant Tumors, (Academic Press, New York) pp. 549-560; US 4,407,956), high velocity ballistic penetration by small particles with the nucleic acid either within the matrix of small beads or particles, or on the surface (Klein et al., (1987) Nature 327, 70-73), use of pollen as vector (WO 85/01856), or use of *Agrobacterium*

tumefaciens or *A. rhizogenes* carrying a T-DNA plasmid in which DNA fragments are cloned. The T-DNA plasmid is transmitted to plant cells upon infection by *Agrobacterium tumefaciens*, and a portion is stably integrated into the plant genome (Horsch et al. (1984) Science 233:496-498; Fraley et al. (1983) Proc. Natl. Acad. Sci. USA 80, 4803).

5 The cell can include a nucleic acid of the invention which encodes a polypeptide, wherein the cells expresses a polypeptide of the invention. The cell can also include vector sequences, or the like. Furthermore, cells and transgenic plants which include any polypeptide or nucleic acid above or throughout this specification, e.g., produced by transduction of a vector of the invention, are an additional feature of the invention.

10 For long-term, high-yield production of recombinant proteins, stable expression can be used. Host cells transformed with a nucleotide sequence encoding a polypeptide of the invention are optionally cultured under conditions suitable for the expression and recovery of the encoded protein from cell culture. The protein or fragment thereof produced by a recombinant cell may be secreted, membrane-bound, or contained intracellularly, depending on the sequence
15 and/or the vector used. As will be understood by those of skill in the art, expression vectors containing polynucleotides encoding mature proteins of the invention can be designed with signal sequences which direct secretion of the mature polypeptides through a prokaryotic or eukaryotic cell membrane.

Modified Amino Acids

20 Polypeptides of the invention may contain one or more modified amino acids. The presence of modified amino acids may be advantageous in, for example, increasing polypeptide half-life, reducing polypeptide antigenicity or toxicity, increasing polypeptide storage stability, or the like. Amino acid(s) are modified, for example, co-translationally or post-translationally during recombinant production or modified by synthetic or chemical means.

25 Non-limiting examples of a modified amino acid include incorporation or other use of acetylated amino acids, glycosylated amino acids, sulfated amino acids, prenylated (e.g., farnesylated, geranylgeranylated) amino acids, PEG modified (e.g., "PEGylated") amino acids, biotinylated amino acids, carboxylated amino acids, phosphorylated amino acids, etc. References
30 adequate to guide one of skill in the modification of amino acids are replete throughout the literature.

IDENTIFICATION OF ADDITIONAL FACTORS

A transcription factor provided by the present invention can also be used to identify additional endogenous or exogenous molecules that can affect a phenotype or trait of

interest. On the one hand, such molecules include organic (small or large molecules) and/or inorganic compounds that affect expression of (i.e., regulate) a particular transcription factor. Alternatively, such molecules include endogenous molecules that are acted upon either at a transcriptional level by a transcription factor of the invention to modify a phenotype as desired.

5 For example, the transcription factors can be employed to identify one or more downstream gene with which is subject to a regulatory effect of the transcription factor. In one approach, a transcription factor or transcription factor homologue of the invention is expressed in a host cell, e.g, a transgenic plant cell, tissue or explant, and expression products, either RNA or protein, of likely or random targets are monitored, e.g., by hybridization to a microarray of nucleic acid
10 probes corresponding to genes expressed in a tissue or cell type of interest, by two-dimensional gel electrophoresis of protein products, or by any other method known in the art for assessing expression of gene products at the level of RNA or protein. Alternatively, a transcription factor of the invention can be used to identify promoter sequences (i.e., binding sites) involved in the regulation of a downstream target. After identifying a promoter sequence, interactions between
15 the transcription factor and the promoter sequence can be modified by changing specific nucleotides in the promoter sequence or specific amino acids in the transcription factor that interact with the promoter sequence to alter a plant trait. Typically, transcription factor DNA binding sites are identified by gel shift assays. After identifying the promoter regions, the promoter region sequences can be employed in double-stranded DNA arrays to identify
20 molecules that affect the interactions of the transcription factors with their promoters (Bulyk et al. (1999) Nature Biotechnology 17:573-577).

The identified transcription factors are also useful to identify proteins that modify the activity of the transcription factor. Such modification can occur by covalent modification, such as by phosphorylation, or by protein-protein (homo or-heteropolymer) interactions. Any
25 method suitable for detecting protein-protein interactions can be employed. Among the methods that can be employed are co-immunoprecipitation, cross-linking and co-purification through gradients or chromatographic columns, and the two-hybrid yeast system.

The two-hybrid system detects protein interactions in vivo and is described in Chien, et al., (1991), Proc. Natl. Acad. Sci. USA 88, 9578-9582 and is commercially available
30 from Clontech (Palo Alto, Calif.). In such a system, plasmids are constructed that encode two hybrid proteins: one consists of the DNA-binding domain of a transcription activator protein fused to the TF polypeptide and the other consists of the transcription activator protein's activation domain fused to an unknown protein that is encoded by a cDNA that has been recombined into the plasmid as part of a cDNA library. The DNA-binding domain fusion plasmid

and the cDNA library are transformed into a strain of the yeast *Saccharomyces cerevisiae* that contains a reporter gene (e.g., lacZ) whose regulatory region contains the transcription activator's binding site. Either hybrid protein alone cannot activate transcription of the reporter gene.

Interaction of the two hybrid proteins reconstitutes the functional activator protein and results in expression of the reporter gene, which is detected by an assay for the reporter gene product. Then, the library plasmids responsible for reporter gene expression are isolated and sequenced to identify the proteins encoded by the library plasmids. After identifying proteins that interact with the transcription factors, assays for compounds that interfere with the TF protein-protein interactions can be preformed.

10 IDENTIFICATION OF MODULATORS

In addition to the intracellular molecules described above, extracellular molecules that alter activity or expression of a transcription factor, either directly or indirectly, can be identified. For example, the methods can entail first placing a candidate molecule in contact with a plant or plant cell. The molecule can be introduced by topical administration, such as spraying or soaking of a plant, and then the molecule's effect on the expression or activity of the TF polypeptide or the expression of the polynucleotide monitored. Changes in the expression of the TF polypeptide can be monitored by use of polyclonal or monoclonal antibodies, gel electrophoresis or the like. Changes in the expression of the corresponding polynucleotide sequence can be detected by use of microarrays, Northern, quantitative PCR, or any other technique for monitoring changes in mRNA expression. These techniques are exemplified in Ausubel et al. (eds) Current Protocols in Molecular Biology, John Wiley & Sons (1998). Such changes in the expression levels can be correlated with modified plant traits and thus identified molecules can be useful for soaking or spraying on fruit, vegetable and grain crops to modify traits in plants.

Essentially any available composition can be tested for modulatory activity of expression or activity of any nucleic acid or polypeptide herein. Thus, available libraries of compounds such as chemicals, polypeptides, nucleic acids and the like can be tested for modulatory activity. Often, potential modulator compounds can be dissolved in aqueous or organic (e.g., DMSO-based) solutions for easy delivery to the cell or plant of interest in which the activity of the modulator is to be tested. Optionally, the assays are designed to screen large modulator composition libraries by automating the assay steps and providing compounds from any convenient source to assays, which are typically run in parallel (e.g., in microtiter formats on microtiter plates in robotic assays).

In one embodiment, high throughput screening methods involve providing a combinatorial library containing a large number of potential compounds (potential modulator compounds). Such "combinatorial chemical libraries" are then screened in one or more assays, as described herein, to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as target compounds.

A combinatorial chemical library can be, e.g., a collection of diverse chemical compounds generated by chemical synthesis or biological synthesis. For example, a combinatorial chemical library such as a polypeptide library is formed by combining a set of chemical building blocks (e.g., in one example, amino acids) in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound of a set length). Exemplary libraries include peptide libraries, nucleic acid libraries, antibody libraries (see, e.g., Vaughn et al. (1996) Nature Biotechnology, 14(3):309-314 and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al. Science (1996) 274:1520-1522 and U.S. Patent 5,593,853), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), and small organic molecule libraries (see, e.g., benzodiazepines, Baum C&EN Jan 18, page 33 (1993); isoprenoids, U.S. Patent 5,569,588; thiazolidinones and metathiazanones, U.S. Patent 5,549,974; pyrrolidines, U.S. Patents 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent 5,506,337) and the like.

Preparation and screening of combinatorial or other libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Patent 5,010,175, Furka, Int. J. Pept. Prot. Res. 37:487-493 (1991) and Houghton et al. Nature 354:84-88 (1991)). Other chemistries for generating chemical diversity libraries can also be used.

In addition, as noted, compound screening equipment for high-throughput screening is generally available, e.g., using any of a number of well known robotic systems that have also been developed for solution phase chemistries useful in assay systems. These systems include automated workstations including an automated synthesis apparatus and robotic systems utilizing robotic arms. Any of the above devices are suitable for use with the present invention, e.g., for high-throughput screening of potential modulators. The nature and implementation of modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art.

Indeed, entire high throughput screening systems are commercially available. These systems typically automate entire procedures including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s)

appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. Similarly, microfluidic implementations of screening are also commercially available.

5 The manufacturers of such systems provide detailed protocols the various high throughput. Thus, for example, Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like. The integrated systems herein, in addition to providing for sequence alignment and, optionally, synthesis of relevant nucleic acids, can include such screening apparatus to identify modulators that have an effect on one or more polynucleotides or polypeptides according to the present
10 invention.

In some assays it is desirable to have positive controls to ensure that the components of the assays are working properly. At least two types of positive controls are appropriate. That is, known transcriptional activators or inhibitors can be incubated with cells/plants/ etc. in one sample of the assay, and the resulting increase/decrease in transcription
15 can be detected by measuring the resulting increase in RNA/ protein expression, etc., according to the methods herein. It will be appreciated that modulators can also be combined with transcriptional activators or inhibitors to find modulators which inhibit transcriptional activation or transcriptional repression. Either expression of the nucleic acids and proteins herein or any additional nucleic acids or proteins activated by the nucleic acids or proteins herein, or both, can
20 be monitored.

In an embodiment, the invention provides a method for identifying compositions that modulate the activity or expression of a polynucleotide or polypeptide of the invention. For example, a test compound, whether a small or large molecule, is placed in contact with a cell, plant (or plant tissue or explant), or composition comprising the polynucleotide or polypeptide of
25 interest and a resulting effect on the cell, plant, (or tissue or explant) or composition is evaluated by monitoring, either directly or indirectly, one or more of: expression level of the polynucleotide or polypeptide, activity (or modulation of the activity) of the polynucleotide or polypeptide. In some cases, an alteration in a plant phenotype can be detected following contact of a plant (or plant cell, or tissue or explant) with the putative modulator, e.g., by modulation of expression or
30 activity of a polynucleotide or polypeptide of the invention.

SUBSEQUENCES

Also contemplated are uses of polynucleotides, also referred to herein as oligonucleotides, typically having at least 12 bases, preferably at least 15, more preferably at least

20, 30, or 50 bases, which hybridize under at least highly stringent (or ultra-high stringent or ultra-ultra- high stringent conditions) conditions to a polynucleotide sequence described above. The polynucleotides may be used as probes, primers, sense and antisense agents, and the like, according to methods as noted *supra*.

5 Subsequences of the polynucleotides of the invention, including polynucleotide fragments and oligonucleotides are useful as nucleic acid probes and primers. An oligonucleotide suitable for use as a probe or primer is at least about 15 nucleotides in length, more often at least about 18 nucleotides, often at least about 21 nucleotides, frequently at least about 30 nucleotides, or about 40 nucleotides, or more in length. A nucleic acid probe is useful in hybridization
10 protocols, e.g., to identify additional polypeptide homologues of the invention, including protocols for microarray experiments. Primers can be annealed to a complementary target DNA strand by nucleic acid hybridization to form a hybrid between the primer and the target DNA strand, and then extended along the target DNA strand by a DNA polymerase enzyme. Primer pairs can be used for amplification of a nucleic acid sequence, e.g., by the polymerase chain
15 reaction (PCR) or other nucleic-acid amplification methods. See Sambrook and Ausubel, *supra*.

In addition, the invention includes an isolated or recombinant polypeptide including a subsequence of at least about 15 contiguous amino acids encoded by the recombinant or isolated polynucleotides of the invention. For example, such polypeptides, or domains or fragments thereof, can be used as immunogens, e.g., to produce antibodies specific for the
20 polypeptide sequence, or as probes for detecting a sequence of interest. A subsequence can range in size from about 15 amino acids in length up to and including the full length of the polypeptide.

PRODUCTION OF TRANSGENIC PLANTS

Modification of Traits

The polynucleotides of the invention are favorably employed to produce
25 transgenic plants with various traits, or characteristics, that have been modified in a desirable manner, e.g., to improve the seed characteristics of a plant. For example, alteration of expression levels or patterns (e.g., spatial or temporal expression patterns) of one or more of the transcription factors (or transcription factor homologues) of the invention, as compared with the levels of the same protein found in a wild type plant, can be used to modify a plant's traits. An illustrative
30 example of trait modification, improved sugar-sensing characteristics, by altering expression levels of a particular transcription factor is described further in the Examples and the Sequence Listing.

Antisense and Cosuppression Approaches

In addition to expression of the nucleic acids of the invention as gene replacement or plant phenotype modification nucleic acids, the nucleic acids are also useful for sense and anti-sense suppression of expression, e.g., to down-regulate expression of a nucleic acid of the invention, e.g., as a further mechanism for modulating plant phenotype. That is, the nucleic acids of the invention, or subsequences or anti-sense sequences thereof, can be used to block expression of naturally occurring homologous nucleic acids. A variety of sense and anti-sense technologies are known in the art, e.g., as set forth in Lichtenstein and Nellen (1997)

Antisense Technology: A Practical Approach IRL Press at Oxford University, Oxford, England.
In general, sense or anti-sense sequences are introduced into a cell, where they are optionally amplified, e.g., by transcription. Such sequences include both simple oligonucleotide sequences and catalytic sequences such as ribozymes.

For example, a reduction or elimination of expression (i.e., a "knock-out") of a transcription factor or transcription factor homologue polypeptide in a transgenic plant, e.g., to modify a plant trait, can be obtained by introducing an antisense construct corresponding to the polypeptide of interest as a cDNA. For antisense suppression, the transcription factor or homologue cDNA is arranged in reverse orientation (with respect to the coding sequence) relative to the promoter sequence in the expression vector. The introduced sequence need not be the full length cDNA or gene, and need not be identical to the cDNA or gene found in the plant type to be transformed. Typically, the antisense sequence need only be capable of hybridizing to the target gene or RNA of interest. Thus, where the introduced sequence is of shorter length, a higher degree of homology to the endogenous transcription factor sequence will be needed for effective antisense suppression. While antisense sequences of various lengths can be utilized, preferably, the introduced antisense sequence in the vector will be at least 30 nucleotides in length, and improved antisense suppression will typically be observed as the length of the antisense sequence increases. Preferably, the length of the antisense sequence in the vector will be greater than 100 nucleotides. Transcription of an antisense construct as described results in the production of RNA molecules that are the reverse complement of mRNA molecules transcribed from the endogenous transcription factor gene in the plant cell.

Suppression of endogenous transcription factor gene expression can also be achieved using a ribozyme. Ribozymes are RNA molecules that possess highly specific endoribonuclease activity. The production and use of ribozymes are disclosed in U.S. Patent No. 4,987,071 and U.S. Patent No. 5,543,508. Synthetic ribozyme sequences including antisense RNAs can be used to confer RNA cleaving activity on the antisense RNA, such that endogenous

mRNA molecules that hybridize to the antisense RNA are cleaved, which in turn leads to an enhanced antisense inhibition of endogenous gene expression.

Vectors in which RNA encoded by a transcription factor or transcription factor homologue cDNA is over-expressed can also be used to obtain co-suppression of a corresponding endogenous gene, e.g., in the manner described in U.S. Patent No. 5,231,020 to Jorgensen. Such co-suppression (also termed sense suppression) does not require that the entire transcription factor cDNA be introduced into the plant cells, nor does it require that the introduced sequence be exactly identical to the endogenous transcription factor gene of interest. However, as with antisense suppression, the suppressive efficiency will be enhanced as specificity of hybridization is increased, e.g., as the introduced sequence is lengthened, and/or as the sequence similarity between the introduced sequence and the endogenous transcription factor gene is increased.

Vectors expressing an untranslatable form of the transcription factor mRNA, e.g., sequences comprising one or more stop codon, or nonsense mutation) can also be used to suppress expression of an endogenous transcription factor, thereby reducing or eliminating its activity and modifying one or more traits. Methods for producing such constructs are described in U.S. Patent No. 5,583,021. Preferably, such constructs are made by introducing a premature stop codon into the transcription factor gene. Alternatively, a plant trait can be modified by gene silencing using double-strand RNA (Sharp (1999) Genes and Development 13: 139-141).

Another method for abolishing the expression of a gene is by insertion mutagenesis using the T-DNA of *Agrobacterium tumefaciens*. After generating the insertion mutants, the mutants can be screened to identify those containing the insertion in a transcription factor or transcription factor homologue gene. Plants containing a single transgene insertion event at the desired gene can be crossed to generate homozygous plants for the mutation (Koncz et al. (1992) Methods in Arabidopsis Research, World Scientific).

Alternatively, a plant phenotype can be altered by eliminating an endogenous gene, such as a transcription factor or transcription factor homologue, e.g., by homologous recombination (Kempin et al. (1997) Nature 389:802).

A plant trait can also be modified by using the cre-lox system (for example, as described in US Pat. No. 5,658,772). A plant genome can be modified to include first and second lox sites that are then contacted with a Cre recombinase. If the lox sites are in the same orientation, the intervening DNA sequence between the two sites is excised. If the lox sites are in the opposite orientation, the intervening sequence is inverted.

The polynucleotides and polypeptides of this invention can also be expressed in a plant in the absence of an expression cassette by manipulating the activity or expression level of

the endogenous gene by other means. For example, by ectopically expressing a gene by T-DNA activation tagging (Ichikawa et al. (1997) Nature 390 698-701; Kakimoto et al. (1996) Science 274: 982-985). This method entails transforming a plant with a gene tag containing multiple transcriptional enhancers and once the tag has inserted into the genome, expression of a flanking gene coding sequence becomes deregulated. In another example, the transcriptional machinery in a plant can be modified so as to increase transcription levels of a polynucleotide of the invention (See, e.g., PCT Publications WO 96/06166 and WO 98/53057 which describe the modification of the DNA binding specificity of zinc finger proteins by changing particular amino acids in the DNA binding motif).

The transgenic plant can also include the machinery necessary for expressing or altering the activity of a polypeptide encoded by an endogenous gene, for example by altering the phosphorylation state of the polypeptide to maintain it in an activated state.

Transgenic plants (or plant cells, or plant explants, or plant tissues) incorporating the polynucleotides of the invention and/or expressing the polypeptides of the invention can be produced by a variety of well established techniques as described above. Following construction of a vector, most typically an expression cassette, including a polynucleotide, e.g., encoding a transcription factor or transcription factor homologue, of the invention, standard techniques can be used to introduce the polynucleotide into a plant, a plant cell, a plant explant or a plant tissue of interest. Optionally, the plant cell, explant or tissue can be regenerated to produce a transgenic plant.

The plant can be any higher plant, including gymnosperms, monocotyledonous and dicotyledonous plants. Suitable protocols are available for *Leguminosae* (alfalfa, soybean, clover, etc.), *Umbelliferae* (carrot, celery, parsnip), *Cruciferae* (cabbage, radish, rapeseed, broccoli, etc.), *Curcubitaceae* (melons and cucumber), *Gramineae* (wheat, corn, rice, barley, millet, etc.), *Solanaceae* (potato, tomato, tobacco, peppers, etc.), and various other crops. See protocols described in Ammirato et al. (1984) Handbook of Plant Cell Culture –Crop Species. Macmillan Publ. Co. Shimamoto et al. (1989) Nature 338:274-276; Fromm et al. (1990) Bio/Technology 8:833-839; and Vasil et al. (1990) Bio/Technology 8:429-434.

Transformation and regeneration of both monocotyledonous and dicotyledonous plant cells is now routine, and the selection of the most appropriate transformation technique will be determined by the practitioner. The choice of method will vary with the type of plant to be transformed; those skilled in the art will recognize the suitability of particular methods for given plant types. Suitable methods can include, but are not limited to: electroporation of plant protoplasts; liposome-mediated transformation; polyethylene glycol (PEG) mediated

transformation; transformation using viruses; micro-injection of plant cells; micro-projectile bombardment of plant cells; vacuum infiltration; and *Agrobacterium tumefaciens* mediated transformation. Transformation means introducing a nucleotide sequence in a plant in a manner to cause stable or transient expression of the sequence.

5 Successful examples of the modification of plant characteristics by transformation with cloned sequences which serve to illustrate the current knowledge in this field of technology, and which are herein incorporated by reference, include: U.S. Patent Nos. 5,571,706; 5,677,175; 5,510,471; 5,750,386; 5,597,945; 5,589,615; 5,750,871; 5,268,526; 5,780,708; 5,538,880; 5,773,269; 5,736,369 and 5,610,042.

10 Following transformation, plants are preferably selected using a dominant selectable marker incorporated into the transformation vector. Typically, such a marker will confer antibiotic or herbicide resistance on the transformed plants, and selection of transformants can be accomplished by exposing the plants to appropriate concentrations of the antibiotic or herbicide.

15 After transformed plants are selected and grown to maturity, those plants showing a modified trait are identified. The modified trait can be any of those traits described above. Additionally, to confirm that the modified trait is due to changes in expression levels or activity of the polypeptide or polynucleotide of the invention can be determined by analyzing mRNA expression using Northern blots, RT-PCR or microarrays, or protein expression using
20 immunoblots or Western blots or gel shift assays.

INTEGRATED SYSTEMS—SEQUENCE IDENTITY

 Additionally, the present invention may be an integrated system, computer or computer readable medium that comprises an instruction set for determining the identity of one or more sequences in a database. In addition, the instruction set can be used to generate or identify
25 sequences that meet any specified criteria. Furthermore, the instruction set may be used to associate or link certain functional benefits, such improved sugar-sensing characteristics, with one or more identified sequence.

 For example, the instruction set can include, e.g., a sequence comparison or other alignment program, e.g., an available program such as, for example, the Wisconsin Package
30 Version 10.0, such as BLAST, FASTA, PILEUP, FINDPATTERNS or the like (GCG, Madison, WI). Public sequence databases such as GenBank, EMBL, Swiss-Prot and PIR or private sequence databases such as PhytoSeq (Incyte Pharmaceuticals, Palo Alto, CA) can be searched.

Alignment of sequences for comparison can be conducted by the local homology algorithm of Smith and Waterman (1981) Adv. Appl. Math. 2:482, by the homology alignment algorithm of Needleman and Wunsch (1970) J. Mol. Biol. 48:443, by the search for similarity method of Pearson and Lipman (1988) Proc. Natl. Acad. Sci. U.S.A. 85: 2444, by computerized
5 implementations of these algorithms. After alignment, sequence comparisons between two (or more) polynucleotides or polypeptides are typically performed by comparing sequences of the two sequences over a comparison window to identify and compare local regions of sequence similarity. The comparison window can be a segment of at least about 20 contiguous positions, usually about 50 to about 200, more usually about 100 to about 150 contiguous positions. A
10 description of the method is provided in Ausubel et al., *supra*.

A variety of methods of determining sequence relationships can be used, including manual alignment and computer assisted sequence alignment and analysis. This later approach is a preferred approach in the present invention, due to the increased throughput afforded by computer assisted methods. As noted above, a variety of computer programs for
15 performing sequence alignment are available, or can be produced by one of skill.

One example algorithm that is suitable for determining percent sequence identity and sequence similarity is the BLAST algorithm, which is described in Altschul et al. J. Mol. Biol. 215:403-410 (1990). Software for performing BLAST analyses is publicly available, e.g., through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov/>). This
20 algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them.
25 The word hits are then extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each
30 direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an

expectation (E) of 10, a cutoff of 100, M=5, N=-4, and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength (W) of 3, an expectation (E) of 10, and the BLOSUM62 scoring matrix (*see* Henikoff & Henikoff (1989) Proc. Natl. Acad. Sci. USA 89:10915).

5 In addition to calculating percent sequence identity, the BLAST algorithm also performs a statistical analysis of the similarity between two sequences (*see*, e.g., Karlin & Altschul (1993) Proc. Natl. Acad. Sci. USA 90:5873-5787). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur
10 by chance. For example, a nucleic acid is considered similar to a reference sequence (and, therefore, in this context, homologous) if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.1, or less than about 0.01, and or even less than about 0.001. An additional example of a useful sequence alignment algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using
15 progressive, pairwise alignments. The program can align, e.g., up to 300 sequences of a maximum length of 5,000 letters.

The integrated system, or computer typically includes a user input interface allowing a user to selectively view one or more sequence records corresponding to the one or more character strings, as well as an instruction set which aligns the one or more character strings
20 with each other or with an additional character string to identify one or more region of sequence similarity. The system may include a link of one or more character strings with a particular phenotype or gene function. Typically, the system includes a user readable output element which displays an alignment produced by the alignment instruction set.

The methods of this invention can be implemented in a localized or distributed
25 computing environment. In a distributed environment, the methods may implemented on a single computer comprising multiple processors or on a multiplicity of computers. The computers can be linked, e.g. through a common bus, but more preferably the computer(s) are nodes on a network. The network can be a generalized or a dedicated local or wide-area network and, in certain preferred embodiments, the computers may be components of an intra-net or an internet.

30 Thus, the invention provides methods for identifying a sequence similar or homologous to one or more polynucleotides as noted herein, or one or more target polypeptides encoded by the polynucleotides, or otherwise noted herein and may include linking or associating a given plant phenotype or gene function with a sequence. In the methods, a sequence database is

provided (locally or across an inter or intra net) and a query is made against the sequence database using the relevant sequences herein and associated plant phenotypes or gene functions.

Any sequence herein can be entered into the database, before or after querying the database. This provides for both expansion of the database and, if done before the querying step, for insertion of control sequences into the database. The control sequences can be detected by the query to ensure the general integrity of both the database and the query. As noted, the query can be performed using a web browser based interface. For example, the database can be a centralized public database such as those noted herein, and the querying can be done from a remote terminal or computer across an internet or intranet.

EXAMPLES

The following examples are intended to illustrate but not limit the present invention.

EXAMPLE I. FULL LENGTH GENE IDENTIFICATION AND CLONING

Putative transcription factor sequences (genomic or ESTs) related to known transcription factors were identified in the *Arabidopsis thaliana* GenBank database using the tblastn sequence analysis program using default parameters and a P-value cutoff threshold of -4 or -5 or lower, depending on the length of the query sequence. Putative transcription factor sequence hits were then screened to identify those containing particular sequence strings. If the sequence hits contained such sequence strings, the sequences were confirmed as transcription factors.

Alternatively, *Arabidopsis thaliana* cDNA libraries derived from different tissues or treatments, or genomic libraries were screened to identify novel members of a transcription family using a low stringency hybridization approach. Probes were synthesized using gene specific primers in a standard PCR reaction (annealing temperature 60°C) and labeled with ^{32}P dCTP using the High Prime DNA Labeling Kit (Boehringer Mannheim). Purified radiolabelled probes were added to filters immersed in Church hybridization medium (0.5 M NaPO_4 pH 7.0, 7% SDS, 1 % w/v bovine serum albumin) and hybridized overnight at 60°C with shaking. Filters were washed two times for 45 to 60 minutes with 1xSCC, 1% SDS at 60°C .

To identify additional sequence 5' or 3' of a partial cDNA sequence in a cDNA library, 5' and 3' rapid amplification of cDNA ends (RACE) was performed using the MarathonTM cDNA amplification kit (Clontech, Palo Alto, CA). Generally, the method entailed first isolating poly(A) mRNA, performing first and second strand cDNA synthesis to generate double stranded

cDNA, blunting cDNA ends, followed by ligation of the Marathon™ Adaptor to the cDNA to form a library of adaptor-ligated ds cDNA.

Gene-specific primers were designed to be used along with adaptor specific primers for both 5' and 3' RACE reactions. Nested primers, rather than single primers, were used to increase PCR specificity. Using 5' and 3' RACE reactions, 5' and 3' RACE fragments were obtained, sequenced and cloned. The process can be repeated until 5' and 3' ends of the full-length gene were identified. Then the full-length cDNA was generated by PCR using primers specific to 5' and 3' ends of the gene by end-to-end PCR.

EXAMPLE II. CONSTRUCTION OF EXPRESSION VECTORS

The sequence was amplified from a genomic or cDNA library using primers specific to sequences upstream and downstream of the coding region. The expression vector was pMEN20 or pMEN65, which are both derived from pMON316 (Sanders et al, (1987) Nucleic Acids Research 15:1543-58) and contain the CaMV 35S promoter to express transgenes. To clone the sequence into the vector, both pMEN20 and the amplified DNA fragment were digested separately with Sall and NotI restriction enzymes at 37° C for 2 hours. The digestion products were subject to electrophoresis in a 0.8% agarose gel and visualized by ethidium bromide staining. The DNA fragments containing the sequence and the linearized plasmid were excised and purified by using a Qiaquick gel extraction kit (Qiagen, CA). The fragments of interest were ligated at a ratio of 3:1 (vector to insert). Ligation reactions using T4 DNA ligase (New England Biolabs, MA) were carried out at 16° C for 16 hours. The ligated DNAs were transformed into competent cells of the *E. coli* strain DH5alpha by using the heat shock method. The transformations were plated on LB plates containing 50 mg/l kanamycin (Sigma).

Individual colonies were grown overnight in five milliliters of LB broth containing 50 mg/l kanamycin at 37° C. Plasmid DNA was purified by using Qiaquick Mini Prep kits (Qiagen, CA).

EXAMPLE III. TRANSFORMATION OF AGROBACTERIUM WITH THE EXPRESSION VECTOR

After the plasmid vector containing the gene was constructed, the vector was used to transform *Agrobacterium tumefaciens* cells expressing the gene products. The stock of *Agrobacterium tumefaciens* cells for transformation were made as described by Nagel et al. (1990) FEMS Microbiol Letts. 67: 325-328. *Agrobacterium* strain ABI was grown in 250 ml LB medium (Sigma) overnight at 28°C with shaking until an absorbance (A_{600}) of 0.5 – 1.0 was reached. Cells were harvested by centrifugation at 4,000 x g for 15 min at 4° C. Cells were then

resuspended in 250 μ l chilled buffer (1 mM HEPES, pH adjusted to 7.0 with KOH). Cells were centrifuged again as described above and resuspended in 125 μ l chilled buffer. Cells were then centrifuged and resuspended two more times in the same HEPES buffer as described above at a volume of 100 μ l and 750 μ l, respectively. Resuspended cells were then distributed into 40 μ l aliquots, quickly frozen in liquid nitrogen, and stored at -80° C.

5 *Agrobacterium* cells were transformed with plasmids prepared as described above following the protocol described by Nagel et al. For each DNA construct to be transformed, 50 – 100 ng DNA (generally resuspended in 10 mM Tris-HCl, 1 mM EDTA, pH 8.0) was mixed with 40 μ l of *Agrobacterium* cells. The DNA/cell mixture was then transferred to 10 a chilled cuvette with a 2mm electrode gap and subject to a 2.5 kV charge dissipated at 25 μ F and 200 μ F using a Gene Pulser II apparatus (Bio-Rad). After electroporation, cells were immediately resuspended in 1.0 ml LB and allowed to recover without antibiotic selection for 2 – 4 hours at 28° C in a shaking incubator. After recovery, cells were plated onto selective medium of LB broth containing 100 μ g/ml spectinomycin (Sigma) and incubated for 24-48 hours at 28° C. 15 Single colonies were then picked and inoculated in fresh medium. The presence of the plasmid construct was verified by PCR amplification and sequence analysis.

EXAMPLE IV. TRANSFORMATION OF ARABIDOPSIS PLANTS WITH AGROBACTERIUM TUMEFACIENS WITH EXPRESSION VECTOR

After transformation of *Agrobacterium tumefaciens* with plasmid vectors 20 containing the gene, single *Agrobacterium* colonies were identified, propagated, and used to transform *Arabidopsis* plants. Briefly, 500 ml cultures of LB medium containing 50 mg/l kanamycin were inoculated with the colonies and grown at 28° C with shaking for 2 days until an absorbance (A_{600}) of > 2.0 is reached. Cells were then harvested by centrifugation at $4,000 \times g$ for 10 min, and resuspended in infiltration medium (1/2 X Murashige and Skoog salts (Sigma), 1 25 X Gamborg's B-5 vitamins (Sigma), 5.0% (w/v) sucrose (Sigma), 0.044 μ M benzylamino purine (Sigma), 200 μ l/L Silwet L-77 (Lehle Seeds) until an absorbance (A_{600}) of 0.8 was reached.

Prior to transformation, *Arabidopsis thaliana* seeds (ecotype Columbia) were sown at a density of ~ 10 plants per 4" pot onto Pro-Mix BX potting medium (Hummert International) covered with fiberglass mesh (18 mm X 16 mm). Plants were grown under 30 continuous illumination (50-75 μ E/m²/sec) at $22-23^{\circ}$ C with 65-70% relative humidity. After about 4 weeks, primary inflorescence stems (bolts) are cut off to encourage growth of multiple secondary bolts. After flowering of the mature secondary bolts, plants were prepared for transformation by removal of all siliques and opened flowers.

THIS PAGE BLANK (USPTO)

The pots were then immersed upside down in the mixture of *Agrobacterium* infiltration medium as described above for 30 sec, and placed on their sides to allow draining into a 1' x 2' flat surface covered with plastic wrap. After 24 h, the plastic wrap was removed and pots are turned upright. The immersion procedure was repeated one week later, for a total of two
5 immersions per pot. Seeds were then collected from each transformation pot and analyzed following the protocol described below.

EXAMPLE V. IDENTIFICATION OF ARABIDOPSIS PRIMARY TRANSFORMANTS

Seeds collected from the transformation pots were sterilized essentially as follows. Seeds were dispersed into in a solution containing 0.1% (v/v) Triton X-100 (Sigma) and
10 sterile H₂O and washed by shaking the suspension for 20 min. The wash solution was then drained and replaced with fresh wash solution to wash the seeds for 20 min with shaking. After removal of the second wash solution, a solution containing 0.1% (v/v) Triton X-100 and 70% ethanol (Equistar) was added to the seeds and the suspension was shaken for 5 min. After
15 removal of the ethanol/detergent solution, a solution containing 0.1% (v/v) Triton X-100 and 30% (v/v) bleach (Clorox) was added to the seeds, and the suspension was shaken for 10 min. After removal of the bleach/detergent solution, seeds were then washed five times in sterile distilled H₂O. The seeds were stored in the last wash water at 4° C for 2 days in the dark before being
20 plated onto antibiotic selection medium (1 X Murashige and Skoog salts (pH adjusted to 5.7 with 1M KOH), 1 X Gamborg's B-5 vitamins, 0.9% phytagar (Life Technologies), and 50 mg/l kanamycin). Seeds were germinated under continuous illumination (50-75 $\mu\text{E}/\text{m}^2/\text{sec}$) at 22-23° C. After 7-10 days of growth under these conditions, kanamycin resistant primary transformants (T₁ generation) were visible and obtained. These seedlings were transferred first to fresh
selection plates where the seedlings continued to grow for 3-5 more days, and then to soil (Pro-Mix BX potting medium).

25 Primary transformants were crossed and progeny seeds (T₂) collected; kanamycin resistant seedlings were selected and analyzed. The expression levels of the recombinant polynucleotides in the transformants varies from about a 5% expression level increase to a least a 100% expression level increase. Similar observations are made with respect to polypeptide level
expression.

30

EXAMPLE VI. IDENTIFICATION OF ARABIDOPSIS PLANTS WITH TRANSCRIPTION
FACTOR GENE KNOCKOUTS

The screening of insertion mutagenized *Arabidopsis* collections for null mutants in a known target gene was essentially as described in Krysan et al (1999) Plant Cell 11:2283-2290. Briefly, gene-specific primers, nested by 5-250 base pairs to each other, were designed from the 5' and 3' regions of a known target gene. Similarly, nested sets of primers were also created specific to each of the T-DNA or transposon ends (the "right" and "left" borders). All possible combinations of gene specific and T-DNA/transposon primers were used to detect by PCR an insertion event within or close to the target gene. The amplified DNA fragments were then sequenced which allows the precise determination of the T-DNA/transposon insertion point relative to the target gene. Insertion events within the coding or intervening sequence of the genes were deconvoluted from a pool comprising a plurality of insertion events to a single unique mutant plant for functional characterization. The method is described in more detail in Yu and Adam, US Application Serial No. 09/177,733 filed October 23, 1998.

EXAMPLE VII. IDENTIFICATION OF SUGAR-SENSING CHARACTERISTICS
PHENOTYPE IN OVEREXPRESSOR OR GENE KNOCKOUT PLANTS

Experiments were performed to identify those transformants or knockouts that exhibited modified sugar-sensing. For such studies, seeds from transformants were germinated on media containing 5% glucose or 9.4% sucrose which normally partially restrict hypocotyl elongation. Plants with altered sugar sensing may have either longer or shorter hypocotyls than normal plants when grown on this media. Additionally, other plant traits may be varied such as root mass.

Table 3 shows the phenotypes observed for particular overexpressor or knockout plants and provides the SEQ ID No., the internal reference code (GID), whether a knockout or overexpressor plant was analyzed and the observed phenotype.

Table 3

SEQ ID No.	GID	Knockout (OE) or overexpressor KO)	Phenotype observed
1	G26	OE	Decreased germination and growth on glucose medium
3	G38	OE	Reduced germination on glucose medium
5	G43	OE	Decreased germination and growth on glucose medium
7	G207	OE	Decreased germination on glucose medium
9	G241	OE	Decreased germination and growth on glucose medium
11	G254	OE	Decreased germination and growth on glucose medium
13	G263	OE	Decreased root growth on sucrose medium
15	G308	OE	No germination on glucose medium
17	G536	OE	Decreased germination and growth on glucose medium
19	G680	OE	Reduced germination on glucose medium
21	G867	OE	Better seedling vigor on sucrose medium
23	G912	OE	Reduced cotyledon expansion in glucose
25	G996	OE	Reduced germination on glucose medium
27	G1068	OE	Reduced cotyledon expansion in glucose
29	G1337	OE	Decreased germination on sucrose medium

For a particular overexpressor that shows a less beneficial sugar-sensing characteristic, it may be more useful to select a plant with a decreased expression of the particular transcription factor. For a particular knockout that shows a less beneficial sugar-sensing characteristic, it may be more useful to select a plant with an increased expression of the particular transcription factor.

EXAMPLE VIII. IDENTIFICATION OF HOMOLOGOUS SEQUENCES

Homologous sequences from *Arabidopsis* and plant species other than *Arabidopsis* were identified using database sequence search tools, such as the Basic Local Alignment Search Tool (BLAST) (Altschul et al. (1990) *J. Mol. Biol.* 215:403-410; and Altschul et al. (1997) *Nucl. Acid Res.* 25: 3389-3402). The tblastx sequence analysis programs were employed using the BLOSUM-62 scoring matrix (Henikoff, S. and Henikoff, J. G. (1992) *Proc. Natl. Acad. Sci. USA* 89: 10915-10919).

Identified *Arabidopsis* homologous sequences are provided in Figure 2 and included in the Sequence Listing. The percent sequence identity among these sequences is as low as 47% sequence identity. Additionally, the entire NCBI GenBank database was filtered for sequences from all plants except *Arabidopsis thaliana* by selecting all entries in the NCBI GenBank database associated with NCBI taxonomic ID 33090 (Viridiplantae; all plants) and excluding entries associated with taxonomic ID 3701 (*Arabidopsis thaliana*). These sequences were compared to sequences representing genes of SEQ IDs Nos. 1-54 on 9/26/2000 using the Washington University TBLASTX algorithm (version 2.0a19MP). For each gene of SEQ IDs

Nos. 1-54, individual comparisons were ordered by probability score (P-value), where the score reflects the probability that a particular alignment occurred by chance. For example, a score of $3.6e-40$ is 3.6×10^{-40} . For up to ten species, the gene with the lowest P-value (and therefore the most likely homolog) is listed in Figure 3.

5 In addition to P-values, comparisons were also scored by percentage identity. Percentage identity reflects the degree to which two segments of DNA or protein are identical over a particular length. The ranges of percent identity between the non-Arabidopsis genes shown in Figure 3 and the Arabidopsis genes in the sequence listing are: SEQ ID No. 1: 44%-79%; SEQ ID No. 3: 36%-72%; SEQ ID No. 5: 42%-67%; SEQ ID No. 7: 55%-82%; SEQ ID No. 9: 69%-84%;
10 SEQ ID No. 11: 57%-90%; SEQ ID No. 13: 48%-85%; SEQ ID No. 15: 38%-85%; SEQ ID No. 17: 77%-87%; SEQ ID No. 19: 42%-88%; SEQ ID No. 21: 54%-69%; SEQ ID No. 23: 34%-71%; SEQ ID No. 25: 55%-95%; SEQ ID No. 27: 54%-95%; SEQ ID No. 29: 37%-58%; SEQ ID No. 31: 42%-70%; SEQ ID No. 33: 46%-62%; SEQ ID No. 35: 64%-84%; SEQ ID No. 37: 57%-87%; SEQ ID No. 39: 40%-80%; SEQ ID No. 41: 56%-82%; SEQ ID No. 43: 64%-93%; SEQ ID
15 No. 45: 35%-86%; SEQ ID No. 47: 84%-91%; SEQ ID No. 49: 85%-91%; SEQ ID No. 51: 38%-89%; SEQ ID No. 53: 53%-75%; SEQ ID No. 55: 57%-72%; SEQ ID No. 57: 57%-69%; SEQ ID No. 59: 49%-86%; SEQ ID No. 61: 49%-78%; SEQ ID No. 63: 51%-86%; SEQ ID No. 65: 42%-72%; SEQ ID No. 67: 35%-69%; and SEQ ID No. 69: 36%-64%.

20 The polynucleotides and polypeptides in the Sequence Listing and the identified homologous sequences may be stored in a computer system and have associated or linked with the sequences a function, such as that the polynucleotides and polypeptides are useful for modifying the sugar-sensing characteristics of a plant.

25 All references, publications, patents and other documents herein are incorporated by reference in their entirety for all purposes. Although the invention has been described with reference to the embodiments and examples above, it should be understood that various modifications can be made without departing from the spirit of the invention.

What is claimed is:

1. A transgenic plant with modified sugar-sensing characteristics, which plant comprises a recombinant polynucleotide comprising a nucleotide sequence selected from the group consisting of:
 - 5 (a) a nucleotide sequence encoding a polypeptide comprising a sequence selected from SEQ ID Nos. 2N, where N=1-35, or a complementary nucleotide sequence thereof;
 - (b) a nucleotide sequence encoding a polypeptide comprising a conservatively substituted variant of a polypeptide of (a);
 - (c) a nucleotide sequence comprising a sequence selected from those of SEQ ID Nos. 2N-
10 1, where N=1-35, or a complementary nucleotide sequence thereof;
 - (d) a nucleotide sequence comprising silent substitutions in a nucleotide sequence of (c);
 - (e) a nucleotide sequence which hybridizes under stringent conditions to a nucleotide sequence of one or more of: (a), (b), (c), or (d);
 - (f) a nucleotide sequence comprising at least 15 consecutive nucleotides of a sequence of
15 any of (a)-(e);
 - (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide that modifies a plant's sugar-sensing characteristics;
 - (h) a nucleotide sequence having at least 34% sequence identity to a nucleotide sequence
20 of any of (a)-(g);
 - (i) a nucleotide sequence having at least 60% identity sequence identity to a nucleotide sequence of any of (a)-(g);
 - (j) a nucleotide sequence which encodes a polypeptide having at least 34% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-35;
 - 25 (k) a nucleotide sequence which encodes a polypeptide having at least 60% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-35; and
 - (l) a nucleotide sequence which encodes a polypeptide having at least 65% sequence identity to a conserved domain of a polypeptide of SEQ ID Nos. 2N, where N=1-35.
- 30 2. The transgenic plant of claim 1, further comprising a constitutive, inducible, or tissue-active promoter operably linked to said nucleotide sequence.
3. The transgenic plant of claim 1, wherein the plant is selected from the group consisting of: soybean, wheat, corn, potato, cotton, rice, oilseed rape, sunflower, alfalfa, sugarcane, turf,

banana, blackberry, blueberry, strawberry, raspberry, cantaloupe, carrot, cauliflower, coffee, cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers, pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, rosaceous fruits, and vegetable brassicas.

5

4. An isolated or recombinant polynucleotide comprising a nucleotide sequence selected from the group consisting of:

- (a) a nucleotide sequence encoding a polypeptide comprising a sequence selected from SEQ ID Nos. 2N, where N=1-35, or a complementary nucleotide sequence thereof;
- 10 (b) a nucleotide sequence encoding a polypeptide comprising a conservatively substituted variant of a polypeptide of (a);
- (c) a nucleotide sequence comprising a sequence selected from those of SEQ ID Nos. 2N-1, where N=1-35, or a complementary nucleotide sequence thereof;
- (d) a nucleotide sequence comprising silent substitutions in a nucleotide sequence of (c);
- 15 (e) a nucleotide sequence which hybridizes under stringent conditions to a nucleotide sequence of one or more of: (a), (b), (c), or (d);
- (f) a nucleotide sequence comprising at least 15 consecutive nucleotides of a sequence of any of (a)-(e);
- (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which
- 20 subsequence or fragment encodes a polypeptide that modifies a plant's sugar-sensing characteristics;
- (h) a nucleotide sequence having at least 34% sequence identity to a nucleotide sequence of any of (a)-(g);
- (i) a nucleotide sequence having at least 60% identity sequence identity to a nucleotide
- 25 sequence of any of (a)-(g);
- (j) a nucleotide sequence which encodes a polypeptide having at least 34% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-35;
- (k) a nucleotide sequence which encodes a polypeptide having at least 60% identity sequence identity to a polypeptide of SEQ ID Nos. 2N, where N=1-35; and
- 30 (l) a nucleotide sequence which encodes a conserved domain of a polypeptide having at least 65% sequence identity to a conserved domain of a polypeptide of SEQ ID Nos. 2N, where N=1-35.

5. The isolated or recombinant polynucleotide of claim 4, further comprising a constitutive, inducible, or tissue-active promoter operably linked to the nucleotide sequence.
6. A cloning or expression vector comprising the isolated or recombinant polynucleotide of claim 4.
7. A cell comprising the cloning or expression vector of claim 6.
8. A transgenic plant comprising the isolated or recombinant polynucleotide of claim 4.
9. A composition produced by one or more of:
- (a) incubating one or more polynucleotide of claim 4 with a nuclease;
 - (b) incubating one or more polynucleotide of claim 4 with a restriction enzyme;
 - (c) incubating one or more polynucleotide of claim 4 with a polymerase;
 - (d) incubating one or more polynucleotide of claim 4 with a polymerase and a primer;
 - (e) incubating one or more polynucleotide of claim 4 with a cloning vector, or
 - (f) incubating one or more polynucleotide of claim 4 with a cell.
10. A composition comprising two or more different polynucleotides of claim 4.
11. An isolated or recombinant polypeptide comprising a subsequence of at least about 15 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4.
12. A plant ectopically expressing an isolated polypeptide of claim 11.
13. A method for producing a plant having modified sugar-sensing characteristics, the method comprising altering the expression of the isolated or recombinant polynucleotide of claim 4 or the expression levels or activity of a polypeptide of claim 11 in a plant, thereby producing a modified plant, and selecting the modified plant for improved sugar-sensing characteristics thereby providing the modified plant with a modified sugar-sensing characteristics.
14. The method of claim 13, wherein the polynucleotide is a polynucleotide of claim 4.

15. A method of identifying a factor that is modulated by or interacts with a polypeptide encoded by a polynucleotide of claim 4, the method comprising:
- (a) expressing a polypeptide encoded by the polynucleotide in a plant; and
 - (b) identifying at least one factor that is modulated by or interacts with the polypeptide.
- 5
16. The method of claim 15, wherein the identifying is performed by detecting binding by the polypeptide to a promoter sequence, or detecting interactions between an additional protein and the polypeptide in a yeast two hybrid system.
- 10 17. The method of claim 15, wherein the identifying is performed by detecting expression of a factor by hybridization to a microarray, subtractive hybridization or differential display.
18. A method of identifying a molecule that modulates activity or expression of a polynucleotide or polypeptide of interest, the method comprising:
- 15 (a) placing the molecule in contact with a plant comprising the polynucleotide or polypeptide encoded by the polynucleotide of claim 4; and,
- (b) monitoring one or more of:
- (i) expression level of the polynucleotide in the plant;
 - (ii) expression level of the polypeptide in the plant;
 - 20 (iii) modulation of an activity of the polypeptide in the plant; or
 - (iv) modulation of an activity of the polynucleotide in the plant.
19. An integrated system, computer or computer readable medium comprising one or more character strings corresponding to a polynucleotide of claim 4, or to a polypeptide encoded by the
- 25 polynucleotide.
20. The integrated system, computer or computer readable medium of claim 19, further comprising a link between said one or more sequence strings to a modified plant sugar-sensing characteristics phenotype.
- 30
21. A method of identifying a sequence similar or homologous to one or more polynucleotides of claim 4, or one or more polypeptides encoded by the polynucleotides, the method comprising:
- (a) providing a sequence database; and,

(b) querying the sequence database with one or more target sequences corresponding to the one or more polynucleotides or to the one or more polypeptides to identify one or more sequence members of the database that display sequence similarity or homology to one or more of the one or more target sequences.

5

22. The method of claim 21, wherein the querying comprises aligning one or more of the target sequences with one or more of the one or more sequence members in the sequence database.

10

23. The method of claim 21, wherein the querying comprises identifying one or more of the one or more sequence members of the database that meet a user-selected identity criteria with one or more of the target sequences.

15

24. The method of claim 21, further comprising linking the one or more of the polynucleotides of claim 4, or encoded polypeptides, to a modified plant sugar-sensing characteristics phenotype.

20

25. A plant comprising altered expression levels of an isolated or recombinant polynucleotide of claim 4.

26. A plant comprising altered expression levels or the activity of an isolated or recombinant polypeptide of claim 11.

Figure 1

SEQ ID No.	GID	cDNA or protein	conserved domain
1	G26	cDNA	
2	G26	protein	67-134
3	G38	cDNA	
4	G38	protein	76-143
5	G43	cDNA	
6	G43	protein	104-172
7	G207	cDNA	
8	G207	protein	6-106
9	G241	cDNA	
10	G241	protein	14-114
11	G254	cDNA	
12	G254	protein	62-106
13	G263	cDNA	
14	G263	protein	15-105
15	G308	cDNA	
16	G308	protein	270-274
17	G536	cDNA	
18	G536	protein	226-233
19	G680	cDNA	
20	G680	protein	24-70
21	G867	cDNA	
22	G867	protein	59-124
23	G912	cDNA	
24	G912	protein	51-118
25	G996	cDNA	
26	G996	protein	14-114
27	G1068	cDNA	
28	G1068	protein	143-150
29	G1337	cDNA	
30	G1337	protein	9-75

Figure 2

SEQ ID No.	GID	homolog	cDNA or protein	conserved domain
31	G1141	homolog of G38	cDNA	
32	G1141	homolog of G38	protein	75-142
33	G46	homolog of G43	cDNA	
34	G46	homolog of G43	protein	107-175
35	G242	homolog of G207	cDNA	
36	G242	homolog of G207	protein	6-105
37	G227	homolog of G207	cDNA	
38	G227	homolog of G207	protein	13-112
39	G1307	homolog of G241	cDNA	
40	G1307	homolog of G241	protein	14-114
41	G1327	homolog of G241	cDNA	
42	G1327	homolog of G241	protein	14-116
43	G673	homolog of G254	cDNA	
44	G673	homolog of G254	protein	37-95
45	G307	homolog of G308	cDNA	
46	G307	homolog of G308	protein	323-339
47	G529	homolog of G536	cDNA	
48	G529	homolog of G536	protein	229-236
49	G531	homolog of G536	cDNA	
50	G531	homolog of G536	protein	227-234
51	G214	homolog of G680	cDNA	
52	G214	homolog of G680	protein	22-71
53	G1930	homolog of G867	cDNA	
54	G1930	homolog of G867	protein	59-124
55	G9	homolog of G867	cDNA	
56	G9	homolog of G867	protein	62-127
57	G993	homolog of G867	cDNA	
58	G993	homolog of G867	protein	69-134
59	G41	homolog of G912	cDNA	
60	G41	homolog of G912	protein	39-106
61	G40	homolog of G912	cDNA	
62	G40	homolog of G912	protein	45-112
63	G42	homolog of G912	cDNA	
64	G42	homolog of G912	protein	48-115
65	G1127	homolog of G1068	cDNA	
66	G1127	homolog of G1068	protein	103-110, 155-162
67	G2657	homolog of G1068	cDNA	
68	G2657	homolog of G1068	protein	116-129
69	G326	homolog of G1337	cDNA	
70	G326	homolog of G1337	protein	11-94, 354-400

Figure 3A

SEQ ID No.	GID	Genbank NID	P-value	Species
1	G26	4387560	6.00E-27	Lycopersicon esculentum
1	G26	9427282	1.60E-24	Triticum aestivum
1	G26	7206394	4.30E-24	Medicago truncatula
1	G26	7796858	5.40E-24	Glycine max
1	G26	7788764	6.40E-24	Lotus japonicus
1	G26	8098026	1.40E-20	Hordeum vulgare
1	G26	790362	1.80E-20	Nicotiana tabacum
1	G26	569065	2.60E-20	Oryza sativa
1	G26	3264766	3.60E-20	Prunus armeniaca
1	G26	7528275	6.20E-20	Mesembryanthemum crystallinum
3	G38	8346772	5.30E-47	Catharanthus roseus
3	G38	7205636	3.80E-45	Medicago truncatula
3	G38	7684799	2.80E-43	Glycine max
3	G38	9363798	4.80E-38	Triticum aestivum
3	G38	7777379	7.80E-38	Lotus japonicus
3	G38	8903111	1.10E-33	Hordeum vulgare
3	G38	568076	9.70E-28	Oryza sativa
3	G38	9434234	3.90E-19	Lycopersicon esculentum
3	G38	7324705	5.40E-16	Lycopersicon pennellii
3	G38	9298423	6.70E-16	Sorghum bicolor
5	G43	5760554	1.50E-29	Glycine max
5	G43	7778996	1.80E-29	Lotus japonicus
5	G43	5603736	5.00E-25	Lycopersicon esculentum
5	G43	6478844	1.00E-23	Matricaria chamomilla
5	G43	790361	1.60E-23	Nicotiana tabacum
5	G43	7528275	2.00E-23	Mesembryanthemum crystallinum
5	G43	9199136	2.30E-23	Medicago truncatula
5	G43	8980312	6.20E-23	Catharanthus roseus
5	G43	8809570	1.30E-22	Nicotiana sylvestris
5	G43	7627061	8.50E-22	Gossypium arboreum
7	G207	6529807	1.50E-63	Lycopersicon esculentum
7	G207	7564212	1.00E-57	Medicago truncatula
7	G207	7624453	1.60E-57	Gossypium arboreum
7	G207	5820271	6.50E-54	Glycine max
7	G207	7322467	3.40E-52	Lycopersicon hirsutum
7	G207	5045349	2.10E-46	Gossypium hirsutum
7	G207	8071527	2.60E-44	Solanum tuberosum
7	G207	7790004	3.70E-43	Beta vulgaris
7	G207	6325768	2.10E-40	Lotus japonicus
7	G207	286661	1.20E-36	Oryza sativa
9	G241	6552360	2.60E-54	Nicotiana tabacum
9	G241	6782745	2.20E-53	Oryza sativa
9	G241	8097368	5.70E-53	Hordeum vulgare
9	G241	20560	1.80E-52	Petunia x hybrida
9	G241	7217727	2.70E-52	Sorghum bicolor
9	G241	5891408	4.60E-52	Lycopersicon esculentum
9	G241	5139803	7.40E-52	Glycine max
9	G241	7560175	4.10E-50	Medicago truncatula
9	G241	8381332	1.40E-44	Gossypium arboreum
9	G241	4886263	1.20E-42	Antirrhinum majus
11	G254	5847380	2.00E-41	Zea mays
11	G254	7614730	2.90E-41	Lotus japonicus

Figure 3B

SEQ ID No.	GID	Genbank NID	P-value	Species
11	G254	9204594	4.80E-41	Glycine max
11	G254	9193761	6.70E-37	Medicago truncatula
11	G254	6907081	1.40E-35	Oryza sativa
11	G254	6976741	4.30E-33	Lycopersicon esculentum
11	G254	8903196	4.20E-31	Hordeum vulgare
11	G254	9424828	3.50E-25	Triticum aestivum
11	G254	6858452	3.40E-23	Sorghum bicolor
11	G254	3003284	0.00068	Mesembryanthemum crystallinum
13	G263	5821135	1.70E-73	Nicotiana tabacum
13	G263	19487	7.90E-69	Lycopersicon peruvianum
13	G263	662929	5.30E-65	Glycine max
13	G263	7766273	9.20E-49	Medicago truncatula
13	G263	7720908	3.60E-42	Lotus japonicus
13	G263	9303509	2.40E-37	Sorghum bicolor
13	G263	3326480	2.20E-36	Gossypium hirsutum
13	G263	8107182	5.10E-35	Lycopersicon esculentum
13	G263	8381330	7.00E-34	Gossypium arboreum
13	G263	4528238	6.60E-29	Citrus unshiu
15	G308	5640156	3.50E-162	Triticum aestivum
15	G308	5640154	2.30E-134	Zea mays
15	G308	6970471	4.20E-120	Oryza sativa
15	G308	7718432	8.70E-80	Medicago truncatula
15	G308	8330344	3.90E-76	Mesembryanthemum crystallinum
15	G308	5047560	1.50E-71	Gossypium hirsutum
15	G308	7588689	1.90E-68	Glycine max
15	G308	7623983	2.90E-62	Gossypium arboreum
15	G308	7780253	1.10E-57	Lotus japonicus
15	G308	6733213	3.70E-48	Lycopersicon esculentum
17	G536	2689478	9.50E-69	Nicotiana tabacum
17	G536	1773327	4.60E-68	Mesembryanthemum crystallinum
17	G536	2921511	5.30E-68	Fritillaria agrestis
17	G536	1575724	7.30E-68	Glycine max
17	G536	8515887	9.20E-68	Populus alba x Populus tremula
17	G536	6179980	1.70E-67	Lilium longiflorum
17	G536	1519250	8.60E-67	Oryza sativa
17	G536	1321992	4.30E-66	Solanum tuberosum
17	G536	7535681	9.50E-66	Sorghum bicolor
17	G536	555973	1.30E-65	Pisum sativum
19	G680	9258166	5.70E-36	Glycine max
19	G680	9255178	3.00E-29	Zea mays
19	G680	5274804	1.20E-27	Lycopersicon esculentum
19	G680	4974199	3.00E-22	Oryza sativa
19	G680	3325786	2.10E-21	Gossypium hirsutum
19	G680	9119112	1.30E-18	Medicago truncatula
19	G680	7660673	3.20E-17	Sorghum bicolor
19	G680	7243970	6.10E-16	Mentha x piperita
19	G680	3858093	2.10E-10	Populus balsamifera subsp. trichocarpa
19	G680	8845091	3.70E-10	Triticum aestivum
21	G867	7643366	1.80E-57	Medicago truncatula
21	G867	8329389	9.00E-51	Mesembryanthemum crystallinum
21	G867	8669779	2.20E-46	Glycine max
21	G867	9430646	5.70E-40	Lycopersicon esculentum
21	G867	8902194	1.20E-34	Hordeum vulgare

Figure 3C

SEQ ID No.	GID	Genbank NID	P-value	Species
21	G867	7722547	1.00E-33	Lotus japonicus
21	G867	7324245	3.10E-32	Lycopersicon pennellii
21	G867	8749037	1.10E-31	Citrus x paradisi
21	G867	6069643	2.50E-29	Oryza sativa
21	G867	9302986	1.40E-28	Sorghum bicolor
23	G912	5616085	8.60E-71	Brassica napus
23	G912	7410271	5.70E-46	Lycopersicon esculentum
23	G912	7719106	5.20E-43	Medicago truncatula
23	G912	6667103	2.30E-38	Glycine max
23	G912	6983854	1.30E-34	Oryza sativa
23	G912	7324530	1.00E-32	Lycopersicon pennellii
23	G912	8904571	9.20E-29	Triticum aestivum
23	G912	7740143	1.90E-28	Lotus japonicus
23	G912	7644788	2.10E-19	Pinus taeda
23	G912	5050536	9.20E-18	Gossypium hirsutum
25	G996	7566043	2.30E-65	Medicago truncatula
25	G996	7535969	1.00E-61	Sorghum bicolor
25	G996	7339127	1.80E-59	Lycopersicon esculentum
25	G996	6341619	5.60E-59	Glycine max
25	G996	8381332	7.20E-43	Gossypium arboreum
25	G996	5049507	5.00E-41	Gossypium hirsutum
25	G996	6850206	2.10E-40	Oryza sativa
25	G996	7776223	2.20E-40	Lotus japonicus
25	G996	19058	5.30E-39	Hordeum vulgare
25	G996	4680189	6.00E-39	Oryza sativa subsp. indica
27	G1068	7333976	1.70E-27	Lycopersicon esculentum
27	G1068	4405544	3.20E-27	Glycine max
27	G1068	7009437	5.50E-23	Zea mays
27	G1068	7536402	5.80E-23	Sorghum bicolor
27	G1068	3107210	7.20E-21	Oryza sativa
27	G1068	3819186	5.80E-18	Hordeum vulgare
27	G1068	7624850	8.40E-18	Gossypium arboreum
27	G1068	9411568	1.90E-13	Triticum aestivum
27	G1068	5419913	3.50E-13	Lactuca sativa
27	G1068	7721066	8.90E-13	Lotus japonicus
29	G1337	7410432	2.60E-41	Lycopersicon esculentum
29	G1337	3618319	1.10E-32	Oryza sativa
29	G1337	7571599	1.00E-28	Medicago truncatula
29	G1337	7685955	5.10E-27	Glycine max
29	G1337	7323708	2.60E-25	Lycopersicon hirsutum
29	G1337	4091805	1.00E-18	Malus domestica
29	G1337	6917805	4.80E-18	Lycopersicon pennellii
29	G1337	3341722	1.60E-17	Raphanus sativus
29	G1337	2303680	4.50E-17	Brassica napus
29	G1337	4557092	9.10E-17	Pinus radiata
31	G1141	8346772	9.90E-46	Catharanthus roseus
31	G1141	7205636	3.60E-40	Medicago truncatula
31	G1141	7590901	5.40E-40	Glycine max
31	G1141	7777379	6.10E-38	Lotus japonicus
31	G1141	9363798	8.00E-36	Triticum aestivum
31	G1141	8903111	6.10E-31	Hordeum vulgare
31	G1141	568076	1.00E-23	Oryza sativa
31	G1141	6527472	1.10E-17	Lycopersicon esculentum

Figure 3D

SEQ ID No.	GID	Genbank NID	P-value	Species
31	G1141	7324705	1.70E-16	Lycopersicon pennellii
31	G1141	7624302	1.80E-16	Gossypium arboreum
33	G46	5760554	4.00E-29	Glycine max
33	G46	7778996	4.20E-28	Lotus japonicus
33	G46	5050094	1.70E-26	Gossypium hirsutum
33	G46	790361	3.60E-26	Nicotiana tabacum
33	G46	5603736	7.30E-24	Lycopersicon esculentum
33	G46	7238955	1.20E-23	Medicago truncatula
33	G46	8809574	4.10E-23	Nicotiana sylvestris
33	G46	7528275	1.40E-22	Mesembryanthemum crystallinum
33	G46	8980312	1.60E-22	Catharanthus roseus
33	G46	6478844	2.40E-22	Matricaria chamomilla
35	G242	6529807	1.90E-70	Lycopersicon esculentum
35	G242	7624453	3.00E-63	Gossypium arboreum
35	G242	7564212	2.30E-62	Medicago truncatula
35	G242	5820271	3.70E-60	Glycine max
35	G242	7322467	1.10E-55	Lycopersicon hirsutum
35	G242	5045349	1.80E-51	Gossypium hirsutum
35	G242	8071527	6.80E-46	Solanum tuberosum
35	G242	7790004	7.40E-45	Beta vulgaris
35	G242	7746594	4.70E-41	Lotus japonicus
35	G242	286661	3.40E-39	Oryza sativa
37	G227	6529807	4.80E-67	Lycopersicon esculentum
37	G227	7624453	2.50E-66	Gossypium arboreum
37	G227	5045349	7.90E-65	Gossypium hirsutum
37	G227	7322467	8.00E-60	Lycopersicon hirsutum
37	G227	5820271	2.60E-59	Glycine max
37	G227	9199531	4.70E-57	Medicago truncatula
37	G227	8071527	9.30E-49	Solanum tuberosum
37	G227	7790004	8.30E-46	Beta vulgaris
37	G227	7746594	1.70E-45	Lotus japonicus
37	G227	286661	9.20E-37	Oryza sativa
39	G1307	8172759	2.90E-56	Medicago truncatula
39	G1307	5139807	1.60E-54	Glycine max
39	G1307	1370139	2.20E-47	Lycopersicon esculentum
39	G1307	1946264	6.20E-45	Oryza sativa
39	G1307	6552360	6.50E-45	Nicotiana tabacum
39	G1307	7500978	4.60E-39	Gossypium arboreum
39	G1307	7217727	8.70E-36	Sorghum bicolor
39	G1307	7746498	9.40E-34	Lotus japonicus
39	G1307	517491	9.90E-34	Zea mays
39	G1307	8097368	1.70E-33	Hordeum vulgare
41	G1327	5139803	1.10E-44	Glycine max
41	G1327	7560175	1.20E-44	Medicago truncatula
41	G1327	6782745	6.60E-44	Oryza sativa
41	G1327	5891408	2.30E-43	Lycopersicon esculentum
41	G1327	7217727	3.10E-43	Sorghum bicolor
41	G1327	20560	2.40E-41	Petunia x hybrida
41	G1327	6552360	5.40E-40	Nicotiana tabacum
41	G1327	8097368	9.80E-40	Hordeum vulgare
41	G1327	8381332	5.20E-39	Gossypium arboreum
41	G1327	9252441	1.60E-38	Solanum tuberosum
43	G673	6062169	4.90E-36	Lycopersicon esculentum

Figure 3E

SEQ ID No.	GID	Genbank NID	P-value	Species
43	G673	6907081	2.50E-35	Oryza sativa
43	G673	9205170	2.60E-28	Glycine max
43	G673	5847380	7.10E-26	Zea mays
43	G673	7614730	7.70E-26	Lotus japonicus
43	G673	9193761	3.40E-25	Medicago truncatula
43	G673	9424828	1.70E-24	Triticum aestivum
43	G673	8903196	3.40E-23	Hordeum vulgare
43	G673	6858452	2.80E-14	Sorghum bicolor
43	G673	3003284	1.50E-09	Mesembryanthemum crystallinum
45	G307	5640156	3.80E-151	Triticum aestivum
45	G307	5640154	1.00E-101	Zea mays
45	G307	6970471	1.70E-97	Oryza sativa
45	G307	7718432	4.00E-82	Medicago truncatula
45	G307	8330344	7.90E-78	Mesembryanthemum crystallinum
45	G307	5047560	1.00E-72	Gossypium hirsutum
45	G307	7588689	2.70E-69	Glycine max
45	G307	7623983	2.20E-64	Gossypium arboreum
45	G307	7780253	9.30E-59	Lotus japonicus
45	G307	6733213	1.90E-51	Lycopersicon esculentum
47	G529	1773327	8.80E-117	Mesembryanthemum crystallinum
47	G529	8515887	1.20E-115	Populus alba x Populus tremula
47	G529	6179980	2.30E-115	Lilium longiflorum
47	G529	2921511	2.40E-115	Fritillaria agrestis
47	G529	1575724	3.30E-115	Glycine max
47	G529	466335	2.80E-112	Lycopersicon esculentum
47	G529	1519250	4.10E-112	Oryza sativa
47	G529	2689478	2.20E-110	Nicotiana tabacum
47	G529	2266661	5.10E-109	Hordeum vulgare
47	G529	1321992	1.20E-108	Solanum tuberosum
49	G531	2921511	7.40E-109	Fritillaria agrestis
49	G531	6179980	2.30E-108	Lilium longiflorum
49	G531	1773327	4.50E-108	Mesembryanthemum crystallinum
49	G531	8515887	8.90E-108	Populus alba x Populus tremula
49	G531	2689478	2.10E-107	Nicotiana tabacum
49	G531	1575724	4.90E-107	Glycine max
49	G531	1519250	1.70E-106	Oryza sativa
49	G531	466335	1.20E-104	Lycopersicon esculentum
49	G531	1321992	1.10E-103	Solanum tuberosum
49	G531	2266661	1.60E-103	Hordeum vulgare
51	G214	8170933	8.80E-35	Lycopersicon esculentum
51	G214	9205339	1.20E-27	Glycine max
51	G214	8577344	1.80E-23	Zea mays
51	G214	9119112	2.40E-18	Medicago truncatula
51	G214	7660673	4.80E-15	Sorghum bicolor
51	G214	8213273	4.40E-14	Oryza sativa
51	G214	3325786	4.70E-10	Gossypium hirsutum
51	G214	9435251	1.50E-09	Hordeum vulgare
51	G214	9411569	6.80E-09	Triticum aestivum
51	G214	7614730	3.00E-07	Lotus japonicus
53	G1930	7643366	7.70E-57	Medicago truncatula
53	G1930	8329389	3.60E-47	Mesembryanthemum crystallinum
53	G1930	6069592	8.60E-47	Glycine max
53	G1930	9430646	6.60E-39	Lycopersicon esculentum

Figure 3F

SEQ ID No.	GID	Genbank NID	P-value	Species
53	G1930	7722547	3.80E-34	Lotus japonicus
53	G1930	7324245	9.20E-33	Lycopersicon pennellii
53	G1930	8902194	2.40E-31	Hordeum vulgare
53	G1930	9247126	5.90E-28	Oryza sativa
53	G1930	8749037	2.40E-27	Citrus x paradisi
53	G1930	9302986	6.40E-26	Sorghum bicolor
55	G9	7643366	5.40E-56	Medicago truncatula
55	G9	8669779	3.30E-50	Glycine max
55	G9	8329389	1.20E-48	Mesembryanthemum crystallinum
55	G9	7412012	1.20E-41	Lycopersicon esculentum
55	G9	8902194	6.60E-36	Hordeum vulgare
55	G9	7722547	2.10E-33	Lotus japonicus
55	G9	7324245	1.90E-32	Lycopersicon pennellii
55	G9	8749037	1.10E-31	Citrus x paradisi
55	G9	9247126	1.20E-29	Oryza sativa
55	G9	9302986	7.00E-29	Sorghum bicolor
57	G993	7643366	9.50E-59	Medicago truncatula
57	G993	8329389	8.10E-50	Mesembryanthemum crystallinum
57	G993	8669779	4.80E-49	Glycine max
57	G993	4384549	4.20E-40	Lycopersicon esculentum
57	G993	8902194	2.00E-34	Hordeum vulgare
57	G993	7719409	1.00E-32	Lotus japonicus
57	G993	8749037	4.10E-32	Citrus x paradisi
57	G993	9247126	1.00E-30	Oryza sativa
57	G993	7324245	1.20E-30	Lycopersicon pennellii
57	G993	9302986	9.10E-27	Sorghum bicolor
59	G41	5616085	6.30E-84	Brassica napus
59	G41	5603726	2.60E-50	Lycopersicon esculentum
59	G41	7719106	2.00E-43	Medicago truncatula
59	G41	6667103	1.60E-37	Glycine max
59	G41	6983854	1.80E-33	Oryza sativa
59	G41	7324530	9.50E-30	Lycopersicon pennellii
59	G41	8904571	2.70E-29	Triticum aestivum
59	G41	7740143	2.50E-26	Lotus japonicus
59	G41	7644788	3.40E-19	Pinus taeda
59	G41	7625186	6.50E-19	Gossypium arboreum
61	G40	5616085	7.70E-86	Brassica napus
61	G40	5603726	1.60E-50	Lycopersicon esculentum
61	G40	7719106	4.70E-42	Medicago truncatula
61	G40	6667103	1.10E-36	Glycine max
61	G40	6983854	4.70E-35	Oryza sativa
61	G40	8904571	3.50E-29	Triticum aestivum
61	G40	7324530	5.20E-29	Lycopersicon pennellii
61	G40	7740143	1.40E-25	Lotus japonicus
61	G40	7644788	1.80E-20	Pinus taeda
61	G40	7625186	5.70E-20	Gossypium arboreum
63	G42	5616085	8.60E-87	Brassica napus
63	G42	5603726	2.20E-53	Lycopersicon esculentum
63	G42	7719106	5.20E-43	Medicago truncatula
63	G42	6667103	6.00E-38	Glycine max
63	G42	6983854	1.10E-35	Oryza sativa
63	G42	8904571	5.50E-31	Triticum aestivum

Figure 3G

SEQ ID No.	GID	Genbank NID	P-value	Species
63	G42	7324530	8.30E-31	Lycopersicon pennellii
63	G42	7740143	1.90E-26	Lotus japonicus
63	G42	7644788	2.40E-20	Pinus taeda
63	G42	7625186	1.50E-19	Gossypium arboreum
65	G1127	6913305	2.60E-29	Glycine max
65	G1127	9280727	5.40E-27	Oryza sativa
65	G1127	2213533	7.00E-24	Pisum sativum
65	G1127	7009437	4.70E-23	Zea mays
65	G1127	7536402	5.00E-23	Sorghum bicolor
65	G1127	7333976	1.20E-20	Lycopersicon esculentum
65	G1127	3819186	6.20E-16	Hordeum vulgare
65	G1127	7624850	1.60E-15	Gossypium arboreum
65	G1127	4165182	2.80E-12	Antirrhinum majus
65	G1127	7765939	5.10E-09	Medicago truncatula
67	G2657	7238733	2.70E-66	Medicago truncatula
67	G2657	6846994	7.60E-55	Glycine max
67	G2657	7615218	1.10E-43	Lotus japonicus
67	G2657	9445090	4.00E-41	Triticum aestivum
67	G2657	7333102	3.20E-38	Lycopersicon esculentum
67	G2657	9252370	1.90E-27	Solanum tuberosum
67	G2657	5042437	5.90E-21	Oryza sativa
67	G2657	7536402	8.60E-20	Sorghum bicolor
67	G2657	7624850	2.20E-18	Gossypium arboreum
67	G2657	7009437	1.80E-16	Zea mays
69	G326	7410432	1.10E-37	Lycopersicon esculentum
69	G326	3618319	2.90E-32	Oryza sativa
69	G326	7571599	4.90E-30	Medicago truncatula
69	G326	7232283	6.30E-28	Glycine max
69	G326	7323708	6.00E-27	Lycopersicon hirsutum
69	G326	4091805	2.30E-19	Malus domestica
69	G326	6917805	6.50E-19	Lycopersicon pennellii
69	G326	3341722	2.50E-18	Raphanus sativus
69	G326	4557092	7.50E-18	Pinus radiata
69	G326	2303680	4.70E-17	Brassica napus

mbi19 Sequence Listing.ST25
SEQUENCE LISTING

<110> Cai-Zhong, Jiang
Jacqueline, Heard
Omaira, Pineda
Pilgrim, Marsha
Adam, Luc
Riechmann, Jose Luis
Yu, Guo-Liang
Samaha, Raymond

<120> Yield-related genes

<130> MBI-0019

<150> 60/166,228
<151> 1999-11-17

<150> 60/197,899
<151> 2000-04-17

<150> Plant Trait Modification III
<151> 2000-08-22

<160> 70

<170> PatentIn version 3.0

<210> 1
<211> 1084
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (73)..(729)
<223> G26

<400> 1
ttggcttgta cccaaaccca tctttgactt caaaaataaa ataaaaataa tcataattga 60
catcatcgga ta atg cat agc ggg aag aga cct cta tca cca gaa tca atg 111
Met His Ser Gly Lys Arg Pro Leu Ser Pro Glu Ser Met
1 5 10
gcc gga aat aga gaa gag aaa aaa gag ttg tgt tgc tca act ttg 159
Ala Gly Asn Arg Glu Glu Lys Lys Glu Leu Cys Cys Cys Ser Thr Leu
15 20 25
tcg gaa tct gat gtg tct gat ttt gtc tct gaa ctc act ggt caa ccc 207
Ser Glu Ser Asp Val Ser Asp Phe Val Ser Glu Leu Thr Gly Gln Pro
30 35 40 45
atc cca tca tcc att gat gat caa tct tcg tcg ctt act ctt caa gaa 255
Ile Pro Ser Ser Ile Asp Asp Gln Ser Ser Ser Leu Thr Leu Gln Glu
50 55 60
aaa agt aac tcg agg caa cga aac tac aga ggc gtg agg caa aga ccg 303
Lys Ser Asn Ser Arg Gln Arg Asn Tyr Arg Gly Val Arg Gln Arg Pro
65 70 75
tgg gga aaa tgg gcg gct gag att cgt gac ccg aac aag gca gct cgt 351
Trp Gly Lys Trp Ala Ala Glu Ile Arg Asp Pro Asn Lys Ala Ala Arg
80 85 90
gtg tgg ctt ggg acg ttc gac act gca gaa gaa gcc gcc tta gcg tat 399
Val Trp Leu Gly Thr Phe Asp Thr Ala Glu Glu Ala Ala Leu Ala Tyr
95 100 105
gat aaa gct gca ttt gag ttt aga ggt cac aag gcc aag ctt aac ttc 447
Asp Lys Ala Ala Phe Glu Phe Arg Gly His Lys Ala Lys Leu Asn Phe
110 115 120 125
ccc gag cat att cgt gtc aac cct act caa ctc tat cca tcg ccc gct 495

mbi19 Sequence Listing.ST25

Pro Glu His Ile Arg Val Asn Pro Thr Gln Leu Tyr Pro Ser Pro Ala
130 135 140

act tcc cat gat cgc att atc gtg aca cca cct agt cca cct cca cca 543
Thr Ser His Asp Arg Ile Ile Val Thr Pro Pro Ser Pro Pro Pro
145 150 155

att gct cct gac ata ctt ctt gat caa tat ggc cac ttt caa tct cga 591
Ile Ala Pro Asp Ile Leu Leu Asp Gln Tyr Gly His Phe Gln Ser Arg
160 165 170

agt agt gat tcc agt gcc aac ttg tcc atg aat atg ctg tct tct tcg 639
Ser Ser Asp Ser Ser Ala Asn Leu Ser Met Asn Met Leu Ser Ser Ser
175 180 185

tct tca tct ttg aat cat caa ggg cta aga cca aat ttg gag gat ggt 687
Ser Ser Ser Leu Asn His Gln Gly Leu Arg Pro Asn Leu Glu Asp Gly
190 195 200 205

gaa aac gtg aag aac att agt atc cac aaa cga cga aaa taa 729
Glu Asn Val Lys Asn Ile Ser Ile His Lys Arg Arg Lys
210 215

catgttaatg gcataaatat ctcttcgtcc aagttatcaa acgcattgac.ctccggcttt 789
gatcatttta ggcgcttaat ctctttacga cttcattttg gtagtcttta aagagtctat 849
ggagtggatt tagctaggaa tcaggcctta tggatgaaaa atatataaat tttgaacatg 909
actatgcaag aatgggatga agactactta gcttggaataa cgctctgata ggatcatgacg 969
actatatcca cagaagatga ccgacggaga caacaacatg cctcacctga tcgaccgatc 1029
aaatgagata atgtgttgac cggaccgggc ggatcagggtt gggtcgagta tatca 1084

<210> 2
<211> 218
<212> PRT
<213> Arabidopsis thaliana

<400> 2

Met His Ser Gly Lys Arg Pro Leu Ser Pro Glu Ser Met Ala Gly Asn
1 5 10 15

Arg Glu Glu Lys Lys Glu Leu Cys Cys Cys Ser Thr Leu Ser Glu Ser
20 25 30

Asp Val Ser Asp Phe Val Ser Glu Leu Thr Gly Gln Pro Ile Pro Ser
35 40 45

Ser Ile Asp Asp Gln Ser Ser Ser Leu Thr Leu Gln Glu Lys Ser Asn
50 55 60

Ser Arg Gln Arg Asn Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys
65 70 75 80

Trp Ala Ala Glu Ile Arg Asp Pro Asn Lys Ala Ala Arg Val Trp Leu
85 90 95

Gly Thr Phe Asp Thr Ala Glu Glu Ala Ala Leu Ala Tyr Asp Lys Ala
100 105 110

Ala Phe Glu Phe Arg Gly His Lys Ala Lys Leu Asn Phe Pro Glu His
115 120 125

mbi19 Sequence Listing.ST25

Ile Arg Val Asn Pro Thr Gln Leu Tyr Pro Ser Pro Ala Thr Ser His
130 135 140

Asp Arg Ile Ile Val Thr Pro Pro Ser Pro Pro Pro Ile Ala Pro
145 150 155 160

Asp Ile Leu Leu Asp Gln Tyr Gly His Phe Gln Ser Arg Ser Ser Asp
165 170 175

Ser Ser Ala Asn Leu Ser Met Asn Met Leu Ser Ser Ser Ser Ser Ser
180 185 190

Leu Asn His Gln Gly Leu Arg Pro Asn Leu Glu Asp Gly Glu Asn Val
195 200 205

Lys Asn Ile Ser Ile His Lys Arg Arg Lys
210 215

<210> 3
<211> 1440
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (149)..(1156)
<223> G38

<400> 3
gaggaaaact cgaaaaagct acacacaaga agaagaagaa aagatacgag caagaagact 60
aaacacgaaa gcgatttatc aactcgaagg aagagacttt gattttcaaa tttcgtcccc 120
tatagattgt gttgtttctg ggaaggag atg gca gtt tat gat cag agt gga 172
Met Ala Val Tyr Asp Gln Ser Gly
1 5
gat aga aac aga aca caa att gat aca tcg agg aaa agg aaa tct aga 220
Asp Arg Asn Arg Thr Gln Ile Asp Thr Ser Arg Lys Arg Lys Ser Arg
10 15 20
agt aga ggt gac ggt act act gtg gct gag aga tta aag aga tgg aaa 268
Ser Arg Gly Asp Gly Thr Thr Val Ala Glu Arg Leu Lys Arg Trp Lys
25 30 35 40
gag tat aac gag acc gta gaa gaa gtt tct acc aag aag agg aaa gta 316
Glu Tyr Asn Glu Thr Val Glu Glu Val Ser Thr Lys Lys Arg Lys Val
45 50 55
cct gcg aaa ggg tcg aag aag ggt tgt atg aaa ggt aaa gga gga cca 364
Pro Ala Lys Gly Ser Lys Lys Gly Cys Met Lys Gly Lys Gly Gly Pro
60 65 70
gag aat agc cga tgt agt ttc aga gga gtt agg caa agg att tgg ggt 412
Glu Asn Ser Arg Cys Ser Phe Arg Gly Val Arg Gln Arg Ile Trp Gly
75 80 85
aaa tgg gtt gct gag atc aga gag cct aat cga ggt agc agg ctt tgg 460
Lys Trp Val Ala Glu Ile Arg Glu Pro Asn Arg Gly Ser Arg Leu Trp
90 95 100
ctt ggt act ttc cct act gct caa gaa gct gct tct gct tat gat gag 508
Leu Gly Thr Phe Pro Thr Ala Gln Glu Ala Ala Ser Ala Tyr Asp Glu
105 110 115 120
gct gct aaa gct atg tat ggt cct ttg gct cgt ctt aat ttc cct cgg 556
Ala Ala Lys Ala Met Tyr Gly Pro Leu Ala Arg Leu Asn Phe Pro Arg
125 130 135

mbil9 Sequence Listing.ST25

tct gat gcg tct gag gtt acg agt acc tca agt cag tct gag gtg tgt Ser Asp Ala Ser Glu Val Thr Ser Thr Ser Ser Gln Ser Glu Val Cys 140 145 150	604
act gtt gag act cct ggt tgt gtt cat gtg aaa aca gag gat cca gat Thr Val Glu Thr Pro Gly Cys Val His Val Lys Thr Glu Asp Pro Asp 155 160 165	652
tgt gaa tct aaa ccc ttc tcc ggt gga gtg gag ccg atg tat tgt ctg Cys Glu Ser Lys Pro Phe Ser Gly Gly Val Glu Pro Met Tyr Cys Leu 170 175 180	700
gag aat ggt gcg gaa gag atg aag aga ggt gtt aaa gcg gat aag cat Glu Asn Gly Ala Glu Met Lys Arg Gly Val Lys Ala Asp Lys His 185 190 195 200	748
tgg ctg agc gag ttt gaa cat aac tat tgg agt gat att ctg aaa gag Trp Leu Ser Glu Phe Glu His Asn Tyr Trp Ser Asp Ile Leu Lys Glu 205 210 215	796
aaa gag aaa cag aag gag caa ggg att gta gaa acc tgt cag caa caa Lys Glu Lys Gln Lys Glu Gln Gly Ile Val Glu Thr Cys Gln Gln Gln 220 225 230	844
cag cag gat tcg cta tct gtt gca gac tat ggt tgg ccc aat gat gtg Gln Gln Asp Ser Leu Ser Val Ala Asp Tyr Gly Trp Pro Asn Asp Val 235 240 245	892
gat cag agt cac ttg gat tct tca gac atg ttt gat gtc gat gag ctt Asp Gln Ser His Leu Asp Ser Ser Asp Met Phe Asp Val Asp Glu Leu 250 255 260	940
cta cgt gac cta aat ggc gac gat gtg ttt gca ggc tta aat cag gac Leu Arg Asp Leu Asn Gly Asp Asp Val Phe Ala Gly Leu Asn Gln Asp 265 270 275 280	988
cgg tac ccg ggg aac agt gtt gcc aac ggt tca tac agg ccc gag agt Arg Tyr Pro Gly Asn Ser Val Ala Asn Gly Ser Tyr Arg Pro Glu Ser 285 290 295	1036
caa caa agt ggt ttt gat ccg cta caa agc ctc aac tac gga ata cct Gln Gln Ser Gly Phe Asp Pro Leu Gln Ser Leu Asn Tyr Gly Ile Pro 300 305 310	1084
ccg ttt cag ctc gag gga aag gat ggt aat gga ttc ttc gac gac ttg Pro Phe Gln Leu Glu Gly Lys Asp Gly Asn Gly Phe Phe Asp Asp Leu 315 320 325	1132
agt tac ttg gat ctg gag aac taa acaaaacaat atgaagcttt ttggatttga Ser Tyr Leu Asp Leu Glu Asn 330 335	1186
tatttgccctt aatcccacaa cgactgttga ttctctatcc gagttttagt gatatataga	1246
actacagaac acgttttttc ttgttataaa ggtgaactgt atatatcgaa acagtgat	1306
gacaatagag aagacaacta tagtttggtta gtctgcttct cttaagttgt tcttttagata	1366
tgtttttatgt tttgtaacaa caggaatgaa taatacacac ttgtgaagct tttaaaaaaa	1426
aaaaaaaaaaaa aaaa	1440
<210> 4	
<211> 335	
<212> PRT	
<213> Arabidopsis thaliana	
<400> 4	
Met Ala Val Tyr Asp Gln Ser Gly Asp Arg Asn Arg Thr Gln Ile Asp 1 5 10 15	

mbil9 Sequence Listing.ST25

Thr Ser Arg Lys Arg Lys Ser Arg Ser Arg Gly Asp Gly Thr Thr Val
 20 25 30
 Ala Glu Arg Leu Lys Arg Trp Lys Glu Tyr Asn Glu Thr Val Glu Glu
 35 40 45
 Val Ser Thr Lys Lys Arg Lys Val Pro Ala Lys Gly Ser Lys Lys Gly
 50 55 60
 Cys Met Lys Gly Lys Gly Gly Pro Glu Asn Ser Arg Cys Ser Phe Arg
 65 70 75 80
 Gly Val Arg Gln Arg Ile Trp Gly Lys Trp Val Ala Glu Ile Arg Glu
 85 90 95
 Pro Asn Arg Gly Ser Arg Leu Trp Leu Gly Thr Phe Pro Thr Ala Gln
 100 105 110
 Glu Ala Ala Ser Ala Tyr Asp Glu Ala Ala Lys Ala Met Tyr Gly Pro
 115 120 125
 Leu Ala Arg Leu Asn Phe Pro Arg Ser Asp Ala Ser Glu Val Thr Ser
 130 135 140
 Thr Ser Ser Gln Ser Glu Val Cys Thr Val Glu Thr Pro Gly Cys Val
 145 150 155 160
 His Val Lys Thr Glu Asp Pro Asp Cys Glu Ser Lys Pro Phe Ser Gly
 165 170 175
 Gly Val Glu Pro Met Tyr Cys Leu Glu Asn Gly Ala Glu Glu Met Lys
 180 185 190
 Arg Gly Val Lys Ala Asp Lys His Trp Leu Ser Glu Phe Glu His Asn
 195 200 205
 Tyr Trp Ser Asp Ile Leu Lys Glu Lys Glu Lys Gln Lys Glu Gln Gly
 210 215 220
 Ile Val Glu Thr Cys Gln Gln Gln Gln Asp Ser Leu Ser Val Ala
 225 230 235 240
 Asp Tyr Gly Trp Pro Asn Asp Val Asp Gln Ser His Leu Asp Ser Ser
 245 250 255
 Asp Met Phe Asp Val Asp Glu Leu Leu Arg Asp Leu Asn Gly Asp Asp
 260 265 270
 Val Phe Ala Gly Leu Asn Gln Asp Arg Tyr Pro Gly Asn Ser Val Ala
 275 280 285
 Asn Gly Ser Tyr Arg Pro Glu Ser Gln Gln Ser Gly Phe Asp Pro Leu
 290 295 300
 Gln Ser Leu Asn Tyr Gly Ile Pro Pro Phe Gln Leu Glu Gly Lys Asp
 305 310 315 320

mbi19 Sequence Listing.ST25

Gly Asn Gly Phe Phe Asp Asp Leu Ser Tyr Leu Asp Leu Glu Asn
 325 330 335

<210> 5
 <211> 909
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (38)..(643)
 <223> G43

<400> 5
 ctcctgtctt gtctaaagaa aaaagagaga ggaagaa atg gag act ttt gag gaa 55
 Met Glu Thr Phe Glu Glu
 1 5
 agc tct gat ttg gat gtt ata cag aaa cat cta ttt gaa gac ttg atg 103
 Ser Ser Asp Leu Asp Val Ile Gln Lys His Leu Phe Glu Asp Leu Met
 10 15 20
 atc cct gat ggt ttc att gaa gat ttt gtc ttt gat gat act gct ttt 151
 Ile Pro Asp Gly Phe Ile Glu Asp Phe Val Phe Asp Asp Thr Ala Phe
 25 30 35
 gtc tcc gga ctc tgg tct cta gaa ccc ttt aac cca gtt ccg aaa ctg 199
 Val Ser Gly Leu Trp Ser Leu Glu Pro Phe Asn Pro Val Pro Lys Leu
 40 45 50
 gaa cct agt tca cct gtt ctt gat cca gat tcc tat gtc caa gag att 247
 Glu Pro Ser Ser Pro Val Leu Asp Pro Asp Ser Tyr Val Gln Glu Ile
 55 60 65 70
 ctg caa atg gaa gca gaa tca tca tca tca tca tca aca aca acg tca 295
 Leu Gln Met Glu Ala Glu Ser Ser Ser Ser Ser Ser Thr Thr Thr Ser
 75 80 85
 cct gag gtt gag act gtc tca aac cgg aaa aaa aca aag agg ttt gaa 343
 Pro Glu Val Thr Val Ser Asn Arg Lys Lys Thr Lys Arg Phe Glu
 90 95 100
 gaa acg aga cat tac aga ggc gtg aga agg agg cca tgg ggg aaa ttt 391
 Glu Thr Arg His Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Lys Phe
 105 110 115
 gca gca gag att cga gat ccg gca aag aaa gga tcc agg att tgg tta 439
 Ala Ala Glu Ile Arg Asp Pro Ala Lys Lys Gly Ser Arg Ile Trp Leu
 120 125 130
 ggc act ttt gag agt gat att gat gct gca agg gct tac gac tat gca 487
 Gly Thr Phe Glu Ser Asp Ile Asp Ala Ala Arg Ala Tyr Asp Tyr Ala
 135 140 145 150
 gct ttt aag ctc agg gga aga aaa gct gtt ctc aac ttt cct ttg gat 535
 Ala Phe Lys Leu Arg Gly Arg Lys Ala Val Leu Asn Phe Pro Leu Asp
 155 160 165
 gcc gga aag tat gat gct ccg gtc aat tca tgc cga aaa agg agg aga 583
 Ala Gly Lys Tyr Asp Ala Pro Val Asn Ser Cys Arg Lys Arg Arg Arg
 170 175 180
 acc gat gta cca cag cct caa gga aca aca aca agt act tca tca tcg 631
 Thr Asp Val Pro Gln Pro Gln Gly Thr Thr Thr Ser Thr Ser Ser Ser
 185 190 195
 tca tca aac taa tgggggaata gtgatgttta attagtatat atagggttaat 683
 Ser Ser Asn
 200
 atcttaagta tgtgaagcat catgtataga gccaagaacc tgtagacta gtgtactgaa 743

mbi19 Sequence Listing.ST25
aagaactctt gcaaaatatg tactaaagag ttcttgtaac aatggaactt ctgcgttttc 803
tcttgcttta aagagcttaa ggttctagaa acaaagttct tgtcctttcg gtttaaaaaa 863
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 909

<210> 6
<211> 201
<212> PRT
<213> Arabidopsis thaliana

<400> 6

Met Glu Thr Phe Glu Glu Ser Ser Asp Leu Asp Val Ile Gln Lys His
1 5 10 15

Leu Phe Glu Asp Leu Met Ile Pro Asp Gly Phe Ile Glu Asp Phe Val
20 25 30

Phe Asp Asp Thr Ala Phe Val Ser Gly Leu Trp Ser Leu Glu Pro Phe
35 40 45

Asn Pro Val Pro Lys Leu Glu Pro Ser Ser Pro Val Leu Asp Pro Asp
50 55 60

Ser Tyr Val Gln Glu Ile Leu Gln Met Glu Ala Glu Ser Ser Ser Ser
65 70 75 80

Ser Ser Thr Thr Thr Ser Pro Glu Val Glu Thr Val Ser Asn Arg Lys
85 90 95

Lys Thr Lys Arg Phe Glu Glu Thr Arg His Tyr Arg Gly Val Arg Arg
100 105 110

Arg Pro Trp Gly Lys Phe Ala Ala Glu Ile Arg Asp Pro Ala Lys Lys
115 120 125

Gly Ser Arg Ile Trp Leu Gly Thr Phe Glu Ser Asp Ile Asp Ala Ala
130 135 140

Arg Ala Tyr Asp Tyr Ala Ala Phe Lys Leu Arg Gly Arg Lys Ala Val
145 150 155 160

Leu Asn Phe Pro Leu Asp Ala Gly Lys Tyr Asp Ala Pro Val Asn Ser
165 170 175

Cys Arg Lys Arg Arg Arg Thr Asp Val Pro Gln Pro Gln Gly Thr Thr
180 185 190

Thr Ser Thr Ser Ser Ser Ser Ser Asn
195 200

<210> 7
<211> 1107
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (16)..(930)
<223> G207

mbil9 Sequence Listing.ST25

```

<400> 7
aaaagatctg tttca atg gcg gat cgt gtt aaa ggt cca tgg agt caa gaa      51
      Met Ala Asp Arg Val Lys Gly Pro Trp Ser Gln Glu
      1             5             10

gaa gat gag cag cta cga agg atg gtt gag aaa tac gga ccg agg aat      99
Glu Asp Glu Gln Leu Arg Arg Met Val Glu Lys Tyr Gly Pro Arg Asn
      15             20             25

tgg tct gcg att agc aaa tcg att cca ggt cga tct ggt aaa tcg tgt      147
Trp Ser Ala Ile Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys
      30             35             40

aga tta cgt tgg tgt aat cag tta tct ccg gag gtt gag cat cgt cct      195
Arg Leu Arg Trp Cys Asn Gln Leu Ser Pro Glu Val Glu His Arg Pro
      45             50             55             60

ttc tcg ccg gag gaa gat gag act att gta acc gcc cgt gct cag ttt      243
Phe Ser Pro Glu Glu Asp Glu Thr Ile Val Thr Ala Arg Ala Gln Phe
      65             70             75

ggg aac aag tgg gcg acg att gct cgt ctt ctt aac ggt cgt acg gat      291
Gly Asn Lys Trp Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp
      80             85             90

aac gcc gtt aaa aat cac tgg aac tct acg ctt aag agg aaa tgc agc      339
Asn Ala Val Lys Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Ser
      95             100             105

gga ggt gtg gcg gtt acg acg gtg acg gag acg gag gaa gat cag gat      387
Gly Gly Val Ala Val Thr Thr Val Thr Glu Thr Glu Glu Asp Gln Asp
      110             115             120

cgg ccg aag aag agg aga tct gtt agc ttt gat cct gct ttt gct ccg      435
Arg Pro Lys Lys Arg Arg Ser Val Ser Phe Asp Pro Ala Phe Ala Pro
      125             130             135             140

gtg gat act gga ttg tac atg agt cct gag agt cct aac gga atc gat      483
Val Asp Thr Gly Leu Tyr Met Ser Pro Glu Ser Pro Asn Gly Ile Asp
      145             150             155

gtt agt gat tct agc acg att ccg tca ccg tcg tct cct gtt gct cag      531
Val Ser Asp Ser Ser Thr Ile Pro Ser Pro Ser Ser Pro Val Ala Gln
      160             165             170

ctg ttt aaa cca atg ccg att tcc ggc ggt ttt acg gtg gtt ccg cag      579
Leu Phe Lys Pro Met Pro Ile Ser Gly Gly Phe Thr Val Val Pro Gln
      175             180             185

ccg tta ccg gtt gaa atg tct tcg tct tcg gag gat cca cct act tcg      627
Pro Leu Pro Val Glu Met Ser Ser Ser Ser Glu Asp Pro Pro Thr Ser
      190             195             200

ttg agt ttg tca cta cct gga gct gag aac acg agt tcg agc cat aac      675
Leu Ser Leu Ser Leu Pro Gly Ala Glu Asn Thr Ser Ser Ser His Asn
      205             210             215             220

aat aac aac aac gcg ttg atg ttt ccg aga ttt gag agt cag atg aag      723
Asn Asn Asn Asn Ala Leu Met Phe Pro Arg Phe Glu Ser Gln Met Lys
      225             230             235

att aat gta gag gag aga gga gga gga gaa gga cgt aga ggt gag      771
Ile Asn Val Glu Glu Arg Gly Gly Gly Gly Glu Gly Arg Arg Gly Glu
      240             245             250

ttt atg acg gtg gtg cag gag atg ata aaa gct gaa gtg agg agt tac      819
Phe Met Thr Val Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser Tyr
      255             260             265

atg gcg gaa atg cag aaa aca agt ggt gga ttc gtc gtc gga ggt tta      867
Met Ala Glu Met Gln Lys Thr Ser Gly Gly Phe Val Val Gly Gly Leu
      270             275             280

```

mbil9 Sequence Listing.ST25

tac gaa tcc ggc ggc aat ggt ggt ttt agg gat tgt gga gta ata aca 915
 Tyr Glu Ser Gly Gly Asn Gly Gly Phe Arg Asp Cys Gly Val Ile Thr
 285 290 295 300

cct aag gtt gag tag ttttggttta gggttaaaac ttgaatcgat tggggatttt 970
 Pro Lys Val Glu

caagagcatt cttttttggg gtttatggta aaattaaaaa caaaaacaaa atgtacagag 1030

gaattaaaaat ttctatggaa taatcttaaa tctcaaatat ttgttacttg ttttggatgat 1090

tcataaccaa aatcaaa 1107

<210> 8

<211> 304

<212> PRT

<213> Arabidopsis thaliana

<400> 8

Met Ala Asp Arg Val Lys Gly Pro Trp Ser Gln Glu Glu Asp Glu Gln
 1 5 10 15

Leu Arg Arg Met Val Glu Lys Tyr Gly Pro Arg Asn Trp Ser Ala Ile
 20 25 30

Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp
 35 40 45

Cys Asn Gln Leu Ser Pro Glu Val Glu His Arg Pro Phe Ser Pro Glu
 50 55 60

Glu Asp Glu Thr Ile Val Thr Ala Arg Ala Gln Phe Gly Asn Lys Trp
 65 70 75 80

Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp Asn Ala Val Lys
 85 90 95

Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Ser Gly Gly Val Ala
 100 105 110

Val Thr Thr Val Thr Glu Thr Glu Glu Asp Gln Asp Arg Pro Lys Lys
 115 120 125

Arg Arg Ser Val Ser Phe Asp Pro Ala Phe Ala Pro Val Asp Thr Gly
 130 135 140

Leu Tyr Met Ser Pro Glu Ser Pro Asn Gly Ile Asp Val Ser Asp Ser
 145 150 155 160

Ser Thr Ile Pro Ser Pro Ser Ser Pro Val Ala Gln Leu Phe Lys Pro
 165 170 175

Met Pro Ile Ser Gly Gly Phe Thr Val Val Pro Gln Pro Leu Pro Val
 180 185 190

Glu Met Ser Ser Ser Ser Glu Asp Pro Pro Thr Ser Leu Ser Leu Ser
 195 200 205

Leu Pro Gly Ala Glu Asn Thr Ser Ser Ser His Asn Asn Asn Asn Asn

mbi19 Sequence Listing.ST25

210	215	220	
Ala Leu Met Phe Pro Arg Phe Glu Ser Gln Met Lys Ile Asn Val Glu			
225	230	235	240
Glu Arg Gly Gly Gly Gly Glu Gly Arg Arg Gly Glu Phe Met Thr Val			
	245	250	255
Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser Tyr Met Ala Glu Met			
	260	265	270
Gln Lys Thr Ser Gly Gly Phe Val Val Gly Gly Leu Tyr Glu Ser Gly			
	275	280	285
Gly Asn Gly Gly Phe Arg Asp Cys Gly Val Ile Thr Pro Lys Val Glu			
	290	295	300

<210> 9
 <211> 1046
 <212> DNA
 <213> Arabidopsis thaliana

 <220>
 <221> CDS
 <222> (46)..(867)
 <223> G241

<400> 9	
gaaaaacatt tcaacttctt ttatcagcaa tcacaaatca aagag atg gga aga gct	57
Met Gly Arg Ala	
1	
cca tgc tgt gag aag atg ggg ttg aag aga gga cca tgg aca cct gaa	105
Pro Cys Cys Glu Lys Met Gly Leu Lys Arg Gly Pro Trp Thr Pro Glu	
5 10 15 20	
gaa gat caa atc ttg gtc tct ttt atc ctc aac cat gga cat agt aac	153
Glu Asp Gln Ile Leu Val Ser Phe Ile Leu Asn His Gly His Ser Asn	
25 30 35	
tgg cga gcc ctc cct aag caa gct ggt ctt ttg aga tgt gga aaa agc	201
Trp Arg Ala Leu Pro Lys Gln Ala Gly Leu Leu Arg Cys Gly Lys Ser	
40 45 50	
tgt aga ctt agg tgg atg aac tat tta aag cct gat att aaa cgt ggc	249
Cys Arg Leu Arg Trp Met Asn Tyr Leu Lys Pro Asp Ile Lys Arg Gly	
55 60 65	
aat ttc acc aaa gaa gag gaa gat gct atc atc agc tta cac caa ata	297
Asn Phe Thr Lys Glu Glu Glu Asp Ala Ile Ile Ser Leu His Gln Ile	
70 75 80	
ctt ggc aat aga tgg tca gcg att gca gca aaa ctg cct gga aga acc	345
Leu Gly Asn Arg Trp Ser Ala Ile Ala Ala Lys Leu Pro Gly Arg Thr	
85 90 95 100	
gat aac gag atc aag aac gta tgg cac act cac ttg aag aag aga ctc	393
Asp Asn Glu Ile Lys Asn Val Trp His Thr His Leu Lys Lys Arg Leu	
105 110 115	
gaa gat tat caa cca gct aaa cct aag acc agc aac aaa aag aag ggt	441
Glu Asp Tyr Gln Pro Ala Lys Pro Lys Thr Ser Asn Lys Lys Lys Gly	
120 125 130	
act aaa cca aaa tct gaa tcc gta ata acg agc tcg aac agt act aga	489
Thr Lys Pro Lys Ser Glu Ser Val Ile Thr Ser Ser Asn Ser Thr Arg	
135 140 145	

mbi19 Sequence Listing.ST25

```

agc gaa tcg gag cta gca gat tca tca aac cct tct gga gaa agc tta 537
Ser Glu Ser Glu Leu Ala Asp Ser Ser Asn Pro Ser Gly Glu Ser Leu
150 155 160

ttt tcg aca tcg cct tcg aca agt gag gtt tct tcg atg aca ctc ata 585
Phe Ser Thr Ser Pro Ser Thr Ser Glu Val Ser Ser Met Thr Leu Ile
165 170 175 180

agc cac gac ggc tat agc aac gag att aat atg gat aac aaa ccg gga 633
Ser His Asp Gly Tyr Ser Asn Glu Ile Asn Met Asp Asn Lys Pro Gly
185 190 195

gat atc agt act atc gat caa gaa tgt gtt tct ttc gaa act ttt ggt 681
Asp Ile Ser Thr Ile Asp Gln Glu Cys Val Ser Phe Glu Thr Phe Gly
200 205 210

gcg gat atc gat gaa agc ttc tgg aaa gag aca ctg tat agc caa gat 729
Ala Asp Ile Asp Glu Ser Phe Trp Lys Glu Thr Leu Tyr Ser Gln Asp
215 220 225

gaa cac aac tac gta tcg aat gac cta gaa gtc gct ggt tta gtt gag 777
Glu His Asn Tyr Val Ser Asn Asp Leu Glu Val Ala Gly Leu Val Glu
230 235 240

ata caa caa gag ttt caa aac ttg ggc tcc gct aat aat gag atg att 825
Ile Gln Gln Glu Phe Gln Asn Leu Gly Ser Ala Asn Asn Glu Met Ile
245 250 255 260

ttt gac agt gag atg gaa ctt ctg gtt cga tgt att ggc tag 867
Phe Asp Ser Glu Met Glu Leu Leu Val Arg Cys Ile Gly
265 270

aaccggcgagg gaacaagatc tcttagccgg gctctagtta acatgtttga ggagtaaagt 927
gaaatggtgc aaattagtta aggctaagaa attcaaaagc ttttgtttac cgagaaaaaa 987
acacactcta actcttgatg tgatgtagtt agtgtattaa ttagaggctg cgttttcaa 1046

```

```

<210> 10
<211> 273
<212> PRT
<213> Arabidopsis thaliana

```

```

<400> 10

```

```

Met Gly Arg Ala Pro Cys Cys Glu Lys Met Gly Leu Lys Arg Gly Pro
1 5 10 15

```

```

Trp Thr Pro Glu Glu Asp Gln Ile Leu Val Ser Phe Ile Leu Asn His
20 25 30

```

```

Gly His Ser Asn Trp Arg Ala Leu Pro Lys Gln Ala Gly Leu Leu Arg
35 40 45

```

```

Cys Gly Lys Ser Cys Arg Leu Arg Trp Met Asn Tyr Leu Lys Pro Asp
50 55 60

```

```

Ile Lys Arg Gly Asn Phe Thr Lys Glu Glu Glu Asp Ala Ile Ile Ser
65 70 75 80

```

```

Leu His Gln Ile Leu Gly Asn Arg Trp Ser Ala Ile Ala Ala Lys Leu
85 90 95

```

```

Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Val Trp His Thr His Leu
100 105 110

```

```

Lys Lys Arg Leu Glu Asp Tyr Gln Pro Ala Lys Pro Lys Thr Ser Asn

```

mbi19 Sequence Listing.ST25

115

120

125

Lys Lys Lys Gly Thr Lys Pro Lys Ser Glu Ser Val Ile Thr Ser Ser
 130 135 140

Asn Ser Thr Arg Ser Glu Ser Glu Leu Ala Asp Ser Ser Asn Pro Ser
 145 150 155 160

Gly Glu Ser Leu Phe Ser Thr Ser Pro Ser Thr Ser Glu Val Ser Ser
 165 170 175

Met Thr Leu Ile Ser His Asp Gly Tyr Ser Asn Glu Ile Asn Met Asp
 180 185 190

Asn Lys Pro Gly Asp Ile Ser Thr Ile Asp Gln Glu Cys Val Ser Phe
 195 200 205

Glu Thr Phe Gly Ala Asp Ile Asp Glu Ser Phe Trp Lys Glu Thr Leu
 210 215 220

Tyr Ser Gln Asp Glu His Asn Tyr Val Ser Asn Asp Leu Glu Val Ala
 225 230 235 240

Gly Leu Val Glu Ile Gln Gln Glu Phe Gln Asn Leu Gly Ser Ala Asn
 245 250 255

Asn Glu Met Ile Phe Asp Ser Glu Met Glu Leu Leu Val Arg Cys Ile
 260 265 270

Gly

<210> 11
 <211> 1391
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (15)..(923)
 <223> G254

<400> 11
 cgatttcgag ctct atg gtg tcc gta aac cct aga cct aag ggt ttt cca 50
 Met Val Ser Val Asn Pro Arg Pro Lys Gly Phe Pro
 1 5 10
 gtt ttc gat tcc tcg aat atg agt tta cca agc tcc gat gga ttt ggt 98
 Val Phe Asp Ser Ser Asn Met Ser Leu Pro Ser Ser Asp Gly Phe Gly
 15 20 25
 tcg att ccg gcc acg gga cgg acc agt acg gtg tcg ttt tct gag gat 146
 Ser Ile Pro Ala Thr Gly Arg Thr Ser Thr Val Ser Phe Ser Glu Asp
 30 35 40
 ccg acg acg aag att cgg aag ccg tac aca atc aag aag tcg aga gag 194
 Pro Thr Thr Lys Ile Arg Lys Pro Tyr Thr Ile Lys Lys Ser Arg Glu
 45 50 55 60
 aat tgg aca gat caa gag cac gat aaa ttt cta gaa gct ctt cac tta 242
 Asn Trp Thr Asp Gln Glu His Asp Lys Phe Leu Glu Ala Leu His Leu
 65 70 75

mbi19 Sequence Listing.ST25

ttc gat agg gat tgg aag aaa ata gaa gcc ttt gtt gga tca aaa aca Phe Asp Arg Asp Trp Lys Lys Ile Glu Ala Phe Val Gly Ser Lys Thr 80 85 90	290
gta gtt cag ata cga agc cac gct cag aaa tac ttt ctc aaa gtt cag Val Val Gln Ile Arg Ser His Ala Gln Lys Tyr Phe Leu Lys Val Gln 95 100 105	338
aag agt ggt gct aac gaa cat ctt cca ctt cct cga cct aag agg aaa Lys Ser Gly Ala Asn Glu His Leu Pro Leu Pro Arg Pro Lys Arg Lys 110 115 120	386
gcg agt cat cct tat cct ata aag gct cct aaa aat gtt gct tat acc Ala Ser His Pro Tyr Ser Ile Lys Ala Pro Lys Asn Val Ala Tyr Thr 125 130 135 140	434
tct ctc ccg tct tcg agt aca tta ccg ttg ctt gag cct ggt tat ttg Ser Leu Pro Ser Ser Thr Leu Pro Leu Glu Pro Gly Tyr Leu 145 150 155	482
tat agc tct gat tcg aag tca ttg atg gga aac cag gct gtt tgt gca Tyr Ser Ser Asp Ser Lys Ser Leu Met Gly Asn Gln Ala Val Cys Ala 160 165 170	530
tct acc tct tct tcg tgg aat cat gaa tcg aca aat ctg cca aaa ccg Ser Thr Ser Ser Ser Trp Asn His Glu Ser Thr Asn Leu Pro Lys Pro 175 180 185	578
gtg att gaa gag gaa ccg gga gtc tcg gcc acg gct cct ctc cca aat Val Ile Glu Glu Glu Pro Gly Val Ser Ala Thr Ala Pro Leu Pro Asn 190 195 200	626
aat cgc tgc aga cag gaa gat aca gag agg gta cga gca gtg aca aag Asn Arg Cys Arg Gln Glu Asp Thr Glu Arg Val Arg Ala Val Thr Lys 205 210 215 220	674
cca aat aac gaa gaa agt tgt gaa aag cca cat aga gtg atg ccg aat Pro Asn Asn Glu Glu Ser Cys Glu Lys Pro His Arg Val Met Pro Asn 225 230 235	722
ttt gct gaa gtt tac agc ttc att gga agt gtc ttc gat ccc aac aca Phe Ala Glu Val Tyr Ser Phe Ile Gly Ser Val Phe Asp Pro Asn Thr 240 245 250	770
tca ggc cac ctc cag aga tta aag cag atg gat cca ata aat atg gaa Ser Gly His Leu Gln Arg Leu Lys Gln Met Asp Pro Ile Asn Met Glu 255 260 265	818
acg gtt ctt tta ctg atg caa aac ctg tct gta aat ctg aca agt ccc Thr Val Leu Leu Leu Met Gln Asn Leu Ser Val Asn Leu Thr Ser Pro 270 275 280	866
gag ttt gca gag caa agg agg ttg ata tca tca tac agc gct aaa gct Glu Phe Ala Glu Gln Arg Arg Leu Ile Ser Ser Tyr Ser Ala Lys Ala 285 290 295 300	914
ttg aaa tag agatagaata aaacaataat gtaccttatg tgagatcaag Leu Lys	963
agacaatcat ccaagggtctg tatgcattgc ttggatttag gcctcgtgtt ctactacag	1023
gagcagaacc aatcgcaaaag actcttagat ggctactgag ttgtggtttt tatgtctctg	1083
taagtgcggg tggagcacac gtgtttgtcc tgtcttgtgt atgtgtgtat agataataca	1143
agggttttgca gagtaaggtc acagtttagct gcaagtgagt ttggatcaat cttaagatta	1203
aaaccttgag agtgagtgtc caaagagact gtgtaatat gggtttggcgg tcagcagaag	1263
agttttgaag tgcacatcca gttagtata acacggttga agaaaaggta aggttacaag	1323
tttagttttg aataattgta tactcaaaaa atatgaatgt ataaagaata atcacttgag	1383
tcgcctta	1391

mbi19 Sequence Listing.ST25

<210> 12
 <211> 302
 <212> PRT
 <213> Arabidopsis thaliana

<400> 12

Met Val Ser Val Asn Pro Arg Pro Lys Gly Phe Pro Val Phe Asp Ser
 1 5 10 15

Ser Asn Met Ser Leu Pro Ser Ser Asp Gly Phe Gly Ser Ile Pro Ala
 20 25 30

Thr Gly Arg Thr Ser Thr Val Ser Phe Ser Glu Asp Pro Thr Thr Lys
 35 40 45

Ile Arg Lys Pro Tyr Thr Ile Lys Lys Ser Arg Glu Asn Trp Thr Asp
 50 55 60

Gln Glu His Asp Lys Phe Leu Glu Ala Leu His Leu Phe Asp Arg Asp
 65 70 75 80

Trp Lys Lys Ile Glu Ala Phe Val Gly Ser Lys Thr Val Val Gln Ile
 85 90 95

Arg Ser His Ala Gln Lys Tyr Phe Leu Lys Val Gln Lys Ser Gly Ala
 100 105 110

Asn Glu His Leu Pro Leu Pro Arg Pro Lys Arg Lys Ala Ser His Pro
 115 120 125

Tyr Pro Ile Lys Ala Pro Lys Asn Val Ala Tyr Thr Ser Leu Pro Ser
 130 135 140

Ser Ser Thr Leu Pro Leu Leu Glu Pro Gly Tyr Leu Tyr Ser Ser Asp
 145 150 155 160

Ser Lys Ser Leu Met Gly Asn Gln Ala Val Cys Ala Ser Thr Ser Ser
 165 170 175

Ser Trp Asn His Glu Ser Thr Asn Leu Pro Lys Pro Val Ile Glu Glu
 180 185 190

Glu Pro Gly Val Ser Ala Thr Ala Pro Leu Pro Asn Asn Arg Cys Arg
 195 200 205

Gln Glu Asp Thr Glu Arg Val Arg Ala Val Thr Lys Pro Asn Asn Glu
 210 215 220

Glu Ser Cys Glu Lys Pro His Arg Val Met Pro Asn Phe Ala Glu Val
 225 230 235 240

Tyr Ser Phe Ile Gly Ser Val Phe Asp Pro Asn Thr Ser Gly His Leu
 245 250 255

Gln Arg Leu Lys Gln Met Asp Pro Ile Asn Met Glu Thr Val Leu Leu
 260 265 270

mbil9 Sequence Listing.ST25

Leu Met Gln Asn Leu Ser Val Asn Leu Thr Ser Pro Glu Phe Ala Glu
 275 280 285

Gln Arg Arg Leu Ile Ser Ser Tyr Ser Ala Lys Ala Leu Lys
 290 295 300

<210> 13
 <211> 1121
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (48)..(902)
 <223> G263

<400> 13
 ttttttagttt tatttttctg tggtaaaata aaaaaagttc gccggag atg acg gct 56
 Met Thr Ala
 1
 gtg acg gcg gcg caa aga tca gtt ccg gcg ccg ttt tta agc aaa acg 104
 Val Thr Ala Ala Gln Arg Ser Val Pro Ala Pro Phe Leu Ser Lys Thr
 5 10 15
 tat cag cta gtt gat gat cat agc aca gac gac gtc gtt tca tgg aac 152
 Tyr Gln Leu Val Asp Asp His Ser Thr Asp Asp Val Val Ser Trp Asn
 20 25 30 35
 gaa gaa gga aca gct ttt gtc gtg tgg aaa aca gca gag ttt gct aaa 200
 Glu Glu Gly Thr Ala Phe Val Val Trp Lys Thr Ala Glu Phe Ala Lys
 40 45 50
 gat ctt ctt cct caa tac ttc aag cat aat aat ttc tca agc ttc att 248
 Asp Leu Leu Pro Gln Tyr Phe Lys His Asn Asn Phe Ser Ser Phe Ile
 55 60 65
 cgt cag ctc aac act tac gga ttt cgt aaa act gta ccg gat aaa tgg 296
 Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Thr Val Pro Asp Lys Trp
 70 75 80
 gaa ttt gca aac gat tat ttc cgg aga ggc ggg gag gat ctg ttg acg 344
 Glu Phe Ala Asn Asp Tyr Phe Arg Arg Gly Gly Glu Asp Leu Leu Thr
 85 90 95
 gac ata cga cgg cgt aaa tcg gtg att gct tca acg gcg ggg aaa tgt 392
 Asp Ile Arg Arg Arg Lys Ser Val Ile Ala Ser Thr Ala Gly Lys Cys
 100 105 110 115
 gtt gtt gtt ggt tcg cct tct gag tct aat tct ggt ggt ggt gat gat 440
 Val Val Val Gly Ser Pro Ser Glu Ser Asn Ser Gly Gly Gly Asp Asp
 120 125 130
 cac ggt tca agc tcc acg tca tca ccc ggt tcg tcg aag aat cct ggt 488
 His Gly Ser Ser Ser Thr Ser Ser Pro Gly Ser Ser Lys Asn Pro Gly
 135 140 145
 tcg gtg gag aac atg gtt gct gat tta tca gga gag aac gag aag ctt 536
 Ser Val Glu Asn Met Val Ala Asp Leu Ser Gly Glu Asn Glu Lys Leu
 150 155 160
 aaa cgt gaa aac aat aac ttg agc tcg gag ctc gcg gcg gcg aag aag 584
 Lys Arg Glu Asn Asn Asn Leu Ser Ser Glu Leu Ala Ala Lys Lys
 165 170 175
 cag cgc gat gag cta gtg acg ttc ttg acg ggt cat ctg aaa gta aga 632
 Gln Arg Asp Glu Leu Val Thr Phe Leu Thr Gly His Leu Lys Val Arg
 180 185 190 195
 ccg gaa caa atc gat aaa atg atc aaa gga ggg aaa ttt aaa ccg gtg 680

mbi19 Sequence Listing.ST25

Pro	Glu	Gln	Ile	Asp	Lys	Met	Ile	Lys	Gly	Gly	Lys	Phe	Lys	Pro	Val		
				200					205					210			
gag	tct	gac	gaa	gag	agt	gag	tgc	gaa	ggc	tgc	gac	ggc	ggc	gga	gga		728
Glu	Ser	Asp	Glu	Glu	Ser	Glu	Cys	Glu	Gly	Cys	Asp	Gly	Gly	Gly	Gly		
			215				220					225					
gca	gag	gag	ggg	gta	ggc	gaa	gga	ttg	aaa	ttg	ttt	ggg	gtg	tgg	ttg		776
Ala	Glu	Glu	Gly	Val	Gly	Glu	Gly	Leu	Lys	Leu	Phe	Gly	Val	Trp	Leu		
			230				235					240					
aaa	gga	gag	aga	aaa	aag	agg	gac	cgg	gat	gaa	aag	aat	tat	gtg	gtg		824
Lys	Gly	Glu	Arg	Lys	Lys	Arg	Asp	Arg	Asp	Glu	Lys	Asn	Tyr	Val	Val		
			245			250					255						
agt	ggg	tcc	cgt	atg	acg	gaa	ata	aag	aac	gtg	gac	ttt	cac	gcg	ccg		872
Ser	Gly	Ser	Arg	Met	Thr	Glu	Ile	Lys	Asn	Val	Asp	Phe	His	Ala	Pro		
			260			265				270					275		
ttg	tgg	aaa	agc	agc	aaa	gtc	tgc	aac	taa	aaaaagagta	gaagactgtt						922
Leu	Trp	Lys	Ser	Ser	Lys	Val	Cys	Asn									
						280											
caaaccagcg	tgtgacacgt	catcgacgac	gacgaaaaaa	atgatttaaa	aaactatattt												982
tttccgtaag	gaagaaaagt	tatttttatg	ttttaaaaag	gtgaagaagg	tccagaagga												1042
tcaacgcaaa	tatataaatg	gattttcatg	tattatataa	tttaattagt	gtattaagaa												1102
aataaaaacaa	aaaaaaaaaa																1121
<210>	14																
<211>	284																
<212>	PRT																
<213>	Arabidopsis thaliana																
<400>	14																
Met	Thr	Ala	Val	Thr	Ala	Ala	Gln	Arg	Ser	Val	Pro	Ala	Pro	Phe	Leu		
1				5					10					15			
Ser	Lys	Thr	Tyr	Gln	Leu	Val	Asp	Asp	His	Ser	Thr	Asp	Asp	Val	Val		
			20				25					30					
Ser	Trp	Asn	Glu	Glu	Gly	Thr	Ala	Phe	Val	Val	Trp	Lys	Thr	Ala	Glu		
		35				40						45					
Phe	Ala	Lys	Asp	Leu	Leu	Pro	Gln	Tyr	Phe	Lys	His	Asn	Asn	Phe	Ser		
	50				55						60						
Ser	Phe	Ile	Arg	Gln	Leu	Asn	Thr	Tyr	Gly	Phe	Arg	Lys	Thr	Val	Pro		
	65				70				75						80		
Asp	Lys	Trp	Glu	Phe	Ala	Asn	Asp	Tyr	Phe	Arg	Arg	Gly	Gly	Glu	Asp		
			85						90					95			
Leu	Leu	Thr	Asp	Ile	Arg	Arg	Arg	Lys	Ser	Val	Ile	Ala	Ser	Thr	Ala		
			100					105						110			
Gly	Lys	Cys	Val	Val	Val	Gly	Ser	Pro	Ser	Glu	Ser	Asn	Ser	Gly	Gly		
		115					120					125					
Gly	Asp	Asp	His	Gly	Ser	Ser	Ser	Thr	Ser	Ser	Pro	Gly	Ser	Ser	Lys		
	130					135					140						

mbil9 Sequence Listing.ST25

Asn Pro Gly Ser Val Glu Asn Met Val Ala Asp Leu Ser Gly Glu Asn
145 150 155 160

Glu Lys Leu Lys Arg Glu Asn Asn Asn Leu Ser Ser Glu Leu Ala Ala
165 170 175

Ala Lys Lys Gln Arg Asp Glu Leu Val Thr Phe Leu Thr Gly His Leu
180 185 190

Lys Val Arg Pro Glu Gln Ile Asp Lys Met Ile Lys Gly Gly Lys Phe
195 200 205

Lys Pro Val Glu Ser Asp Glu Glu Ser Glu Cys Glu Gly Cys Asp Gly
210 215 220

Gly Gly Gly Ala Glu Glu Gly Val Gly Glu Gly Leu Lys Leu Phe Gly
225 230 235 240

Val Trp Leu Lys Gly Glu Arg Lys Lys Arg Asp Arg Asp Glu Lys Asn
245 250 255

Tyr Val Val Ser Gly Ser Arg Met Thr Glu Ile Lys Asn Val Asp Phe
260 265 270

His Ala Pro Leu Trp Lys Ser Ser Lys Val Cys Asn
275 280

<210> 15
<211> 1951
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (196)..(1794)
<223> G308

<400> 15
agtaatttag tttttttttt ttttttttac aatttat ttt gttattagaa gtggtagtgg 60
agtgaaaaaa caaatcctaa gcagtcctaa cggatccccg aagctaaaga ttcttcacct 120
tcccaaataa agcaaaacct agatccgaca ttgaaggaaa aaccttttag atccatctct 180
gaaaaaaacc caacc atg aag aga gat cat cat cat cat cat caa gat aag 231
Met Lys Arg Asp His His His His His Gln Asp Lys
1 5 10
aag act atg atg atg aat gaa gaa gac gac ggt aac ggc atg gat gag 279
Lys Thr Met Met Met Asn Glu Glu Asp Asp Gly Asn Gly Met Asp Glu
15 20 25
ctt cta gct gtt ctt ggt tac aag gtt agg tca tcg gaa atg gct gat 327
Leu Leu Ala Val Leu Gly Tyr Lys Val Arg Ser Glu Met Ala Asp
30 35 40
gtt gct cag aaa ctc gag cag ctt gaa gtt atg atg tct aat gtt caa 375
Val Ala Gln Lys Leu Glu Gln Leu Glu Val Met Met Ser Asn Val Gln
45 50 55 60
gaa gac gat ctt tct caa ctc gct act gag act gtt cac tat aat ccg 423
Glu Asp Asp Leu Ser Gln Leu Ala Thr Glu Thr Val His Tyr Asn Pro
65 70 75
gcg gag ctt tac acg tgg ctt gat tct atg ctc acc gac ctt aat cct 471

Multiple Sequence Listing																	
Ala	Glu	Leu	Tyr 80	Thr	Trp	Leu	Asp 85	Met	Leu	Thr	Asp 90	Leu	Asn	Pro			
ccg Pro	tcg Ser	tct Ser 95	aac Asn	gcc Ala	gag Glu	tac Tyr	gat Asp 100	ctt Leu	aaa Lys	gct Ala	att Ile 105	ccc Pro	ggg Gly	gac Asp	gcg Ala	519	
att Ile 110	ctc Leu	aat Asn	cag Gln	ttc Phe	gct Ala	atc Ile 115	gat Asp	tcg Ser	gct Ala	tct Ser 120	tcg Ser	tct Ser	aac Asn	caa Gln	ggc Gly	567	
ggc Gly 125	gga Gly	gga Gly	gat Asp	acg Thr	tat Tyr 130	act Thr	aca Thr	aac Asn	aag Lys	cgg Arg 135	ttg Leu	aaa Lys	tgc Cys	tca Ser	aac Asn 140	615	
ggc Gly	gtc Val	gtg Val	gaa Glu	acc Thr 145	acc Thr	aca Thr	gcg Ala	acg Thr	gct Ala 150	gag Glu	tca Ser	act Thr	cgg Arg	cat His 155	gtt Val	663	
gtc Val	ctg Leu	gtt Val	gac Asp 160	tcg Ser	cag Gln	gag Glu	aac Asn	ggg Gly 165	gtg Val	cgt Arg	ctc Leu	gtt Val	cac His 170	gcg Ala	ctt Leu	711	
ttg Leu	gct Ala	tgc Cys 175	gct Ala	gaa Glu	gct Ala	gtt Val	cag Gln 180	aag Lys	gag Glu	aat Asn	ctg Leu 185	act Thr	gtg Val	gcg Ala	gaa Glu	759	
gct Ala 190	ctg Leu	gtg Val	aag Lys	caa Gln	atc Ile	gga Gly 195	ttc Phe	tta Leu	gct Ala	gtt Val 200	tct Ser	caa Gln	atc Ile	gga Gly	gct Ala	807	
atg Met 205	aga Arg	caa Gln	gtc Val	gct Ala	act Thr 210	tac Tyr	ttc Phe	gcc Ala	gaa Glu	gct Ala 215	ctc Leu	gcg Ala	cgg Arg	cgg Arg	att Ile 220	855	
tac Tyr	cgt Arg	ctc Leu	tct Ser 225	ccg Pro	tcg Ser	cag Gln	agt Ser	cca Pro 230	atc Ile	gac Asp	cac His	tct Ser	ctc Leu	tcc Ser 235	gat Asp	903	
act Thr	ctt Leu	cag Gln 240	atg Met	cac His	ttc Phe	tac Tyr	gag Glu 245	act Thr	tgt Cys	cct Pro	tat Tyr	ctc Leu 250	aag Lys	ttc Phe	gct Ala	951	
cac His	ttc Phe 255	acg Thr	gcg Ala	aat Asn	caa Gln	gcg Ala	att Ile 260	ctc Leu	gaa Glu	gct Ala	ttt Phe 265	caa Gln	ggg Gly	aag Lys	aaa Lys	999	
aga Arg 270	gtt Val	cat His	gtc Val	att Ile	gat Asp	ttc Phe 275	tct Ser	atg Met	agt Ser	caa Gln 280	ggg Gly	ctt Leu	caa Gln	tgg Trp	ccg Pro	1047	
gcg Ala 285	ctt Leu	atg Met	cag Gln	gct Ala	ctt Leu 290	gcg Ala	ctt Leu	cga Arg	cct Pro	ggg Gly 295	ggg Gly	cct Pro	cct Pro	gtt Val	ttc Phe 300	1095	
cgg Arg	tta Leu	acc Thr	gga Gly	att Ile 305	ggg Gly	cca Pro	ccg Pro	gca Ala 310	ccg Pro	gat Asp	aat Asn	ttc Phe	gat Asp	tat Tyr 315	ctt Leu	1143	
cat His	gaa Glu	gtt Val 320	ggg Gly	tgt Cys	aag Lys	ctg Leu	gct Ala 325	cat His	tta Leu	gct Ala	gag Glu	gcg Ala 330	att Ile	cac His	gtt Val	1191	
gag Glu	ttt Phe 335	gag Glu	tac Tyr	aga Arg	gga Gly	ttt Phe 340	gtg Val	gct Ala	aac Asn	act Thr	tta Leu 345	gct Ala	gat Asp	ctt Leu	gat Asp	1239	
gct Ala 350	tcg Ser	atg Met	ctt Leu	gag Glu	ctt Leu	aga Arg 355	cca Pro	agt Ser	gag Glu	att Ile 360	gaa Glu	tct Ser	gtt Val	gcg Ala	gtt Val	1287	
aac Asn 365	tct Ser	gtt Val	ttc Phe	gag Glu	ctt Leu 370	cac His	aag Lys	ctc Leu	ttg Leu 375	gga Gly	cga Arg	cct Pro	ggg Gly	gcg Ala	atc Ile 380	1335	

mbil9 Sequence Listing.ST25

gat aag gtt ctt ggt gtg gtg aat cag att aaa ccg gag att ttc act 1383
 Asp Lys Val Leu Gly Val Val Asn Gln Ile Lys Pro Glu Ile Phe Thr 395
 385 390

gtg gtt gag cag gaa tcg aac cat aat agt ccg att ttc tta gat cgg 1431
 Val Val Glu Gln Glu Ser Asn His Asn Ser Pro Ile Phe Leu Asp Arg 410
 400 405

ttt act gag tcg ttg cat tat tac tcg acg ttg ttt gac tcg ttg gaa 1479
 Phe Thr Glu Ser Leu His Tyr Tyr Ser Thr Leu Phe Asp Ser Leu Glu 425
 415 420

ggg gta ccg agt ggt caa gac aag gtc atg tcg gag gtt tac ttg ggt 1527
 Gly Val Pro Ser Gly Gln Asp Lys Val Met Ser Glu Val Tyr Leu Gly 440
 430 435

aaa cag atc tgc aac gtt gtg gct tgt gat gga cct gac cga gtt gag 1575
 Lys Gln Ile Cys Asn Val Val Ala Cys Asp Gly Pro Asp Arg Val Glu 460
 445 450

cgt cat gaa acg ttg agt cag tgg agg aac cgg ttc ggg tct gct ggg 1623
 Arg His Glu Thr Leu Ser Gln Trp Arg Asn Arg Phe Gly Ser Ala Gly 475
 465 470

ttt gcg gct gca cat att ggt tcg aat gcg ttt aag caa gcg agt atg 1671
 Phe Ala Ala Ala His Ile Gly Ser Asn Ala Phe Lys Gln Ala Ser Met 490
 480 485

ctt ttg gct ctg ttc aac ggc ggt gag ggt tat cgg gtg gag gag agt 1719
 Leu Leu Ala Leu Phe Asn Gly Gly Glu Gly Tyr Arg Val Glu Glu Ser 505
 495 500

gac ggc tgt ctc atg ttg ggt tgg cac aca cga ccg ctc ata gcc acc 1767
 Asp Gly Cys Leu Met Leu Gly Trp His Thr Arg Pro Leu Ile Ala Thr 520
 510 515

tcg gct tgg aaa ctc tcc acc aat tag atggtggctc aatgaattga 1814
 Ser Ala Trp Lys Leu Ser Thr Asn 530
 525 530

tctgttgaac cggttatgat gatagatttc cgaccgaagc caaactaaat cctactgttt 1874

ttccctttgt cacttggttaa gatcttatct ttcattatat taggtaattg aaaaatttta 1934

atctcgcta aattact 1951

<210> 16
 <211> 532
 <212> PRT
 <213> Arabidopsis thaliana

<400> 16

Met Lys Arg Asp His His His His His Gln Asp Lys Lys Thr Met Met
 1 5 10 15

Met Asn Glu Glu Asp Asp Gly Asn Gly Met Asp Glu Leu Leu Ala Val
 20 25 30

Leu Gly Tyr Lys Val Arg Ser Ser Glu Met Ala Asp Val Ala Gln Lys
 35 40 45

Leu Glu Gln Leu Glu Val Met Met Ser Asn Val Gln Glu Asp Asp Leu
 50 55 60

Ser Gln Leu Ala Thr Glu Thr Val His Tyr Asn Pro Ala Glu Leu Tyr
 65 70 75 80

Thr Trp Leu Asp Ser Met Leu Thr Asp Leu Asn Pro Pro Ser Ser Asn

mbi19 Sequence Listing.ST25

```

      85                      90                      95
Ala Glu Tyr Asp Leu Lys Ala Ile Pro Gly Asp Ala Ile Leu Asn Gln
    100                      105                      110
Phe Ala Ile Asp Ser Ala Ser Ser Ser Asn Gln Gly Gly Gly Gly Asp
    115                      120                      125
Thr Tyr Thr Thr Asn Lys Arg Leu Lys Cys Ser Asn Gly Val Val Glu
    130                      135                      140
Thr Thr Thr Ala Thr Ala Glu Ser Thr Arg His Val Val Leu Val Asp
    145                      150                      155                      160
Ser Gln Glu Asn Gly Val Arg Leu Val His Ala Leu Leu Ala Cys Ala
    165                      170                      175
Glu Ala Val Gln Lys Glu Asn Leu Thr Val Ala Glu Ala Leu Val Lys
    180                      185                      190
Gln Ile Gly Phe Leu Ala Val Ser Gln Ile Gly Ala Met Arg Gln Val
    195                      200                      205
Ala Thr Tyr Phe Ala Glu Ala Leu Ala Arg Arg Ile Tyr Arg Leu Ser
    210                      215                      220
Pro Ser Gln Ser Pro Ile Asp His Ser Leu Ser Asp Thr Leu Gln Met
    225                      230                      235                      240
His Phe Tyr Glu Thr Cys Pro Tyr Leu Lys Phe Ala His Phe Thr Ala
    245                      250                      255
Asn Gln Ala Ile Leu Glu Ala Phe Gln Gly Lys Lys Arg Val His Val
    260                      265                      270
Ile Asp Phe Ser Met Ser Gln Gly Leu Gln Trp Pro Ala Leu Met Gln
    275                      280                      285
Ala Leu Ala Leu Arg Pro Gly Gly Pro Pro Val Phe Arg Leu Thr Gly
    290                      295                      300
Ile Gly Pro Pro Ala Pro Asp Asn Phe Asp Tyr Leu His Glu Val Gly
    305                      310                      315                      320
Cys Lys Leu Ala His Leu Ala Glu Ala Ile His Val Glu Phe Glu Tyr
    325                      330                      335
Arg Gly Phe Val Ala Asn Thr Leu Ala Asp Leu Asp Ala Ser Met Leu
    340                      345                      350
Glu Leu Arg Pro Ser Glu Ile Glu Ser Val Ala Val Asn Ser Val Phe
    355                      360                      365
Glu Leu His Lys Leu Leu Gly Arg Pro Gly Ala Ile Asp Lys Val Leu
    370                      375                      380

```

mbil9 Sequence Listing.ST25

Gly Val Val Asn Gln Ile Lys Pro Glu Ile Phe Thr Val Val Glu Gln
385 390 395 400

Glu Ser Asn His Asn Ser Pro Ile Phe Leu Asp Arg Phe Thr Glu Ser
405 410 415

Leu His Tyr Tyr Ser Thr Leu Phe Asp Ser Leu Glu Gly Val Pro Ser
420 425 430

Gly Gln Asp Lys Val Met Ser Glu Val Tyr Leu Gly Lys Gln Ile Cys
435 440 445

Asn Val Val Ala Cys Asp Gly Pro Asp Arg Val Glu Arg His Glu Thr
450 455 460

Leu Ser Gln Trp Arg Asn Arg Phe Gly Ser Ala Gly Phe Ala Ala Ala
465 470 475 480

His Ile Gly Ser Asn Ala Phe Lys Gln Ala Ser Met Leu Leu Ala Leu
485 490 495

Phe Asn Gly Gly Glu Gly Tyr Arg Val Glu Glu Ser Asp Gly Cys Leu
500 505 510

Met Leu Gly Trp His Thr Arg Pro Leu Ile Ala Thr Ser Ala Trp Lys
515 520 525

Leu Ser Thr Asn
530

<210> 17
<211> 768
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (1)..(768)
<223> G536

<400> 17
atg tcg aca agg gaa gag aat gtt tac atg gcg aaa tta gcc gaa caa 48
Met Ser Thr Arg Glu Glu Asn Val Tyr Met Ala Lys Leu Ala Glu Gln
1 5 10 15

gct gaa cgt tac gaa gaa atg gtt gaa ttc atg gag aaa gtt gcg aaa 96
Ala Glu Arg Tyr Glu Glu Met Val Glu Phe Met Glu Lys Val Ala Lys
20 25 30

act gtt gat gtt gag gaa ctt tca gtt gaa gag agg aat ctt ctc tct 144
Thr Val Asp Val Glu Glu Leu Ser Val Glu Glu Arg Asn Leu Leu Ser
35 40 45

gtt gct tac aag aac gtg att gga gcg aga aga gct tcg tgg aga atc 192
Val Ala Tyr Lys Asn Val Ile Gly Ala Arg Arg Ala Ser Trp Arg Ile
50 55 60

att tct tcg att gag cag aaa gaa gag agc aaa ggg aac gaa gat cat 240
Ile Ser Ser Ile Glu Gln Lys Glu Glu Ser Lys Gly Asn Glu Asp His
65 70 75 80

gtt gct att atc aag gat tac aga gga gag att gaa tcc gag ctt agc 288
Val Ala Ile Ile Lys Asp Tyr Arg Gly Glu Ile Glu Ser Glu Leu Ser
85 90 95

mbil9 Sequence Listing.ST25

```

aaa atc tgt gat ggg att ttg aat gtt ctt gaa gct cat ctt att cct      336
Lys Ile Cys Asp Gly Ile Leu Asn Val Leu Glu Ala His Leu Ile Pro
                100                105                110

tct gct tca cca gct gaa tct aaa gtg ttt tat ctt aag atg aag ggt      384
Ser Ala Ser Pro Ala Glu Ser Lys Val Phe Tyr Leu Lys Met Lys Gly
                115                120                125

gat tat cat agg tat ctt gct gag ttt aag gct ggt gct gaa agg aaa      432
Asp Tyr His Arg Tyr Leu Ala Glu Phe Lys Ala Gly Ala Glu Arg Lys
                130                135                140

gaa gct gct gaa agc act ttg gtt gct tac aag tct gct tcc gac att      480
Glu Ala Ala Glu Ser Thr Leu Val Ala Tyr Lys Ser Ala Ser Asp Ile
                145                150                155                160

gcc act gct gag tta gct cct act cac ccg ata agg ctt ggt ctt gca      528
Ala Thr Ala Glu Leu Ala Pro Thr His Pro Ile Arg Leu Gly Leu Ala
                165                170                175

ctc aac ttc tct gtg ttt tac tat gaa atc ctc aac tcg cct gat cgt      576
Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu Asn Ser Pro Asp Arg
                180                185                190

gct tgc agc ctc gca aag cag gcg ttt gat gat gca atc gct gag tta      624
Ala Cys Ser Leu Ala Lys Gln Ala Phe Asp Asp Ala Ile Ala Glu Leu
                195                200                205

gat aca ttg ggt gag gaa tca tac aag gac agt aca ctg att atg cag      672
Asp Thr Leu Gly Glu Glu Ser Tyr Lys Asp Ser Thr Leu Ile Met Gln
                210                215                220

ctt ctt aga gac aat ctc act ctc tgg act tca gat atg act gac gaa      720
Leu Leu Arg Asp Asn Leu Thr Leu Trp Thr Ser Asp Met Thr Asp Glu
                225                230                235                240

gca gga gat gag att aag gag gca tca aag ccc gat ggt gcc gag taa      768
Ala Gly Asp Glu Ile Lys Glu Ala Ser Lys Pro Asp Gly Ala Glu
                245                250                255

```

<210> 18
 <211> 255
 <212> PRT
 <213> Arabidopsis thaliana

<400> 18

```

Met Ser Thr Arg Glu Glu Asn Val Tyr Met Ala Lys Leu Ala Glu Gln
1          5          10          15

Ala Glu Arg Tyr Glu Glu Met Val Glu Phe Met Glu Lys Val Ala Lys
20          25          30

Thr Val Asp Val Glu Glu Leu Ser Val Glu Glu Arg Asn Leu Leu Ser
35          40          45

Val Ala Tyr Lys Asn Val Ile Gly Ala Arg Arg Ala Ser Trp Arg Ile
50          55          60

Ile Ser Ser Ile Glu Gln Lys Glu Glu Ser Lys Gly Asn Glu Asp His
65          70          75          80

Val Ala Ile Ile Lys Asp Tyr Arg Gly Glu Ile Glu Ser Glu Leu Ser
85          90          95

Lys Ile Cys Asp Gly Ile Leu Asn Val Leu Glu Ala His Leu Ile Pro
100         105         110

```


mbil19 Sequence Listing.ST25

Ser Ala Ser Pro Ala Glu Ser Lys Val Phe Tyr Leu Lys Met Lys Gly
 115 120 125

Asp Tyr His Arg Tyr Leu Ala Glu Phe Lys Ala Gly Ala Glu Arg Lys
 130 135 140

Glu Ala Ala Glu Ser Thr Leu Val Ala Tyr Lys Ser Ala Ser Asp Ile
 145 150 155 160

Ala Thr Ala Glu Leu Ala Pro Thr His Pro Ile Arg Leu Gly Leu Ala
 165 170 175

Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu Asn Ser Pro Asp Arg
 180 185 190

Ala Cys Ser Leu Ala Lys Gln Ala Phe Asp Asp Ala Ile Ala Glu Leu
 195 200 205

Asp Thr Leu Gly Glu Glu Ser Tyr Lys Asp Ser Thr Leu Ile Met Gln
 210 215 220

Leu Leu Arg Asp Asn Leu Thr Leu Trp Thr Ser Asp Met Thr Asp Glu
 225 230 235 240

Ala Gly Asp Glu Ile Lys Glu Ala Ser Lys Pro Asp Gly Ala Glu
 245 250 255

<210> 19
 <211> 2526
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (338)..(2275)
 <223> G680

<400> 19
 cagttatctt cttccttctt ctctctgttt tttaaattta ttttttagaga attttttttg 60
 ttttgcttcc gatttgatta tttccgggaa cgatgacttc tccggggagt tcccggtgag 120
 atgataagtc agattgcata cttgtctcct ccatggctac tctcaagggt tttggctgag 180
 gtggattcgt ttggtttctc tagaatctaa agagggtatc acaacggctt tgcaatttga 240
 aaactttcat gtttggggag atcaaagatg gtttcttttt tatactttac ttgtagaga 300
 ggatttgaag cagcgaatag ctgcaaccgg tctgtt atg gat act aat aca tct 355
 Met Asp Thr Asn Thr Ser
 1 5
 gga gaa gaa tta tta gct aag gca aga aag cca tat aca ata aca aag 403
 Gly Glu Glu Leu Leu Ala Lys Ala Arg Lys Pro Tyr Thr Ile Thr Lys
 10 15 20
 cag cga gag cga tgg act gag gat gag cat gag agg ttt cta gaa gcc 451
 Gln Arg Glu Arg Trp Thr Glu Asp Glu His Glu Arg Phe Leu Glu Ala
 25 30 35
 ttg agg ctt tat gga aga gct tgg caa cga att gaa gaa cat att ggg 499
 Leu Arg Leu Tyr Gly Arg Ala Trp Gln Arg Ile Glu Glu His Ile Gly
 40 45 50

mbi19 Sequence Listing.ST25

aca aag act gct gtt cag atc aga agt cat gca caa aag ttc ttc aca	547
Thr Lys Thr Ala Val Gln Ile Arg Ser His Ala Gln Lys Phe Phe Thr	
55 60 65 70	
aag ttg gag aaa gag gct gaa gtt aaa ggc atc cct gtt tgc caa gct	595
Lys Leu Glu Lys Glu Ala Glu Val Lys Gly Ile Pro Val Cys Gln Ala	
75 80 85	
ttg gac ata gaa att ccg cct cct cgt cct aaa cga aaa ccc aat act	643
Leu Asp Ile Glu Ile Pro Pro Pro Arg Pro Lys Arg Lys Pro Asn Thr	
90 95 100	
cct tat cct cga aaa cct ggg aac aac ggt aca tct tcc tct caa gta	691
Pro Tyr Pro Arg Lys Pro Gly Asn Asn Gly Thr Ser Ser Ser Gln Val	
105 110 115	
tca tca gca aaa gat gca aaa ctt gtt tca tgc gcc tct tct tca cag	739
Ser Ser Ala Lys Asp Ala Lys Leu Val Ser Ser Ala Ser Ser Ser Gln	
120 125 130	
ttg aat cag gcg ttc ttg gat ttg gaa aaa atg ccg ttc tct gag aaa	787
Leu Asn Gln Ala Phe Leu Asp Leu Glu Lys Met Pro Phe Ser Glu Lys	
135 140 145 150	
aca tca act gga aaa gaa aat caa gat gag aat tgc tgc ggt gtt tct	835
Thr Ser Thr Gly Lys Glu Asn Gln Asp Glu Asn Cys Ser Gly Val Ser	
155 160 165	
act gtg aac aag tat ccc tta cca acg aaa cag gta agt ggc gac att	883
Thr Val Asn Lys Tyr Pro Leu Pro Thr Lys Gln Val Ser Gly Asp Ile	
170 175 180	
gaa aca agt aag acc tca act gtg gac aac gcg gtt caa gat gtt ccc	931
Glu Thr Ser Lys Thr Ser Thr Val Asp Asn Ala Val Gln Asp Val Pro	
185 190 195	
aag aag aac aaa gac aaa gat ggt aac gat ggt act act gtg cac agc	979
Lys Lys Asn Lys Asp Lys Asp Gly Asn Asp Gly Thr Thr Val His Ser	
200 205 210	
atg caa aac tac cct tgg cat ttc cac gca gat att gtg aac ggg aat	1027
Met Gln Asn Tyr Pro Trp His Phe His Ala Asp Ile Val Asn Gly Asn	
215 220 225 230	
ata gca aaa tgc cct caa aat cat ccc tca ggt atg gta tct caa gac	1075
Ile Ala Lys Cys Pro Gln Asn His Pro Ser Gly Met Val Ser Gln Asp	
235 240 245	
ttc atg ttt cat cct atg aga gaa gaa act cac ggg cac gca aat ctt	1123
Phe Met Phe His Pro Met Arg Glu Glu Thr His Gly His Ala Asn Leu	
250 255 260	
caa gct aca aca gca tct gct act act aca gct tct cat caa gcg ttt	1171
Gln Ala Thr Thr Ala Ser Ala Thr Thr Thr Ala Ser His Gln Ala Phe	
265 270 275	
cca gct tgt cat tca cag gat gat tac cgt tgc ttt ctc cag ata tca	1219
Pro Ala Cys His Ser Gln Asp Asp Tyr Arg Ser Phe Leu Gln Ile Ser	
280 285 290	
tct act ttc tcc aat ctt att atg tca act ctc cta cag aat cct gca	1267
Ser Thr Phe Ser Asn Leu Ile Met Ser Thr Leu Leu Gln Asn Pro Ala	
295 300 305 310	
gct cat gct gca gct aca ttc gct gct tgc gtc tgg cct tat gcg agt	1315
Ala His Ala Ala Ala Thr Phe Ala Ala Ser Val Trp Pro Tyr Ala Ser	
315 320 325	
gtc ggg aat tct ggt gat tca tca acc cca atg agc tct tct cct cca	1363
Val Gly Asn Ser Gly Asp Ser Ser Thr Pro Met Ser Ser Ser Pro Pro	
330 335 340	
agt ata act gcc att gcc gct gct aca gta gct gct gca act gct tgg	1411
Ser Ile Thr Ala Ile Ala Ala Ala Thr Val Ala Ala Ala Thr Ala Trp	

mbi19 Sequence Listing.ST25

345	350	355	
tgg gct tct cat gga ctt ctt cct gta tgc gct cca gct cca ata aca			1459
Trp Ala Ser His Gly Leu Leu Pro Val Cys Ala Pro Ala Pro Ile Thr			
360	365	370	
tgt gtt cca ttc tca act gtt gca gtt cca act cca gca atg act gaa			1507
Cys Val Pro Phe Ser Thr Val Ala Val Pro Thr Pro Ala Met Thr Glu			
375	380	385	
atg gat acc gtt gaa aat act caa ccg ttt gag aaa caa aac aca gct			1555
Met Asp Thr Val Glu Asn Thr Gln Pro Phe Glu Lys Gln Asn Thr Ala			
395	400	405	
ctg caa gat caa acc ttg gct tcg aaa tct cca gct tca tca tct gat			1603
Leu Gln Asp Gln Thr Leu Ala Ser Lys Ser Pro Ala Ser Ser Ser Asp			
410	415	420	
gat tca gat gag act gga gta acc aag cta aat gcc gac tca aaa acc			1651
Asp Ser Asp Glu Thr Gly Val Thr Lys Leu Asn Ala Asp Ser Lys Thr			
425	430	435	
aat gat gat aaa att gag gag gtt gtt gtt act gcc gct gtg cat gac			1699
Asn Asp Asp Lys Ile Glu Glu Val Val Val Thr Ala Ala Val His Asp			
440	445	450	
tca aac act gcc cag aag aaa aat ctt gtg gac cgc tca tcg tgt ggc			1747
Ser Asn Thr Ala Gln Lys Lys Asn Leu Val Asp Arg Ser Ser Cys Gly			
455	460	465	
tca aat aca cct tca ggg agt gac gca gaa act gat gca tta gat aaa			1795
Ser Asn Thr Pro Ser Gly Ser Asp Ala Glu Thr Asp Ala Leu Asp Lys			
475	480	485	
atg gag aaa gat aaa gag gat gtg aag gag aca gat gag aat cag cca			1843
Met Glu Lys Asp Lys Glu Asp Val Lys Glu Thr Asp Glu Asn Gln Pro			
490	495	500	
gat gtt att gag tta aat aac cgt aag att aaa atg aga gac aac aac			1891
Asp Val Ile Glu Leu Asn Asn Arg Lys Ile Lys Met Arg Asp Asn Asn			
505	510	515	
agc aac aac aat gca act act gat tcg tgg aag gaa gtc tcc gaa gag			1939
Ser Asn Asn Asn Ala Thr Thr Asp Ser Trp Lys Glu Val Ser Glu Glu			
520	525	530	
ggg cgt ata gcg ttt cag gct ctc ttt gca aga gaa aga ttg cct caa			1987
Gly Arg Ile Ala Phe Gln Ala Leu Phe Ala Arg Glu Arg Leu Pro Gln			
535	540	545	
agc ttt tcg cct cct caa gtg gca gag aat gtg aat aga aaa caa agt			2035
Ser Phe Ser Pro Pro Gln Val Ala Glu Asn Val Asn Arg Lys Gln Ser			
555	560	565	
gac acg tca atg cca ttg gct cct aat ttc aaa agc cag gat tct tgt			2083
Asp Thr Ser Met Pro Leu Ala Pro Asn Phe Lys Ser Gln Asp Ser Cys			
570	575	580	
gct gca gac caa gaa gga gta gta atg atc ggt gtt gga aca tgc aag			2131
Ala Ala Asp Gln Glu Gly Val Val Met Ile Gly Val Gly Thr Cys Lys			
585	590	595	
agt ctt aaa acg aga cag aca gga ttt aag cca tac aag aga tgt tca			2179
Ser Leu Lys Thr Arg Gln Thr Gly Phe Lys Pro Tyr Lys Arg Cys Ser			
600	605	610	
atg gaa gtg aaa gag agc caa gtt ggg aac ata aac aat caa agt gat			2227
Met Glu Val Lys Glu Ser Gln Val Gly Asn Ile Asn Asn Gln Ser Asp			
615	620	625	
gaa aaa gtc tgc aaa agg ctt cga ttg gaa gga gaa gct tct aca tga			2275
Glu Lys Val Cys Lys Arg Leu Arg Leu Glu Gly Glu Ala Ser Thr			
635	640	645	
cagacttggg ggtaaaaaaa aaacatccac atttttatca atatctttaa atctagtgtt			2335

mbi19 Sequence Listing.ST25

agtagtttgc ttctccaatc tttatgaaag agacttttaa ttttccttcc gaacatttct 2395
 ttgggtcatgt caggttctgt accatattac cccatgtctt gtctcttctc tctgtttgtg 2455
 tatgtacttt gtggtctata tgtcatctgc tactactgtt aattaacat taagcaatgg- 2515
 atttgtcttt a 2526

<210> 20
 <211> 645
 <212> PRT
 <213> Arabidopsis thaliana

<400> 20

Met Asp Thr Asn Thr Ser Gly Glu Glu Leu Leu Ala Lys Ala Arg Lys
 1 5 10 15

Pro Tyr Thr Ile Thr Lys Gln Arg Glu Arg Trp Thr Glu Asp Glu His
 20 25 30

Glu Arg Phe Leu Glu Ala Leu Arg Leu Tyr Gly Arg Ala Trp Gln Arg
 35 40 45

Ile Glu Glu His Ile Gly Thr Lys Thr Ala Val Gln Ile Arg Ser His
 50 55 60

Ala Gln Lys Phe Phe Thr Lys Leu Glu Lys Glu Ala Glu Val Lys Gly
 65 70 75 80

Ile Pro Val Cys Gln Ala Leu Asp Ile Glu Ile Pro Pro Pro Arg Pro
 85 90 95

Lys Arg Lys Pro Asn Thr Pro Tyr Pro Arg Lys Pro Gly Asn Asn Gly
 100 105 110

Thr Ser Ser Ser Gln Val Ser Ser Ala Lys Asp Ala Lys Leu Val Ser
 115 120 125

Ser Ala Ser Ser Ser Gln Leu Asn Gln Ala Phe Leu Asp Leu Glu Lys
 130 135 140

Met Pro Phe Ser Glu Lys Thr Ser Thr Gly Lys Glu Asn Gln Asp Glu
 145 150 155 160

Asn Cys Ser Gly Val Ser Thr Val Asn Lys Tyr Pro Leu Pro Thr Lys
 165 170 175

Gln Val Ser Gly Asp Ile Glu Thr Ser Lys Thr Ser Thr Val Asp Asn
 180 185 190

Ala Val Gln Asp Val Pro Lys Lys Asn Lys Asp Lys Asp Gly Asn Asp
 195 200 205

Gly Thr Thr Val His Ser Met Gln Asn Tyr Pro Trp His Phe His Ala
 210 215 220

Asp Ile Val Asn Gly Asn Ile Ala Lys Cys Pro Gln Asn His Pro Ser
 225 230 235 240

mbi19 Sequence Listing.ST25

Gly Met Val Ser Gln Asp Phe Met Phe His Pro Met Arg Glu Glu Thr
 245 250 255
 His Gly His Ala Asn Leu Gln Ala Thr Thr Ala Ser Ala Thr Thr Thr
 260 265 270
 Ala Ser His Gln Ala Phe Pro Ala Cys His Ser Gln Asp Asp Tyr Arg
 275 280 285
 Ser Phe Leu Gln Ile Ser Ser Thr Phe Ser Asn Leu Ile Met Ser Thr
 290 295 300
 Leu Leu Gln Asn Pro Ala Ala His Ala Ala Ala Thr Phe Ala Ala Ser
 305 310 315 320
 Val Trp Pro Tyr Ala Ser Val Gly Asn Ser Gly Asp Ser Ser Thr Pro
 325 330 335
 Met Ser Ser Ser Pro Pro Ser Ile Thr Ala Ile Ala Ala Thr Val
 340 345 350
 Ala Ala Ala Thr Ala Trp Trp Ala Ser His Gly Leu Leu Pro Val Cys
 355 360 365
 Ala Pro Ala Pro Ile Thr Cys Val Pro Phe Ser Thr Val Ala Val Pro
 370 375 380
 Thr Pro Ala Met Thr Glu Met Asp Thr Val Glu Asn Thr Gln Pro Phe
 385 390 395 400
 Glu Lys Gln Asn Thr Ala Leu Gln Asp Gln Thr Leu Ala Ser Lys Ser
 405 410 415
 Pro Ala Ser Ser Ser Asp Asp Ser Asp Glu Thr Gly Val Thr Lys Leu
 420 425 430
 Asn Ala Asp Ser Lys Thr Asn Asp Asp Lys Ile Glu Glu Val Val Val
 435 440 445
 Thr Ala Ala Val His Asp Ser Asn Thr Ala Gln Lys Lys Asn Leu Val
 450 455 460
 Asp Arg Ser Ser Cys Gly Ser Asn Thr Pro Ser Gly Ser Asp Ala Glu
 465 470 475 480
 Thr Asp Ala Leu Asp Lys Met Glu Lys Asp Lys Glu Asp Val Lys Glu
 485 490 495
 Thr Asp Glu Asn Gln Pro Asp Val Ile Glu Leu Asn Asn Arg Lys Ile
 500 505 510
 Lys Met Arg Asp Asn Asn Ser Asn Asn Asn Ala Thr Thr Asp Ser Trp
 515 520 525
 Lys Glu Val Ser Glu Glu Gly Arg Ile Ala Phe Gln Ala Leu Phe Ala

530

535

540

Val Asn Arg Lys Gln Ser Asp Thr Ser Met Pro Leu Ala Pro Asn Phe
565 570 575

Lys Ser Gln Asp Ser Cys Ala Ala Asp Gln Glu Gly Val Val Met Ile
580 585 590

Gly Val Gly Thr Cys Lys Ser Leu Lys Thr Arg Gln Thr Gly Phe Lys
595 600 605

Pro Tyr Lys Arg Cys Ser Met Glu Val Lys Glu Ser Gln Val Gly Asn
610 615 620

Ile Asn Asn Gln Ser Asp Glu Lys Val Cys Lys Arg Leu Arg Leu Glu
625 630 635 640

Gly Glu Ala Ser Thr
645

```
<210> 21
<211> 1281
<212> DNA
<213> Arabidopsis thaliana
```

```
<220>
<221> CDS
<222> (64) .. (1098)
<223> G867
```

<400> 21																	
cacaacacaa acacatttct gttttctcca ttgtttcaaa ccataaaaaa aaacacagat																	60
taa	atg	gaa	tcg	agt	agc	gtt	gat	gag	agt	act	aca	agt	aca	ggt	tcc		108
Met	Glu	Ser	Ser	Ser	Ser	Val	Asp	Glu	Ser	Thr	Thr	Ser	Thr	Gly	Ser		
1				5					10					15			
atc	tgt	gaa	acc	ccg	gcg	ata	act	ccg	gcg	aaa	aag	tcg	tcg	gta	ggt		156
Ile	Cys	Glu	Thr	Pro	Ala	Ile	Thr	Pro	Ala	Lys	Lys	Ser	Ser	Val	Gly		
				20					25					30			
aac	tta	tac	agg	atg	gga	agc	gga	tca	agc	gtt	gtg	tta	gat	tca	gag		204
Asn	Leu	Tyr	Arg	Met	Gly	Ser	Gly	Ser	Ser	Val	Val	Leu	Asp	Ser	Glu		
			35					40					45				
aac	ggc	gta	gaa	gct	gaa	tct	agg	aag	ctt	ccg	tcg	tca	aaa	tac	aaa		252
Asn	Gly	Val	Glu	Ala	Glu	Ser	Arg	Lys	Leu	Pro	Ser	Ser	Lys	Tyr	Lys		
		50					55					60					
ggt	gtg	gtg	cca	caa	cca	aac	gga	aga	tgg	gga	gct	cag	att	tac	gag		300
Gly	Val	Val	Pro	Gln	Pro	Asn	Gly	Arg	Trp	Gly	Ala	Gln	Ile	Tyr	Glu		
	65				70						75						
aaa	cac	cag	cgc	gtg	tgg	ctc	ggg	aca	ttc	aac	gaa	gaa	gac	gaa	gcc		348
Lys	His	Gln	Arg	Val	Trp	Leu	Gly	Thr	Phe	Asn	Glu	Glu	Asp	Glu	Ala		
80					85				90						95		
gct	cgt	gcc	tac	gac	gtc	gcg	gtt	cac	agg	ttc	cgt	cgc	cgt	gac	gcc		396
Ala	Arg	Ala	Tyr	Asp	Val	Ala	Val	His	Arg	Phe	Arg	Arg	Arg	Asp	Ala		
				100					105					110			
gtc	aca	aat	ttc	aaa	gac	gtg	aag	atg	gac	gaa	gac	gag	gtc	gat	ttc		444
Val	Thr	Asn	Phe	Lys	Asp	Val	Lys	Met	Asp	Glu	Asp	Glu	Val	Asp	Phe		

mbi19 Sequence Listing.ST25

115	120	125	
ttg aat tct cat tcg aaa tct gag atc gtt gat atg ttg agg aaa cat			492
Leu Asn Ser His Ser Lys Ser Glu Ile Val Asp Met Leu Arg Lys His			
130	135	140	
act tat aac gaa gag tta gag cag agt aaa cgg cgt cgt aat ggt aac			540
Thr Tyr Asn Glu Glu Leu Glu Gln Ser Lys Arg Arg Arg Asn Gly Asn			
145	150	155	
gga aac atg act agg acg ttg tta acg tcg ggg ttg agt aat gat ggt			588
Gly Asn Met Thr Arg Thr Leu Leu Thr Ser Gly Leu Ser Asn Asp Gly			
160	165	170	175
ggt tct acg acg ggg ttt aga tcg gcg gag gca ctg ttt gag aaa gcg			636
Val Ser Thr Thr Gly Phe Arg Ser Ala Glu Ala Leu Phe Glu Lys Ala			
180	185	190	
gta acg cca agc gac gtt ggg aag cta aac cgt ttg gtt ata ccg aaa			684
Val Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu Val Ile Pro Lys			
195	200	205	
cat cac gca gag aaa cat ttt ccg tta ccg tca agt aac gtt tcc gtg			732
His His Ala Glu Lys His Phe Pro Leu Pro Ser Ser Asn Val Ser Val			
210	215	220	
aaa gga gtg ttg ttg aac ttt gag gac gtt aac ggg aaa gtg tgg agg			780
Lys Gly Val Leu Leu Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg			
225	230	235	
ttc cgt tac tcg tat tgg aac agt agt cag agt tat gtt ttg act aaa			828
Phe Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys			
240	245	250	255
ggt tgg agc agg ttc gtt aag gag aag aat cta cgt gct ggt gac gtg			876
Gly Trp Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val			
260	265	270	
ggt agt ttc agt aga tct aac ggt cag gat caa cag ttg tac att ggg			924
Val Ser Phe Ser Arg Ser Asn Gly Gln Asp Gln Gln Leu Tyr Ile Gly			
275	280	285	
tgg aag tcg aga tcc ggg tca gat tta gat gcg ggt cgg gtt ttg aga			972
Trp Lys Ser Arg Ser Gly Ser Asp Leu Asp Ala Gly Arg Val Leu Arg			
290	295	300	
ttg ttc gga gtt aac att tca ccg gag agt tca aga aac gac gtc gta			1020
Leu Phe Gly Val Asn Ile Ser Pro Glu Ser Ser Arg Asn Asp Val Val			
305	310	315	
gga aac aaa aga gtg aac gat act gag atg tta tcg ttg gtg tgt agc			1068
Gly Asn Lys Arg Val Asn Asp Thr Glu Met Leu Ser Leu Val Cys Ser			
320	325	330	335
aag aag caa cgc atc ttt cac gcc tcg taa caactcttct tctttttttt			1118
Lys Lys Gln Arg Ile Phe His Ala Ser			
340			
tcttttggtt ttttaataat ttttaaaaac tccattttcg ttttctttat ttgcatcggt			1178
tcttttcttc ttgtttacca aagggtcatg agttgttttt gttgtattga tgaactgtaa			1238
attttattta taggataaat ttttaaaaaa aaaaaaaaaa aaa			1281
<210> 22			
<211> 344			
<212> PRT			
<213> Arabidopsis thaliana			
<400> 22			
Met Glu Ser Ser Ser Val Asp Glu Ser Thr Thr Ser Thr Gly Ser Ile			
1	5	10	15

mbi19 Sequence Listing.ST25

Cys Glu Thr Pro Ala Ile Thr Pro Ala Lys Lys Ser Ser Val Gly Asn
 20 25 30
 Leu Tyr Arg Met Gly Ser Gly Ser Ser Val Val Leu Asp Ser Glu Asn
 35 40 45
 Gly Val Glu Ala Glu Ser Arg Lys Leu Pro Ser Ser Lys Tyr Lys Gly
 50 55 60
 Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys
 65 70 75 80
 His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Glu Asp Glu Ala Ala
 85 90 95
 Arg Ala Tyr Asp Val Ala Val His Arg Phe Arg Arg Arg Asp Ala Val
 100 105 110
 Thr Asn Phe Lys Asp Val Lys Met Asp Glu Asp Glu Val Asp Phe Leu
 115 120 125
 Asn Ser His Ser Lys Ser Glu Ile Val Asp Met Leu Arg Lys His Thr
 130 135 140
 Tyr Asn Glu Glu Leu Glu Gln Ser Lys Arg Arg Arg Asn Gly Asn Gly
 145 150 155 160
 Asn Met Thr Arg Thr Leu Leu Thr Ser Gly Leu Ser Asn Asp Gly Val
 165 170 175
 Ser Thr Thr Gly Phe Arg Ser Ala Glu Ala Leu Phe Glu Lys Ala Val
 180 185 190
 Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu Val Ile Pro Lys His
 195 200 205
 His Ala Glu Lys His Phe Pro Leu Pro Ser Ser Asn Val Ser Val Lys
 210 215 220
 Gly Val Leu Leu Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg Phe
 225 230 235 240
 Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly
 245 250 255
 Trp Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val Val
 260 265 270
 Ser Phe Ser Arg Ser Asn Gly Gln Asp Gln Gln Leu Tyr Ile Gly Trp
 275 280 285
 Lys Ser Arg Ser Gly Ser Asp Leu Asp Ala Gly Arg Val Leu Arg Leu
 290 295 300
 Phe Gly Val Asn Ile Ser Pro Glu Ser Ser Arg Asn Asp Val Val Gly
 305 310 315 320

mbi19 Sequence Listing.ST25

Asn Lys Arg Val Asn Asp Thr Glu Met Leu Ser Leu Val Cys Ser Lys
 325 330 335

Lys Gln Arg Ile Phe His Ala Ser
 340

<210> 23
 <211> 724
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (20)..(694)
 <223> G912

<400> 23
 catcttatcc aaagaaaaa atg aat cca ttt tac tct aca ttc cca gac tcg 52
 Met Asn Pro Phe Tyr Ser Thr Phe Pro Asp Ser
 1 5 10
 ttt ctc tca atc tcc gat cat aga tct ccg gtt tca gac agt agt gag 100
 Phe Leu Ser Ile Ser Asp His Arg Ser Pro Val Ser Asp Ser Ser Glu
 15 20 25
 tgt tca cca aag tta gct tca agt tgt cca aag aaa cga gct ggg agg 148
 Cys Ser Pro Lys Leu Ala Ser Ser Cys Pro Lys Lys Arg Ala Gly Arg
 30 35 40
 aag aag ttt cgt gag aca cgt cat ccg att tac aga gga gtt cgt cag 196
 Lys Lys Phe Arg Glu Thr Arg His Pro Ile Tyr Arg Gly Val Arg Gln
 45 50 55
 agg aat tct ggt aaa tgg gtt tgt gaa gtt aga gag cct aat aag aaa 244
 Arg Asn Ser Gly Lys Trp Val Cys Glu Val Arg Glu Pro Asn Lys Lys
 60 65 70 75
 tct agg att tgg tta ggt act ttt ccg acg gtt gaa atg gct gct cgt 292
 Ser Arg Ile Trp Leu Gly Thr Phe Pro Thr Val Glu Met Ala Ala Arg
 80 85 90
 gct cat gat gtt gct gct tta gct ctt cgt ggt cgc tct gct tgt ctc 340
 Ala His Asp Val Ala Ala Leu Ala Leu Arg Gly Arg Ser Ala Cys Leu
 95 100 105
 aat ttc gct gat tct gct tgg cgg ctt cgt att cct gag act act tgt 388
 Asn Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile Pro Glu Thr Thr Cys
 110 115 120
 cct aag gag att cag aaa gct gcg tct gaa gct gca atg gcg ttt cag 436
 Pro Lys Glu Ile Gln Lys Ala Ala Ser Glu Ala Ala Met Ala Phe Gln
 125 130 135
 aat gag act acg acg gag gga tct aaa act gcg gcg gag gca gag gag 484
 Asn Glu Thr Thr Thr Glu Gly Ser Lys Thr Ala Ala Glu Ala Glu Glu
 140 145 150 155
 gcg gca ggg gag ggg gtg agg gag ggg gag agg gcg gag gag cag 532
 Ala Ala Gly Glu Gly Val Arg Glu Gly Glu Arg Arg Ala Glu Glu Gln
 160 165 170
 aat ggt ggt gtg ttt tat atg gat gat gag gcg ctt ttg ggg atg ccc 580
 Asn Gly Gly Val Phe Tyr Met Asp Asp Glu Ala Leu Leu Gly Met Pro
 175 180 185
 aac ttt ttt gag aat atg gcg gag ggg atg ctt ttg ccg ccg ccg gaa 628
 Asn Phe Phe Glu Asn Met Ala Glu Gly Met Leu Leu Pro Pro Pro Glu
 190 195 200
 gtt ggc tgg aat cat aac gac ttt gac gga gtg ggt gac gtg tca ctc 676

mbi19 Sequence Listing.ST25

Val Gly Trp Asn His Asn Asp Phe Asp Gly Val Gly Asp Val Ser Leu
 205 210 215

tgg agt ttt gac gag taa ttttttggt ctttttctgg ataataagtt
 Trp Ser Phe Asp Glu
 220

724

<210> 24
 <211> 224
 <212> PRT
 <213> Arabidopsis thaliana

<400> 24

Met Asn Pro Phe Tyr Ser Thr Phe Pro Asp Ser Phe Leu Ser Ile Ser
 1 5 10 15

Asp His Arg Ser Pro Val Ser Asp Ser Ser Glu Cys Ser Pro Lys Leu
 20 25 30

Ala Ser Ser Cys Pro Lys Lys Arg Ala Gly Arg Lys Lys Phe Arg Glu
 35 40 45

Thr Arg His Pro Ile Tyr Arg Gly Val Arg Gln Arg Asn Ser Gly Lys
 50 55 60

Trp Val Cys Glu Val Arg Glu Pro Asn Lys Lys Ser Arg Ile Trp Leu
 65 70 75 80

Gly Thr Phe Pro Thr Val Glu Met Ala Ala Arg Ala His Asp Val Ala
 85 90 95

Ala Leu Ala Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser
 100 105 110

Ala Trp Arg Leu Arg Ile Pro Glu Thr Thr Cys Pro Lys Glu Ile Gln
 115 120 125

Lys Ala Ala Ser Glu Ala Ala Met Ala Phe Gln Asn Glu Thr Thr Thr
 130 135 140

Glu Gly Ser Lys Thr Ala Ala Glu Ala Glu Glu Ala Ala Gly Glu Gly
 145 150 155 160

Val Arg Glu Gly Glu Arg Arg Ala Glu Glu Gln Asn Gly Gly Val Phe
 165 170 175

Tyr Met Asp Asp Glu Ala Leu Leu Gly Met Pro Asn Phe Phe Glu Asn
 180 185 190

Met Ala Glu Gly Met Leu Leu Pro Pro Pro Glu Val Gly Trp Asn His
 195 200 205

Asn Asp Phe Asp Gly Val Gly Asp Val Ser Leu Trp Ser Phe Asp Glu
 210 215 220

<210> 25
 <211> 1082
 <212> DNA
 <213> Arabidopsis thaliana

mbi19 Sequence Listing.ST25

```
<220>
<221> CDS
<222> (53) .. (1063)
<223> G996
```

<400>	25	cgatc	gatct	tgaatt	gatt	ctttg	tagta	ttttatt	tac	atatata	tat	ag	atg	gga	58	
													Met	Gly		
													1			
aga	cat	tca	tgt	tgt	tac	aaa	cag	aaa	ctg	agg	aaa	gga	ctt	tgg	tct	106
Arg	His	Ser	Cys	Cys	Tyr	Lys	Gln	Lys	Leu	Arg	Lys	Gly	Leu	Trp	Ser	
		5					10					15				
cct	gaa	gaa	gat	gag	aag	ctt	ctt	cgt	tac	atc	act	aag	tat	ggg	cat	154
Pro	Glu	Glu	Asp	Glu	Lys	Leu	Leu	Arg	Tyr	Ile	Thr	Lys	Tyr	Gly	His	
	20					25					30					
ggg	tgc	tgg	agc	tct	gtc	cct	aaa	caa	gct	ggg	tta	cag	aga	tgt	gga	202
Gly	Cys	Trp	Ser	Ser	Val	Pro	Lys	Gln	Ala	Gly	Leu	Gln	Arg	Cys	Gly	
	35				40				45					50		
aaa	agt	tgt	aga	tta	aga	tgg	ata	aat	tat	tta	aga	cca	gat	ttg	aag	250
Lys	Ser	Cys	Arg	Leu	Arg	Trp	Ile	Asn	Tyr	Leu	Arg	Pro	Asp	Leu	Lys	
				55					60					65		
aga	gga	gca	ttt	tct	caa	gat	gaa	gaa	aat	ctc	att	att	gaa	ctt	cat	298
Arg	Gly	Ala	Phe	Ser	Gln	Asp	Glu	Glu	Asn	Leu	Ile	Ile	Glu	Leu	His	
			70					75					80			
gcc	gtt	ctt	ggc	aat	aga	tgg	tct	cag	ata	gct	gca	cag	ctt	cct	gga	346
Ala	Val	Leu	Gly	Asn	Arg	Trp	Ser	Gln	Ile	Ala	Ala	Gln	Leu	Pro	Gly	
		85				90						95				
aga	acc	gac	aat	gaa	atc	aag	aat	ctt	tgg	aat	tct	tgt	ttg	aag	aag	394
Arg	Thr	Asp	Asn	Glu	Ile	Lys	Asn	Leu	Trp	Asn	Ser	Cys	Leu	Lys	Lys	
	100					105					110					
aaa	ttg	agg	ctg	aga	gga	att	gac	ccg	gtt	aca	cac	aag	ctc	tta	acc	442
Lys	Leu	Arg	Leu	Arg	Gly	Ile	Asp	Pro	Val	Thr	His	Lys	Leu	Leu	Thr	
	115				120					125				130		
gaa	atc	gaa	acc	ggg	aca	gat	gac	aaa	aca	aaa	ccg	gtt	gag	aag	agt	490
Glu	Ile	Glu	Thr	Gly	Thr	Asp	Asp	Lys	Thr	Lys	Pro	Val	Glu	Lys	Ser	
				135					140				145			
caa	cag	acc	tac	ctc	gtt	gag	act	gat	ggc	tcc	tct	agt	acc	act	act	538
Gln	Gln	Thr	Tyr	Leu	Val	Glu	Thr	Asp	Gly	Ser	Ser	Ser	Thr	Thr	Thr	
			150					155					160			
tgt	agt	act	aac	caa	aac	aac	aac	act	gat	cat	ctt	tat	acc	gga	aat	586
Cys	Ser	Thr	Asn	Gln	Asn	Asn	Asn	Thr	Asp	His	Leu	Tyr	Thr	Gly	Asn	
		165				170						175				
ttc	ggg	ttt	caa	cgg	tta	agt	cta	gaa	aac	ggg	tca	aga	atc	gca	gcc	634
Phe	Gly	Phe	Gln	Arg	Leu	Ser	Leu	Glu	Asn	Gly	Ser	Arg	Ile	Ala	Ala	
	180					185					190					
ggg	tct	gac	ctc	ggg	atc	tgg	att	ccc	caa	acc	gga	aga				

mbil9 Sequence Listing.ST25

```

cag caa att caa gag agt aac tac aac aat tca aca ttc ttt gga aat      874
Gln Gln Ile Gln Glu Ser Asn Tyr Asn Asn Ser Thr Phe Phe Gly Asn
260                               265                               270

ggg aat ctg aat tgg gga tta aca atg gag gaa aat caa aat cca ttc      922
Gly Asn Leu Asn Trp Gly Leu Thr Met Glu Glu Asn Gln Asn Pro Phe
275                               280                               285                               290

aca ata tcg aat cat tca aat tcg tcc tta tac agt gat ata aaa tca      970
Thr Ile Ser Asn His Ser Asn Ser Ser Leu Tyr Ser Asp Ile Lys Ser
295                               300                               305

gag acc aat ttt ttt ggc aca gag gct aca aat gtt ggt atg tgg cca      1018
Glu Thr Asn Phe Phe Gly Thr Glu Ala Thr Asn Val Gly Met Trp Pro
310                               315                               320

tgt aac cag ctt cag cct cag caa cat gca tat ggc cat ata taa      1063
Cys Asn Gln Leu Gln Pro Gln Gln His Ala Tyr Gly His Ile
325                               330                               335

atcttcttgt atattataa      1082

<210> 26
<211> 336
<212> PRT
<213> Arabidopsis thaliana

<400> 26

Met Gly Arg His Ser Cys Cys Tyr Lys Gln Lys Leu Arg Lys Gly Leu
1                               5                               10                               15

Trp Ser Pro Glu Glu Asp Glu Lys Leu Leu Arg Tyr Ile Thr Lys Tyr
20                               25                               30

Gly His Gly Cys Trp Ser Ser Val Pro Lys Gln Ala Gly Leu Gln Arg
35                               40                               45

Cys Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Pro Asp
50                               55                               60

Leu Lys Arg Gly Ala Phe Ser Gln Asp Glu Glu Asn Leu Ile Ile Glu
65                               70                               75                               80

Leu His Ala Val Leu Gly Asn Arg Trp Ser Gln Ile Ala Ala Gln Leu
85                               90                               95

Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Leu Trp Asn Ser Cys Leu
100                              105                              110

Lys Lys Lys Leu Arg Leu Arg Gly Ile Asp Pro Val Thr His Lys Leu
115                              120                              125

Leu Thr Glu Ile Glu Thr Gly Thr Asp Asp Lys Thr Lys Pro Val Glu
130                              135                              140

Lys Ser Gln Gln Thr Tyr Leu Val Glu Thr Asp Gly Ser Ser Ser Thr
145                              150                              155                              160

Thr Thr Cys Ser Thr Asn Gln Asn Asn Asn Thr Asp His Leu Tyr Thr
165                              170                              175

```

mbi19 Sequence Listing.ST25

Gly Asn Phe Gly Phe Gln Arg Leu Ser Leu Glu Asn Gly Ser Arg Ile
 180 185 190

Ala Ala Gly Ser Asp Leu Gly Ile Trp Ile Pro Gln Thr Gly Arg Asn
 195 200 205

His His His His Val Asp Glu Thr Ile Pro Ser Ala Val Val Leu Pro
 210 215 220

Gly Ser Met Phe Ser Ser Gly Leu Thr Gly Tyr Arg Ser Ser Asn Leu
 225 230 235 240

Gly Leu Ile Glu Leu Glu Asn Ser Phe Ser Thr Gly Pro Met Met Thr
 245 250 255

Glu His Gln Gln Ile Gln Glu Ser Asn Tyr Asn Asn Ser Thr Phe Phe
 260 265 270

Gly Asn Gly Asn Leu Asn Trp Gly Leu Thr Met Glu Glu Asn Gln Asn
 275 280 285

Pro Phe Thr Ile Ser Asn His Ser Asn Ser Ser Leu Tyr Ser Asp Ile
 290 295 300

Lys Ser Glu Thr Asn Phe Phe Gly Thr Glu Ala Thr Asn Val Gly Met
 305 310 315 320

Trp Pro Cys Asn Gln Leu Gln Pro Gln Gln His Ala Tyr Gly His Ile
 325 330 335

<210> 27
 <211> 1606
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (150)..(1310)
 <223> G1068

<400> 27
 gagagttggt agctagctca cagcgtttcg cttaaaactc aaaaacctgc actttctcgt 60
 ctattttctc ggcattcgta aaacagaaaa gtgggtctcc aagaaaatta ccctaaattc 120
 acaaagattc atacttttct ccacctcca atg gat tcc aga gag atc cac cac 173
 Met Asp Ser Arg Glu Ile His His
 1 5
 caa caa cag caa caa caa caa caa caa cag cag cag cag caa caa cag 221
 Gln Gln Gln Gln Gln Gln Gln Gln Gln Gln Gln Gln Gln Gln Gln
 10 15 20
 caa cat cta caa caa cag caa caa cca ccg cca ggg atg tta atg agt 269
 Gln His Leu Gln Gln Gln Gln Gln Pro Pro Gly Met Leu Met Ser
 25 30 35 40
 cac cac aat tcc tac aat cga aac cct aac gcc gcc gcc gct gtt tta 317
 His His Asn Ser Tyr Asn Arg Asn Pro Asn Ala Ala Ala Ala Val Leu
 45 50 55
 atg ggt cac aac acc tcc aca tct caa gct atg cat caa aga tta cct 365
 Met Gly His Asn Thr Ser Thr Ser Gln Ala Met His Gln Arg Leu Pro
 60 65 70

mbi19 Sequence Listing.ST25

ttt ggt ggt tct atg tca ccg cat cag cct caa caa cat cag tat cat	413
Phe Gly Gly Ser Met Ser Pro His Gln Pro Gln Gln His Gln Tyr His	
75 80 85	
cat cct cag cct cag caa cag ata gat cag aag act ctt gaa tct ctt	461
His Pro Gln Pro Gln Gln Gln Ile Asp Gln Lys Thr Leu Glu Ser Leu	
90 95 100	
gga ttt cct act tcg cct ctt cct tct gct tct aat tct tac ggt ggt	509
Gly Phe Pro Thr Ser Pro Leu Pro Ser Ala Ser Asn Ser Tyr Gly Gly	
105 110 115 120	
gga aat gaa gga ggt ggt ggt ggt gat agc gcc gga gct aat gct aac	557
Gly Asn Glu Gly Gly Gly Gly Gly Asp Ser Ala Gly Ala Asn Ala Asn	
125 130 135	
tct tcc gat cca cct gct aaa ccg aac aga gga cgt cct cct gcc tcc	605
Ser Ser Asp Pro Pro Ala Lys Arg Asn Arg Gly Arg Pro Pro Gly Ser	
140 145 150	
ggt aag aag cag ctc gat gct tta gga gga aca gga gga gtt ggg ttc	653
Gly Lys Lys Gln Leu Asp Ala Leu Gly Gly Thr Gly Val Gly Phe	
155 160 165	
acg cct cat gtc att gag gtt aaa aca gga gag gac ata gct acg aag	701
Thr Pro His Val Ile Glu Val Lys Thr Gly Glu Asp Ile Ala Thr Lys	
170 175 180	
ata ttg gcg ttt acg aac caa ggg cca cgc gca atc tgt att ctc tca	749
Ile Leu Ala Phe Thr Asn Gln Gly Pro Arg Ala Ile Cys Ile Leu Ser	
185 190 195 200	
gct aca gga gct gta act aat gtg atg ctt cgt caa gct aac aat agc	797
Ala Thr Gly Ala Val Thr Asn Val Met Leu Arg Gln Ala Asn Asn Ser	
205 210 215	
aat cct act gga act gtt aag tat gag ggc cga ttt gaa atc att tct	845
Asn Pro Thr Thr Val Lys Tyr Glu Gly Arg Phe Glu Ile Ile Ser	
220 225 230	
ctg tca ggt tct ttc ttg aat tct gag agt aat ggt act gtg acc aaa	893
Leu Ser Gly Ser Phe Leu Asn Ser Glu Ser Asn Gly Thr Val Thr Lys	
235 240 245	
act ggt aac ttg agt gtg tcg ctg gct gga cac gaa ggc cgg att gtg	941
Thr Gly Asn Leu Ser Val Ser Leu Ala Gly His Glu Gly Arg Ile Val	
250 255 260	
ggt gga tgt gtt gat gga atg cta gta gct gga tca caa gtc cag gtc	989
Gly Gly Cys Val Asp Gly Met Leu Val Ala Gly Ser Gln Val Gln Val	
265 270 275 280	
att gtg gga agc ttt gta cca gat gga agg aag cag aaa caa agt gcg	1037
Ile Val Gly Ser Phe Val Pro Asp Gly Arg Lys Gln Lys Gln Ser Ala	
285 290 295	
ggg cgt gct cag aat act ccg gag cca gct tca gca cca gcc aat atg	1085
Gly Arg Ala Gln Asn Thr Pro Glu Pro Ala Ser Ala Pro Ala Asn Met	
300 305 310	
ttg agc ttt ggt ggt gtt ggt gga ccg gga agc cct cga tct caa gga	1133
Leu Ser Phe Gly Gly Val Gly Gly Pro Gly Ser Pro Arg Ser Gln Gly	
315 320 325	
caa caa cac tcg agc gag tca tca gag gaa aac gaa agt aat tct ccg	1181
Gln Gln His Ser Ser Glu Ser Ser Glu Glu Asn Glu Ser Asn Ser Pro	
330 335 340	
ttg cac cgt aga agc aac aac aac aac agc aac aat cat ggg ata ttt	1229
Leu His Arg Arg Ser Asn Asn Asn Asn Ser Asn His Gly Ile Phe	
345 350 355 360	
gga aac tct aca cct caa ccg ctt cac caa att cct atg cag atg tac	1277
Gly Asn Ser Thr Pro Gln Pro Leu His Gln Ile Pro Met Gln Met Tyr	

mbil9 Sequence Listing.ST25

365
 370
 375
 cag aat ctc tgg cct ggc aac agt cct caa taa acagatgggt catgggtcaa 1330
 Gln Asn Leu Trp Pro Gly Asn Ser Pro Gln
 380 385
 gatttgaccg gggttgcttc tctgttcctt ttgacacatc tctccatcag atttatctct 1390
 ataaagtaga ttgagctctc ttactctctc atcttcttct cctttactat ttctcttaaa 1450
 tttagctttg gttttagata aatagagaga gagagacatg ttaagtaggt ttcaaattca 1510
 atcttgctta gtttgcttct tagtagtttc ttttgattgt gatgatcata aagacttggt 1570
 ctttttctcc tatattcaac gaattatcca ctttaa 1606

 <210> 28
 <211> 386
 <212> PRT
 <213> Arabidopsis thaliana

 <400> 28
 Met Asp Ser Arg Glu Ile His His Gln Gln Gln Gln Gln Gln Gln Gln
 1 5 10 15
 Gln Gln Gln Gln Gln Gln Gln Gln Gln His Leu Gln Gln Gln Gln Gln
 20 25 30
 Pro Pro Pro Gly Met Leu Met Ser His His Asn Ser Tyr Asn Arg Asn
 35 40 45
 Pro Asn Ala Ala Ala Ala Val Leu Met Gly His Asn Thr Ser Thr Ser
 50 55 60
 Gln Ala Met His Gln Arg Leu Pro Phe Gly Gly Ser Met Ser Pro His
 65 70 75 80
 Gln Pro Gln Gln His Gln Tyr His His Pro Gln Pro Gln Gln Gln Ile
 85 90 95
 Asp Gln Lys Thr Leu Glu Ser Leu Gly Phe Pro Thr Ser Pro Leu Pro
 100 105 110
 Ser Ala Ser Asn Ser Tyr Gly Gly Gly Asn Glu Gly Gly Gly Gly Gly
 115 120 125
 Asp Ser Ala Gly Ala Asn Ala Asn Ser Ser Asp Pro Pro Ala Lys Arg
 130 135 140
 Asn Arg Gly Arg Pro Pro Gly Ser Gly Lys Lys Gln Leu Asp Ala Leu
 145 150 155 160
 Gly Gly Thr Gly Gly Val Gly Phe Thr Pro His Val Ile Glu Val Lys
 165 170 175
 Thr Gly Glu Asp Ile Ala Thr Lys Ile Leu Ala Phe Thr Asn Gln Gly
 180 185 190
 Pro Arg Ala Ile Cys Ile Leu Ser Ala Thr Gly Ala Val Thr Asn Val
 195 200 205

mbil9 Sequence Listing.ST25

Met Leu Arg Gln Ala Asn Asn Ser Asn Pro Thr Gly Thr Val Lys Tyr
 210 215 220

Glu Gly Arg Phe Glu Ile Ile Ser Leu Ser Gly Ser Phe Leu Asn Ser
 225 230 235 240

Glu Ser Asn Gly Thr Val Thr Lys Thr Gly Asn Leu Ser Val Ser Leu
 245 250 255

Ala Gly His Glu Gly Arg Ile Val Gly Gly Cys Val Asp Gly Met Leu
 260 265 270

Val Ala Gly Ser Gln Val Gln Val Ile Val Gly Ser Phe Val Pro Asp
 275 280 285

Gly Arg Lys Gln Lys Gln Ser Ala Gly Arg Ala Gln Asn Thr Pro Glu
 290 295 300

Pro Ala Ser Ala Pro Ala Asn Met Leu Ser Phe Gly Gly Val Gly Gly
 305 310 315 320

Pro Gly Ser Pro Arg Ser Gln Gly Gln Gln His Ser Ser Glu Ser Ser
 325 330 335

Glu Glu Asn Glu Ser Asn Ser Pro Leu His Arg Arg Ser Asn Asn Asn
 340 345 350

Asn Ser Asn Asn His Gly Ile Phe Gly Asn Ser Thr Pro Gln Pro Leu
 355 360 365

His Gln Ile Pro Met Gln Met Tyr Gln Asn Leu Trp Pro Gly Asn Ser
 370 375 380

Pro Gln
 385

<210> 29
 <211> 1630
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (97)..(1398)
 <223> G1337

<400> 29
 aatggatttg tcatcattct tctcaccgtc cttagtctct gaaaataaat tctgattttg 60

atttcgaatt ttagggattt tgagagagag tcagtt atg agt agt tcg gag aga 114
 Met Ser Ser Ser Glu Arg
 1 5

gta ccg tgc gat ttc tgc ggc gag cgt acg gcg gtt ttg ttt tgt aga 162
 Val Pro Cys Asp Phe Cys Gly Glu Arg Thr Ala Val Leu Phe Cys Arg
 10 15 20

gcc gat acg gcg aag ctg tgt ttg cct tgt gat cag caa gtt cac acg 210
 Ala Asp Thr Ala Lys Leu Cys Leu Pro Cys Asp Gln Gln Val His Thr
 25 30 35

mbi19 Sequence Listing.ST25																	
gcg Ala	aat Asn 40	ctg Leu	ttg Leu	tgc Ser	agg Arg	aag Lys 45	cac His	gtg Val	cga Arg	tct Ser	cag Gln 50	atc Ile	tgc Cys	gat Asp	aat Asn	258	
tgc Cys 55	ggt Gly	aac Asn	gag Glu	cca Pro	gtc Val 60	tct Ser	ggt Val	cgg Arg	tgt Cys	ttc Phe 65	acc Thr	gat Asp	aat Asn	ctg Leu	att Ile 70	306	
ttg Leu	tgt Cys	cag Gln	gag Glu	tgt Cys 75	gat Asp	tgg Trp	gat Asp	gtt Val	cac His 80	gga Gly	agt Ser	tgt Cys	tca Ser	gtt Val 85	tcc Ser	354	
gat Asp	gct Ala	cat His	gtt Val 90	cga Arg	tcc Ser	gcc Ala	gtg Val	gaa Glu 95	ggt Gly	ttt Phe	tcc Ser	ggt Gly	tgt Cys 100	cca Pro	tgc Ser	402	
gcg Ala	ttg Leu	gag Glu 105	ctt Leu	gct Ala	gct Ala	tta Leu	tgg Trp 110	gga Gly	ctt Leu	gat Asp	ttg Leu	gag Glu 115	caa Gln	ggg Gly	agg Arg	450	
aaa Lys	gat Asp 120	gaa Glu	gag Glu	aat Asn	caa Gln	gtt Val 125	ccg Pro	atg Met	atg Met	gcg Ala	atg Met 130	atg Met	atg Met	gat Asp	aat Asn	498	
ttc Phe 135	ggg Gly	atg Met	cag Gln	ttg Leu	gat Asp 140	tct Ser	tgg Trp	gtt Val	ttg Leu	gga Gly 145	tct Ser	aat Asn	gaa Glu	ttg Leu	att Ile 150	546	
gtt Val	ccc Pro	agc Ser	gat Asp	acg Thr 155	acg Thr	ttt Phe	aag Lys	aag Lys	cgt Arg 160	gga Gly	tct Ser	tgt Cys	gga Gly	tct Ser 165	agt Ser	594	
tgt Cys	ggg Gly	agg Arg	tat Tyr 170	aag Lys	cag Gln	gta Val	ttg Leu 175	tgt Cys	aag Lys	cag Gln	ctt Leu	gag Glu	gag Glu 180	ttg Leu	ctt Leu	642	
aag Lys	agt Ser	ggt Gly 185	gtt Val	gtc Val	ggt Gly	ggt Gly	gat Asp 190	ggc Gly	gat Asp	gat Asp	ggt Gly	gat Asp 195	cgt Arg	gac Asp	cgt Arg	690	
gat Asp	tgt Cys 200	gac Asp	cgt Arg	gag Glu	ggt Gly	gct Ala 205	tgt Cys	gat Asp	gga Gly	gat Asp	gga Gly 210	gat Asp	gga Gly	gaa Glu	gca Ala	738	
gga Gly 215	gag Glu	ggg Gly	ctt Leu	atg Met	gtt Val 220	ccg Pro	gag Glu	atg Met	tca Ser	gag Glu 225	aga Arg	ttg Leu	aaa Lys	tgg Trp	tca Ser 230	786	
aga Arg	gat Asp	gtt Val	gag Glu	gag Glu 235	atc Ile	aat Asn	ggt Gly	ggc Gly	gga Gly 240	gga Gly	gga Gly	gga Gly	gtt Val	aac Asn 245	cag Gln	834	
cag Gln	tgg Trp	aat Asn	gct Ala 250	act Thr	act Thr	act Thr	aat Asn	cct Pro 255	agt Ser	ggt Gly	ggc Gly	cag Gln	agt Ser 260	tct Ser	cag Gln	882	
ata Ile	tgg Trp	gat Asp 265	ttt Phe	aac Asn	ttg Leu	gga Gly	cag Gln 270	tca Ser	cgg Arg	gga Gly	cct Pro	gag Glu 275	gat Asp	acg Thr	agt Ser	930	
cga Arg	gtg Val 280	gaa Glu	gct Ala	gca Ala	tat Tyr	gta Val 285	ggg Gly	aaa Lys	ggt Gly	gct Ala 290	gct Ala 290	tct Ser	tca Ser	ttc Phe	aca Thr	978	
atc Ile 295	aac Asn	aat Asn	ttt Phe	gtt Val	gac Asp 300	cat His	atg Met	aat Asn	gaa Glu	act Thr 305	tgt Cys	tcc Ser	act Thr	aat Asn	gtg Val 310	1026	
aaa Lys	ggt Gly	gtc Val	aaa Lys	gag Glu 315	att Ile	aaa Lys	aag Lys	gat Asp	gac Asp 320	tac Tyr	aag Lys	cga Arg	tca Ser	act Thr 325	tca Ser	1074	
ggc Gly	cag Gln	gta Val	caa Gln 330	cca Pro	aca Thr	aaa Lys	tct Ser	gag Glu 335	agc Ser	aac Asn	aat Asn	cgt Arg	cca Pro 340	att Ile	acc Thr	1122	

mbi19 Sequence Listing.ST25

```

ttt ggc tct gag aaa ggt tcg aac tcc tcc agt gac ttg cat ttc aca    1170
Phe Gly Ser Glu Lys Gly Ser Asn Ser Ser Ser Asp Leu His Phe Thr
      345                      350                      355

gag cat att gct gga act agt tgt aag acc aca aga cta gtt gca act    1218
Glu His Ile Ala Gly Thr Ser Cys Lys Thr Thr Arg Leu Val Ala Thr
      360                      365                      370

aag gct gat ctg gag cgg ctg gct cag aac aga gga gat gca atg cag    1266
Lys Ala Asp Leu Glu Arg Leu Ala Gln Asn Arg Gly Asp Ala Met Gln
      375                      380                      385                      390

cgt tac aag gaa aag agg aag aca cgg aga tat gat aag acc ata agg    1314
Arg Tyr Lys Glu Lys Arg Lys Thr Arg Arg Tyr Asp Lys Thr Ile Arg
      395                      400                      405

tat gaa tcg agg aag gca aga gct gac act agg ttg cgt gtc aga ggc    1362
Tyr Glu Ser Arg Lys Ala Arg Ala Asp Thr Arg Leu Arg Val Arg Gly
      410                      415                      420

aga ttt gtg aaa gct agt gaa gct cct tac cct taa ccttaagttt    1408
Arg Phe Val Lys Ala Ser Glu Ala Pro Tyr Pro
      425                      430

tttcacatag gcttcctttt agctacaaac ttagttactt tttttactcc actgcctcat    1468

aaatgtacag accggtctcg tttcatctgg ccgccccttct tgttttattg ccttatctgg    1528

cccttttatg taccttgga tcttatctag tttaaaaaag attgtaacct tctagaaaac    1588

catattctgt tgacagtata tacatgtcta tccaagcaaa aa    1630

```

<210> 30
 <211> 433
 <212> PRT
 <213> Arabidopsis thaliana

<400> 30

```

Met Ser Ser Ser Glu Arg Val Pro Cys Asp Phe Cys Gly Glu Arg Thr
1      5      10      15

Ala Val Leu Phe Cys Arg Ala Asp Thr Ala Lys Leu Cys Leu Pro Cys
      20      25      30

Asp Gln Gln Val His Thr Ala Asn Leu Leu Ser Arg Lys His Val Arg
      35      40      45

Ser Gln Ile Cys Asp Asn Cys Gly Asn Glu Pro Val Ser Val Arg Cys
      50      55      60

Phe Thr Asp Asn Leu Ile Leu Cys Gln Glu Cys Asp Trp Asp Val His
      65      70      75      80

Gly Ser Cys Ser Val Ser Asp Ala His Val Arg Ser Ala Val Glu Gly
      85      90      95

Phe Ser Gly Cys Pro Ser Ala Leu Glu Leu Ala Ala Leu Trp Gly Leu
      100     105     110

Asp Leu Glu Gln Gly Arg Lys Asp Glu Glu Asn Gln Val Pro Met Met
      115     120     125

Ala Met Met Met Asp Asn Phe Gly Met Gln Leu Asp Ser Trp Val Leu
      130     135     140

```

mbi19 Sequence Listing.ST25

Gly Ser Asn Glu Leu Ile Val Pro Ser Asp Thr Thr Phe Lys Lys Arg
 145 150 155 160
 Gly Ser Cys Gly Ser Ser Cys Gly Arg Tyr Lys Gln Val Leu Cys Lys
 165 170 175
 Gln Leu Glu Glu Leu Leu Lys Ser Gly Val Val Gly Gly Asp Gly Asp
 180 185 190
 Asp Gly Asp Arg Asp Arg Asp Cys Asp Arg Glu Gly Ala Cys Asp Gly
 195 200 205
 Asp Gly Asp Gly Glu Ala Gly Glu Gly Leu Met Val Pro Glu Met Ser
 210 215 220
 Glu Arg Leu Lys Trp Ser Arg Asp Val Glu Glu Ile Asn Gly Gly Gly
 225 230 235 240
 Gly Gly Gly Val Asn Gln Gln Trp Asn Ala Thr Thr Thr Asn Pro Ser
 245 250 255
 Gly Gly Gln Ser Ser Gln Ile Trp Asp Phe Asn Leu Gly Gln Ser Arg
 260 265 270
 Gly Pro Glu Asp Thr Ser Arg Val Glu Ala Ala Tyr Val Gly Lys Gly
 275 280 285
 Ala Ala Ser Ser Phe Thr Ile Asn Asn Phe Val Asp His Met Asn Glu
 290 295 300
 Thr Cys Ser Thr Asn Val Lys Gly Val Lys Glu Ile Lys Lys Asp Asp
 305 310 315 320
 Tyr Lys Arg Ser Thr Ser Gly Gln Val Gln Pro Thr Lys Ser Glu Ser
 325 330 335
 Asn Asn Arg Pro Ile Thr Phe Gly Ser Glu Lys Gly Ser Asn Ser Ser
 340 345 350
 Ser Asp Leu His Phe Thr Glu His Ile Ala Gly Thr Ser Cys Lys Thr
 355 360 365
 Thr Arg Leu Val Ala Thr Lys Ala Asp Leu Glu Arg Leu Ala Gln Asn
 370 375 380
 Arg Gly Asp Ala Met Gln Arg Tyr Lys Glu Lys Arg Lys Thr Arg Arg
 385 390 395 400
 Tyr Asp Lys Thr Ile Arg Tyr Glu Ser Arg Lys Ala Arg Ala Asp Thr
 405 410 415
 Arg Leu Arg Val Arg Gly Arg Phe Val Lys Ala Ser Glu Ala Pro Tyr
 420 425 430

Pro

```
<210> 31
<211> 1413
<212> DNA
<213> Arabidopsis thaliana
```

```
<220>
<221> CDS
<222> (208) .. (1200)
<223> G1141
```

Page 42

mbi19 Sequence Listing.ST25

205	210	215	
tat tgg ggc caa gtt ttg cag gag aaa gag aaa ccg aag cag gaa gaa			906
Tyr Trp Gly Gln Val Leu Gln Glu Lys Glu Lys Pro Lys Gln Glu Glu			
220	225	230	
gag gag ata cag caa cag caa cag gaa cag caa cag caa cag ctg caa			954
Glu Glu Ile Gln Gln Gln Gln Glu Gln Gln Gln Gln Gln Leu Gln			
235	240	245	
ccg gat ttg ctt act gtt gca gat tac ggt tgg cct tgg tct aat gat			1002
Pro Asp Leu Leu Thr Val Ala Asp Tyr Gly Trp Pro Trp Ser Asn Asp			
250	255	260	265
att gta aat gat cag act tct tgg gat cct aat gag tgc ttt gat att			1050
Ile Val Asn Asp Gln Thr Ser Trp Asp Pro Asn Glu Cys Phe Asp Ile			
270	275	280	
aat gaa ctc ctt gga gat ttg aat gaa cct ggt ccc cat cag agc caa			1098
Asn Glu Leu Leu Gly Asp Leu Asn Glu Pro Gly Pro His Gln Ser Gln			
285	290	295	
gac caa aac cac gta aat tct ggt agt tat gat ttg cat ccg ctt cat			1146
Asp Gln Asn His Val Asn Ser Gly Ser Tyr Asp Leu His Pro Leu His			
300	305	310	
ctc gag cca cac gat ggt cac gag ttc aat ggt ttg agt tct ctg gat			1194
Leu Glu Pro His Asp Gly His Glu Phe Asn Gly Leu Ser Ser Leu Asp			
315	320	325	
att tga gagttctgag gcaatggtcc tacaagacta caacataatc tttggattga			1250
Ile			
330			
tcataaggaga aacaagaaat aggtgttaat gatctgattc acaatgaaaa aatatttaat			1310
aactctatag tttttgttct ttcccttgat catgaactgt tgcttctcat ctattgagtt			1370
aatatagcga atagcagagt ttctctcata aaaaaaaaaa aaa			1413
<210>	32		
<211>	330		
<212>	PRT		
<213>	Arabidopsis thaliana		
<400>	32		
Met Ala Val Tyr Glu Gln Thr Gly Thr Glu Gln Pro Lys Lys Arg Lys			
1	5	10	15
Ser Arg Ala Arg Ala Gly Gly Leu Thr Val Ala Asp Arg Leu Lys Lys			
	20	25	30
Trp Lys Glu Tyr Asn Glu Ile Val Glu Ala Ser Ala Val Lys Glu Gly			
	35	40	45
Glu Lys Pro Lys Arg Lys Val Pro Ala Lys Gly Ser Lys Lys Gly Cys			
	50	55	60
Met Lys Gly Lys Gly Gly Pro Asp Asn Ser His Cys Ser Phe Arg Gly			
65	70	75	80
Val Arg Gln Arg Ile Trp Gly Lys Trp Val Ala Glu Ile Arg Glu Pro			
	85	90	95
Lys Ile Gly Thr Arg Leu Trp Leu Gly Thr Phe Pro Thr Ala Glu Lys			
	100	105	110

mbi19 Sequence Listing.ST25

Ala Ala Ser Ala Tyr Asp Glu Ala Ala Thr Ala Met Tyr Gly Ser Leu
 115 120 125

Ala Arg Leu Asn Phe Pro Gln Ser Val Gly Ser Glu Phe Thr Ser Thr
 130 135 140

Ser Ser Gln Ser Glu Val Cys Thr Val Glu Asn Lys Ala Val Val Cys
 145 150 155 160

Gly Asp Val Cys Val Lys His Glu Asp Thr Asp Cys Glu Ser Asn Pro
 165 170 175

Phe Ser Gln Ile Leu Asp Val Arg Glu Glu Ser Cys Gly Thr Arg Pro
 180 185 190

Asp Ser Cys Thr Val Gly His Gln Asp Met Asn Ser Ser Leu Asn Tyr
 195 200 205

Asp Leu Leu Leu Glu Phe Glu Gln Gln Tyr Trp Gly Gln Val Leu Gln
 210 215 220

Glu Lys Glu Lys Pro Lys Gln Glu Glu Glu Ile Gln Gln Gln Gln
 225 230 235 240

Gln Glu Gln Gln Gln Gln Gln Leu Gln Pro Asp Leu Leu Thr Val Ala
 245 250 255

Asp Tyr Gly Trp Pro Trp Ser Asn Asp Ile Val Asn Asp Gln Thr Ser
 260 265 270

Trp Asp Pro Asn Glu Cys Phe Asp Ile Asn Glu Leu Leu Gly Asp Leu
 275 280 285

Asn Glu Pro Gly Pro His Gln Ser Gln Asp Gln Asn His Val Asn Ser
 290 295 300

Gly Ser Tyr Asp Leu His Pro Leu His Leu Glu Pro His Asp Gly His
 305 310 315 320

Glu Phe Asn Gly Leu Ser Ser Leu Asp Ile
 325 330

<210> 33
 <211> 818
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (18)..(641)
 <223> G46

<400> 33
 ttctctcttt cgtaaaa atg gcg agt ttt gag gaa agc tct gat ttg gaa 50
 Met Ala Ser Phe Glu Ser Ser Asp Leu Glu
 1 5 10

gct ata cag agc cat ctc tta gaa gac ttg ttg gtt tgt gat ggt ttc 98
 Ala Ile Gln Ser His Leu Leu Glu Asp Leu Leu Val Cys Asp Gly Phe

mbil9 Sequence Listing.ST25

15	20	25	
atg gga gat ttt gac ttc gat gct tct ttt gtc tca gga ctt tgg tgt			146
Met Gly Asp Phe Asp Phe Asp Ala Ser Phe Val Ser Gly Leu Trp Cys			
30	35	40	
ata gaa cca cac gtt cct aaa caa gaa cct gat tct cca gtt ctt gat			194
Ile Glu Pro His Val Pro Lys Gln Glu Pro Asp Ser Pro Val Leu Asp			
45	50	55	
ccg gat tct ttc gtc aac gag ttc ttg caa gtg gaa ggg gaa tca tca			242
Pro Asp Ser Phe Val Asn Glu Phe Leu Gln Val Glu Gly Glu Ser Ser			
60	65	70	75
tca tca tca tca cca gag ctg aat tca tcg tca tca aca tat gag act			290
Ser Ser Ser Ser Pro Glu Leu Asn Ser Ser Ser Ser Thr Tyr Glu Thr			
80	85	90	
gat cag agt gtg aaa aag gca gag agg ttc gaa gaa gaa gta gat gct			338
Asp Gln Ser Val Lys Lys Ala Glu Arg Phe Glu Glu Glu Val Asp Ala			
95	100	105	
aga cat tac cga gga gtg agg cga agg ccg tgg ggg aaa ttt gca gca			386
Arg His Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Lys Phe Ala Ala			
110	115	120	
gag att cga gat cca gca aag aaa gga tca aga atc tgg cta gga aca			434
Glu Ile Arg Asp Pro Ala Lys Lys Gly Ser Arg Ile Trp Leu Gly Thr			
125	130	135	
ttt gag agt gat gtt gat gct gca aga gcc tat gac tgt gca gct ttc			482
Phe Glu Ser Asp Val Asp Ala Ala Arg Ala Tyr Asp Cys Ala Ala Phe			
140	145	150	155
aag ctc cgg gga aga aaa gcc gtg ctc aac ttc cct ctt gac gcc ggg			530
Lys Leu Arg Gly Arg Lys Ala Val Leu Asn Phe Pro Leu Asp Ala Gly			
160	165	170	
aaa tat gaa gct cca gcg aat tca gga agg aaa agg aag aga agt gat			578
Lys Tyr Glu Ala Pro Ala Asn Ser Gly Arg Lys Arg Lys Arg Ser Asp			
175	180	185	
gtg cat gaa gag ctt caa aga act cag agc aat tca tct tca tct tcc			626
Val His Glu Glu Leu Gln Arg Thr Gln Ser Asn Ser Ser Ser Ser Ser			
190	195	200	
tgt gat gca ttt tag catattaaga gtgtgagcag tttccttaag ttgtataaag			681
Cys Asp Ala Phe			
205			
taattgtaca gaggaacga attgtgtagg tttagtgtgc ttgcaagttg caacaaatgt			741
gtatggatgt tctgtttctt catgtcccta agatttagaa acatcttctt atttccaaga			801
aaaaaaaaa aaaaaaa			818
<210> 34			
<211> 207			
<212> PRT			
<213> Arabidopsis thaliana			
<400> 34			
Met Ala Ser Phe Glu Glu Ser Ser Asp Leu Glu Ala Ile Gln Ser His			
1	5	10	15
Leu Leu Glu Asp Leu Leu Val Cys Asp Gly Phe Met Gly Asp Phe Asp			
20	25	30	
Phe Asp Ala Ser Phe Val Ser Gly Leu Trp Cys Ile Glu Pro His Val			
35	40	45	

mbi19 Sequence Listing.ST25

Pro Lys Gln Glu Pro Asp Ser Pro Val Leu Asp Pro Asp Ser Phe Val
50 55 60

Asn Glu Phe Leu Gln Val Glu Gly Glu Ser Ser Ser Ser Ser Pro
65 70 75 80

Glu Leu Asn Ser Ser Ser Thr Tyr Glu Thr Asp Gln Ser Val Lys
85 90 95

Lys Ala Glu Arg Phe Glu Glu Glu Val Asp Ala Arg His Tyr Arg Gly
100 105 110

Val Arg Arg Arg Pro Trp Gly Lys Phe Ala Ala Glu Ile Arg Asp Pro
115 120 125

Ala Lys Lys Gly Ser Arg Ile Trp Leu Gly Thr Phe Glu Ser Asp Val
130 135 140

Asp Ala Ala Arg Ala Tyr Asp Cys Ala Ala Phe Lys Leu Arg Gly Arg
145 150 155 160

Lys Ala Val Leu Asn Phe Pro Leu Asp Ala Gly Lys Tyr Glu Ala Pro
165 170 175

Ala Asn Ser Gly Arg Lys Arg Lys Arg Ser Asp Val His Glu Glu Leu
180 185 190

Gln Arg Thr Gln Ser Asn Ser Ser Ser Ser Cys Asp Ala Phe
195 200 205

<210> 35
<211> 1195
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (66)..(983)
<223> G242

<400> 35
ctctcaaaac caaatcact aaagaggaga agattgctaa agtttgataa aacattccaa 60

aatca atg gct gat agg atc aaa ggt cca tgg agt cct gaa gaa gac gag 110
Met Ala Asp Arg Ile Lys Gly Pro Trp Ser Pro Glu Glu Asp Glu
1 5 10 15

cag ctt cgt agg ctt gtt gtt aaa tac ggt cca aga aac tgg aca gtg 158
Gln Leu Arg Arg Leu Val Val Lys Tyr Gly Pro Arg Asn Trp Thr Val
20 25 30

att agc aaa tct att ccc ggt aga tcg ggg aaa tcg tgt cgt tta cgg 206
Ile Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg
35 40 45

tgg tgc aac cag ctt tcg ccg caa gtt gag cat cgg ccg ttt tcg gct 254
Trp Cys Asn Gln Leu Ser Pro Gln Val Glu His Arg Pro Phe Ser Ala
50 55 60

gag gaa gac gag acg atc gca cgt gct cac gct cag ttc ggg aat aaa 302
Glu Glu Asp Glu Thr Ile Ala Arg Ala His Ala Gln Phe Gly Asn Lys
65 70 75

mbi19 Sequence Listing.ST25

tgg gcg acg att gct cgt ctt ctc aac ggt cgt acg gac aac gcc gtg Trp Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp Asn Ala Val 80 85 90 95	350
aag aat cac tgg aac tcg acg ctc aag agg aaa tgc ggc ggt tac gac Lys Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Gly Gly Tyr Asp 100 105 110	398
cat cgg ggt tac gat ggt tcg gag gat cat cgg ccg gtt aag aga tcg His Arg Gly Tyr Asp Gly Ser Glu Asp His Arg Pro Val Lys Arg Ser 115 120 125	446
gtg agt gcg gga tct cca cct gtt gtt act ggg ctt tac atg agc cca Val Ser Ala Gly Ser Pro Pro Val Val Thr Gly Leu Tyr Met Ser Pro 130 135 140	494
gga agc cca act gga tct gat gtc agt gat tca agt act atc ccg ata Gly Ser Pro Thr Gly Ser Asp Val Ser Asp Ser Ser Thr Ile Pro Ile 145 150 155	542
tta cct tcc gtt gag ctt ttc aag cct gtg cct aga cct ggt gct gtt Leu Pro Ser Val Glu Leu Phe Lys Pro Val Pro Arg Pro Gly Ala Val 160 165 170 175	590
gtg cta ccg ctt cct atc gaa acg tcg tct ttt tcc gat gat cca ccg Val Leu Pro Leu Pro Ile Glu Thr Ser Ser Phe Ser Asp Asp Pro Pro 180 185 190	638
act tcg tta agc ttg tca ctt cct ggt gcc gac gta agc gag gag tca Thr Ser Leu Ser Leu Ser Leu Pro Gly Ala Asp Val Ser Glu Glu Ser 195 200 205	686
aac cgt agc cac gag tca acg aat atc aac aac acc act tcg agc cgc Asn Arg Ser His Glu Ser Thr Asn Ile Asn Asn Thr Thr Ser Ser Arg 210 215 220	734
cac aac cac aac aat acg gtg tcg ttt atg ccg ttt agt ggt ggg ttt His Asn His Asn Asn Thr Val Ser Phe Met Pro Phe Ser Gly Gly Phe 225 230 235	782
aga ggt gcg att gag gaa atg ggg aag tct ttt ccc ggt aac gga ggc Arg Gly Ala Ile Glu Glu Met Gly Lys Ser Phe Pro Gly Asn Gly Gly 240 245 250 255	830
gag ttt atg gcg gtg gtg caa gag atg att aag gcg gaa gtg agg agt Glu Phe Met Ala Val Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser 260 265 270	878
tac atg acg gag atg caa cgg aac aat ggt ggc gga ttc gtc gga gga Tyr Met Thr Glu Met Gln Arg Asn Asn Gly Gly Gly Phe Val Gly Gly 275 280 285	926
ttc att gat aat ggc atg att ccg atg agt caa att gga gtt ggg aga Phe Ile Asp Asn Gly Met Ile Pro Met Ser Gln Ile Gly Val Gly Arg 290 295 300	974
atc gag tag acaaagtgag attattagga aactgttttaa attggagaag Ile Glu 305	1023
aagaaaaatg ctctgttttt ttctcctttg gattaggctt aagaattttg ggttttaagg	1083
aaatgtatag aggaaatcga gtgaacaaag ctcgagagct ggggacgtag tgacgaagac	1143
gaagatcaaaa ttctctcttaa gctatttcagg aaaataaaat aaatttttat tt	1195

<210> 36
 <211> 305
 <212> PRT
 <213> Arabidopsis thaliana

<400> 36

Met Ala Asp Arg Ile Lys Gly Pro Trp Ser Pro Glu Glu Asp Glu Gln

mbi19 Sequence Listing.ST25

```

1             5             10             15
Leu Arg Arg Leu Val Val Lys Tyr Gly Pro Arg Asn Trp Thr Val Ile
    20             25             30
Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp
    35             40             45
Cys Asn Gln Leu Ser Pro Gln Val Glu His Arg Pro Phe Ser Ala Glu
    50             55             60
Glu Asp Glu Thr Ile Ala Arg Ala His Ala Gln Phe Gly Asn Lys Trp
    65             70             75             80
Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp Asn Ala Val Lys
    85             90             95
Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Gly Gly Tyr Asp His
    100            105            110
Arg Gly Tyr Asp Gly Ser Glu Asp His Arg Pro Val Lys Arg Ser Val
    115            120            125
Ser Ala Gly Ser Pro Pro Val Val Thr Gly Leu Tyr Met Ser Pro Gly
    130            135            140
Ser Pro Thr Gly Ser Asp Val Ser Asp Ser Ser Thr Ile Pro Ile Leu
    145            150            155            160
Pro Ser Val Glu Leu Phe Lys Pro Val Pro Arg Pro Gly Ala Val Val
    165            170            175
Leu Pro Leu Pro Ile Glu Thr Ser Ser Phe Ser Asp Asp Pro Pro Thr
    180            185            190
Ser Leu Ser Leu Ser Leu Pro Gly Ala Asp Val Ser Glu Glu Ser Asn
    195            200            205
Arg Ser His Glu Ser Thr Asn Ile Asn Asn Thr Thr Ser Ser Arg His
    210            215            220
Asn His Asn Asn Thr Val Ser Phe Met Pro Phe Ser Gly Gly Phe Arg
    225            230            235            240
Gly Ala Ile Glu Glu Met Gly Lys Ser Phe Pro Gly Asn Gly Gly Glu
    245            250            255
Phe Met Ala Val Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser Tyr
    260            265            270
Met Thr Glu Met Gln Arg Asn Asn Gly Gly Gly Phe Val Gly Gly Phe
    275            280            285
Ile Asp Asn Gly Met Ile Pro Met Ser Gln Ile Gly Val Gly Arg Ile
    290            295            300

```

Glu
305

4400>	37	gtaccg	tcca	cgatcc	ggcg	atg	tca	aac	ccg	acc	cgt	aag	aat	atg	gag	agg	53
						Met	Ser	Asn	Pro	Thr	Arg	Lys	Asn	Met	Glu	Arg	
						1				5					10		
att	aaa	ggg	cca	tgg	agt	cca	gaa	gaa	gat	gat	ctg	tgg	cag	agg	ctt	101	
Ile	Lys	Gly	Pro	Trp	Ser	Pro	Glu	Glu	Asp	Asp	Leu	Leu	Gln	Arg	Leu		
			15					20					25				
gtt	cag	aaa	cat	ggg	ccg	agg	aac	tgg	tct	tgg	att	agc	aaa	tca	atc	149	
Val	Gln	Lys	His	Gly	Pro	Arg	Asn	Trp	Ser	Leu	Ile	Ser	Lys	Ser	Ile		
		30					35					40					
cct	gga	cgt	tcc	ggc	aaa	tct	tgt	cgt	ctc	cgg	tgg	tgt	aac	cag	cta	197	
Pro	Gly	Arg	Ser	Gly	Lys	Ser	Cys	Arg	Leu	Arg	Trp	Cys	Asn	Gln	Leu		
		45				50					55						
tct	ccg	gag	gta	gag	cac	cgt	gct	ttt	tgc	cag	gaa	gaa	gac	gag	acg	245	
Ser	Pro	Glu	Val	Glu	His	Arg	Ala	Phe	Ser	Gln	Glu	Glu	Asp	Glu	Thr		
		60			65					70					75		
att	att	cga	gct	cac	gct	cgg	ttt	ggg	aac	aag	tgg	gct	acg	atc	tct	293	
Ile	Ile	Arg	Ala	His	Ala	Arg	Phe	Gly	Asn	Lys	Trp	Ala	Thr	Ile	Ser		
				80				85						90			
cgt	ctt	ctc	aat	gga	cga	acc	gat	aac	gct	atc	aag	aat	cat	tgg	aac	341	
Arg	Leu	Leu	Asn	Gly	Arg	Thr	Asp	Asn	Ala	Ile	Lys	Asn	His	Trp	Asn		
			95					100					105				
tgc	acg	ctg	aag	cga	aaa	tgc	agc	gtc	gaa	ggg	caa	agt	tgt	gat	ttt	389	
Ser	Thr	Leu	Lys	Arg	Lys	Cys	Ser	Val	Glu	Gly	Gln	Ser	Cys	Asp	Phe		
		110					115					120					
ggg	ggg	aat	gga	ggg	tat	gat	ggg	aat	tta	gga	gaa	gag	caa	ccg	tgg	437	
Gly	Gly	Asn	Gly	Gly	Tyr	Asp	Gly	Asn	Leu	Gly	Glu	Glu	Gln	Pro	Leu		
		125				130					135						
aaa	cgt	acg	gcg	agt	ggg	ggg	ggg	ggg	gtc	tgc	act	ggc	tgg	tat	atg	485	
Lys	Arg	Thr	Ala	Ser	Gly	Gly	Gly	Gly	Val	Ser	Thr	Gly	Leu	Tyr	Met		
		140			145					150					155		
agt	ccc	gga	agt	cca	tgc	gga	tct	gac	gtc	agc	gag	caa	tct	agt	ggg	533	
Ser	Pro	Gly	Ser	Pro	Ser	Gly	Ser	Asp	Val	Ser	Glu	Gln	Ser	Ser	Gly		
				160					165					170			
ggg	gca	cac	gtg	ttt	aaa	cca	acg	gtt	aga	tct	gag	gtt	aca	gcg	tca	581	
Gly	Ala	His	Val	Phe	Lys	Pro	Thr	Val	Arg	Ser	Glu	Val	Thr	Ala	Ser		
			175					180					185				
tgc	tct	ggg	gaa	gat	cct	cca	act	tat	ctt	agt	tgg	tct	ctt	cct	tgg	629	
Ser	Ser	Gly	Glu	Asp	Pro	Pro	Thr	Tyr	Leu	Ser	Leu	Ser	Leu	Pro	Trp		
		190					195					200					
act	gac	gag	acg														

mbi19 Sequence Listing.ST25

gaa gag caa gtg gaa gta gaa gaa gaa gaa gcg aag ggg ata tct ggt 773
 Glu Glu Gln Val Glu Val Glu Glu Glu Glu Ala Lys Gly Ile Ser Gly
 240 245 250

gga ttc ggt ggt gag ttc atg acg gtg gtt cag gag atg ata agg acg 821
 Gly Phe Gly Gly Glu Phe Met Thr Val Val Gln Glu Met Ile Arg Thr
 255 260 265

gag gtg agg agt tac atg gcg gat tta cag cga gga aac gtc ggt ggt 869
 Glu Val Arg Ser Tyr Met Ala Asp Leu Gln Arg Gly Asn Val Gly Gly
 270 275 280

agt agt tct ggc ggc gga ggt ggc ggt tgc tgt atg cca caa agt gta 917
 Ser Ser Ser Gly Gly Gly Gly Gly Gly Ser Cys Met Pro Gln Ser Val
 285 290 295

aac agc cgt cgt gtt ggg ttt aga gag ttt ata gtg aac caa atc gga 965
 Asn Ser Arg Arg Val Gly Phe Arg Glu Phe Ile Val Asn Gln Ile Gly
 300 305 310 315

att ggg aag atg gag tag gcggcc 989
 Ile Gly Lys Met Glu
 320

<210> 38
 <211> 320
 <212> PRT
 <213> Arabidopsis thaliana

<400> 38

Met Ser Asn Pro Thr Arg Lys Asn Met Glu Arg Ile Lys Gly Pro Trp
 1 5 10 15

Ser Pro Glu Glu Asp Asp Leu Leu Gln Arg Leu Val Gln Lys His Gly
 20 25 30

Pro Arg Asn Trp Ser Leu Ile Ser Lys Ser Ile Pro Gly Arg Ser Gly
 35 40 45

Lys Ser Cys Arg Leu Arg Trp Cys Asn Gln Leu Ser Pro Glu Val Glu
 50 55 60

His Arg Ala Phe Ser Gln Glu Glu Asp Glu Thr Ile Ile Arg Ala His
 65 70 75 80

Ala Arg Phe Gly Asn Lys Trp Ala Thr Ile Ser Arg Leu Leu Asn Gly
 85 90 95

Arg Thr Asp Asn Ala Ile Lys Asn His Trp Asn Ser Thr Leu Lys Arg
 100 105 110

Lys Cys Ser Val Glu Gly Gln Ser Cys Asp Phe Gly Gly Asn Gly Gly
 115 120 125

Tyr Asp Gly Asn Leu Gly Glu Glu Gln Pro Leu Lys Arg Thr Ala Ser
 130 135 140

Gly Gly Gly Gly Val Ser Thr Gly Leu Tyr Met Ser Pro Gly Ser Pro
 145 150 155 160

Ser Gly Ser Asp Val Ser Glu Gln Ser Ser Gly Gly Ala His Val Phe
 165 170 175

mbi19 Sequence Listing.ST25

Lys Pro Thr Val Arg Ser Glu Val Thr Ala Ser Ser Ser Gly Glu Asp
180 185 190

Pro Pro Thr Tyr Leu Ser Leu Ser Leu Pro Trp Thr Asp Glu Thr Val
195 200 205

Arg Val Asn Glu Pro Val Gln Leu Asn Gln Asn Thr Val Met Asp Gly
210 215 220

Gly Tyr Thr Ala Glu Leu Phe Pro Val Arg Lys Glu Glu Gln Val Glu
225 230 235 240

Val Glu Glu Glu Glu Ala Lys Gly Ile Ser Gly Gly Phe Gly Gly Glu
245 250 255

Phe Met Thr Val Val Gln Glu Met Ile Arg Thr Glu Val Arg Ser Tyr
260 265 270

Met Ala Asp Leu Gln Arg Gly Asn Val Gly Gly Ser Ser Ser Gly Gly
275 280 285

Gly Gly Gly Gly Ser Cys Met Pro Gln Ser Val Asn Ser Arg Arg Val
290 295 300

Gly Phe Arg Glu Phe Ile Val Asn Gln Ile Gly Ile Gly Lys Met Glu
305 310 315 320

<210> 39
<211> 994
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (140)..(889)
<223> G1307

<400> 39
cccttattgg gcntnancgn cncgccggca ggtctagannn tnancgcccg cgtccttctn 60
ccattttacn cncttgcnge ccacccttgt atntcttttt ntngtgntn tttttctga 120
gggggcaacg gaaaaaaga atg gga aga gca cca tgt tgt gag aaa atg ggg 172
Met Gly Arg Ala Pro Cys Cys Glu Lys Met Gly
1 5 10
gtg aag aga gga cca tgg act cct gaa gaa gat caa atc ttg atc aat 220
Val Lys Arg Gly Pro Trp Thr Pro Glu Glu Asp Gln Ile Leu Ile Asn
15 20 25
tat att cat ctt tat ggt cat tct aat tgg cga gct ctc cca aaa cac 268
Tyr Ile His Leu Tyr Gly His Ser Asn Trp Arg Ala Leu Pro Lys His
30 35 40
gca ggt tta ctt aga tgt ggg aaa agt tgc aga ctt ggt tgg atc aat 316
Ala Gly Leu Leu Arg Cys Gly Lys Ser Cys Arg Leu Gly Trp Ile Asn
45 50 55
tat ctt aga cca gac att aaa cgt ggc aat ttc act cct caa gaa gaa 364
Tyr Leu Arg Pro Asp Ile Lys Arg Gly Asn Phe Thr Pro Gln Glu Glu
60 65 70 75
caa act att atc aat ctg cat gaa agc tta ggc aac aga tgg tct gcg 412

mbil9 Sequence Listing.ST25

Gln Thr Ile Ile Asn Leu His	Glu Ser Leu Gly Asn Arg Trp Ser Ala	
80	85	90
att gct gca aaa ttg ccg gga cga acc gac aat gaa ata aaa aat gtt		460
Ile Ala Ala Lys Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Val		
95	100	105
tgg cac act cat ttg aag aaa aga ctc agc aaa aat cta aac aat ggc		508
Trp His Thr His Leu Lys Lys Arg Leu Ser Lys Asn Leu Asn Asn Gly		
110	115	120
gga gac acc aaa gac gtt aac gga att aac gag acc aca aat gaa gac		556
Gly Asp Thr Lys Asp Val Asn Gly Ile Asn Glu Thr Thr Asn Glu Asp		
125	130	135
aaa gga tct gtg ata gtc gac aca gcc tct tta caa caa ttt tct aat		604
Lys Gly Ser Val Ile Val Asp Thr Ala Ser Leu Gln Gln Phe Ser Asn		
140	145	150
agt att aca aca ttt gat att tca aat gat aac aag gac gat att atg		652
Ser Ile Thr Thr Phe Asp Ile Ser Asn Asp Asn Lys Asp Asp Ile Met		
160	165	170
tcg tac gag gat att tct gcc ttg ata gat gat agt ttt tgg tcg gac		700
Ser Tyr Glu Asp Ile Ser Ala Leu Ile Asp Asp Ser Phe Trp Ser Asp		
175	180	185
gtc ata tcg gta gat aat tcg aat aag aat gag aag aag ata gag gat		748
Val Ile Ser Val Asp Asn Ser Asn Lys Asn Glu Lys Lys Ile Glu Asp		
190	195	200
tgg gaa gga ttg atc gat aga aat agt aaa aaa tgt agc tat agt aat		796
Trp Glu Gly Leu Ile Asp Arg Asn Ser Lys Lys Cys Ser Tyr Ser Asn		
205	210	215
tct aag ttg tat aat gat gac atg gag ttt tgg ttt gat gtt ttc act		844
Ser Lys Leu Tyr Asn Asp Asp Met Glu Phe Trp Phe Asp Val Phe Thr		
220	225	230
agt aat cgt aga att gag gaa ttt tcc gac ata ccc gag ttt taa		889
Ser Asn Arg Arg Ile Glu Glu Phe Ser Asp Ile Pro Glu Phe		
240	245	
ttttgatttt gatttttgtgt tgtttttgc gtttaagactt tgaaagtctt tttgtaatcc		949
aaatgaataa attccttttc tttttaaaaa aaaaaaaaaa aaaaa		994

<210> 40
 <211> 249
 <212> PRT
 <213> Arabidopsis thaliana

<400> 40

Met Gly Arg Ala Pro Cys Cys Glu Lys Met Gly Val Lys Arg Gly Pro
1 5 10 15
Trp Thr Pro Glu Glu Asp Gln Ile Leu Ile Asn Tyr Ile His Leu Tyr
20 25 30
Gly His Ser Asn Trp Arg Ala Leu Pro Lys His Ala Gly Leu Leu Arg
35 40 45
Cys Gly Lys Ser Cys Arg Leu Gly Trp Ile Asn Tyr Leu Arg Pro Asp
50 55 60
Ile Lys Arg Gly Asn Phe Thr Pro Gln Glu Glu Gln Thr Ile Ile Asn
65 70 75 80

mbi19 Sequence Listing.ST25

Leu His Glu Ser Leu Gly Asn Arg Trp Ser Ala Ile Ala Ala Lys Leu
 85 90 95

Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Val Trp His Thr His Leu
 100 105 110

Lys Lys Arg Leu Ser Lys Asn Leu Asn Asn Gly Gly Asp Thr Lys Asp
 115 120 125

Val Asn Gly Ile Asn Glu Thr Thr Asn Glu Asp Lys Gly Ser Val Ile
 130 135 140

Val Asp Thr Ala Ser Leu Gln Gln Phe Ser Asn Ser Ile Thr Thr Phe
 145 150 155 160

Asp Ile Ser Asn Asp Asn Lys Asp Asp Ile Met Ser Tyr Glu Asp Ile
 165 170 175

Ser Ala Leu Ile Asp Asp Ser Phe Trp Ser Asp Val Ile Ser Val Asp
 180 185 190

Asn Ser Asn Lys Asn Glu Lys Lys Ile Glu Asp Trp Glu Gly Leu Ile
 195 200 205

Asp Arg Asn Ser Lys Lys Cys Ser Tyr Ser Asn Ser Lys Leu Tyr Asn
 210 215 220

Asp Asp Met Glu Phe Trp Phe Asp Val Phe Thr Ser Asn Arg Arg Ile
 225 230 235 240

Glu Glu Phe Ser Asp Ile Pro Glu Phe
 245

<210> 41
 <211> 891
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (1)..(891)
 <223> G1327

<400> 41
 atg ggg aaa gga aga gca cca tgc tgc gac aag aac aaa gtg aag aga 48
 Met Gly Lys Gly Arg Ala Pro Cys Cys Asp Lys Asn Lys Val Lys Arg
 1 5 10 15

ggg cca tgg agc cct caa gaa gat ctc act ctc atc act ttt att caa 96
 Gly Pro Trp Ser Pro Gln Glu Asp Leu Thr Leu Ile Thr Phe Ile Gln
 20 25 30

aaa cat ggc cat caa aac tgg aga tct ctt ccc aag ctt gct gga ttg 144
 Lys His Gly His Gln Asn Trp Arg Ser Leu Pro Lys Leu Ala Gly Leu
 35 40 45

ttg aga tgt ggg aaa agt tgc cga cta aga tgg ata aac tat ctg aga 192
 Leu Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg
 50 55 60

ccg gac gtg aag cga ggc aac ttt agc aaa aag gag gaa gat gct atc 240
 Pro Asp Val Lys Arg Gly Asn Phe Ser Lys Lys Glu Glu Asp Ala Ile
 65 70 75 80

mbil9 Sequence Listing.ST25

```

att cac tac cat caa acc ctt gga aac aag tgg tca aag atc gcg tcc      288
Ile His Tyr His Gln Thr Leu Gly Asn Lys Trp Ser Lys Ile Ala Ser
      85                      90
ttc ttg ccg gga aga act gac aac gag atc aaa aac gtg tgg aac acg      336
Phe Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Val Trp Asn Thr
      100                    105                    110
cat ctc aag aaa cga ctc act cca tct tct tct tct tca tcc ctc tct      384
His Leu Lys Lys Arg Leu Thr Pro Ser Ser Ser Ser Ser Ser Leu Ser
      115                    120                    125
agc act cat gac caa agc aca aaa gca gat cat gac aag aac tgt gac      432
Ser Thr His Asp Gln Ser Thr Lys Ala Asp His Asp Lys Asn Cys Asp
      130                    135                    140
ggg gct caa gaa gaa ata cat tca ggg tta aat gag agc caa aac tca      480
Gly Ala Gln Glu Glu Ile His Ser Gly Leu Asn Glu Ser Gln Asn Ser
      145                    150                    155                    160
gct act tcg tca cat cac caa ggc gag tgt atg cac aca aaa cca gag      528
Ala Thr Ser Ser His His Gln Gly Glu Cys Met His Thr Lys Pro Glu
      165                    170                    175
ctt cat gag gtt aat gga ctc aac gag atc cag ttc ctg ctc gac cat      576
Leu His Glu Val Asn Gly Leu Asn Glu Ile Gln Phe Leu Leu Asp His
      180                    185                    190
gat gac ttt gat gat ata acc tct gag ttt ctt cag gat aac gat atc      624
Asp Asp Phe Asp Asp Ile Thr Ser Glu Phe Leu Gln Asp Asn Asp Ile
      195                    200                    205
tta ttt ccg cta gac tct ctt ctt cat aac cac caa act cac att tca      672
Leu Phe Pro Leu Asp Ser Leu Leu His Asn His Gln Thr His Ile Ser
      210                    215                    220
acc caa gaa atg act cga gag gta acc aaa tcg caa tca ttt gat cat      720
Thr Gln Glu Met Thr Arg Glu Val Thr Lys Ser Gln Ser Phe Asp His
      225                    230                    235                    240
cct caa ccg gat atc cca tgc gga ttt gaa gac aca aac gaa gaa tcc      768
Pro Gln Pro Asp Ile Pro Cys Gly Phe Glu Asp Thr Asn Glu Glu Ser
      245                    250                    255
gac ttg agg aga cag ctg gtt gaa tca acc aca cct aac aat gag tac      816
Asp Leu Arg Arg Gln Leu Val Glu Ser Thr Thr Pro Asn Asn Glu Tyr
      260                    265                    270
gac gag tgg ttc aac ttc att gac aac caa act tac ttt gat gat ttt      864
Asp Glu Trp Phe Asn Phe Ile Asp Asn Gln Thr Tyr Phe Asp Asp Phe
      275                    280                    285
aat ttc gtc gga gaa gta tgt cta tga
Asn Phe Val Gly Glu Val Cys Leu
      290                    295

```

<210> 42
 <211> 296
 <212> PRT
 <213> Arabidopsis thaliana

<400> 42

```

Met Gly Lys Gly Arg Ala Pro Cys Cys Asp Lys Asn Lys Val Lys Arg
1      5      10      15
Gly Pro Trp Ser Pro Gln Glu Asp Leu Thr Leu Ile Thr Phe Ile Gln
20      25      30
Lys His Gly His Gln Asn Trp Arg Ser Leu Pro Lys Leu Ala Gly Leu
35      40      45

```


mbil9 Sequence Listing.ST25

Leu Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg
 50 55 60
 Pro Asp Val Lys Arg Gly Asn Phe Ser Lys Lys Glu Glu Asp Ala Ile
 65 70 75 80
 Ile His Tyr His Gln Thr Leu Gly Asn Lys Trp Ser Lys Ile Ala Ser
 85 90 95
 Phe Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Val Trp Asn Thr
 100 105 110
 His Leu Lys Lys Arg Leu Thr Pro Ser Ser Ser Ser Ser Ser Leu Ser
 115 120 125
 Ser Thr His Asp Gln Ser Thr Lys Ala Asp His Asp Lys Asn Cys Asp
 130 135 140
 Gly Ala Gln Glu Glu Ile His Ser Gly Leu Asn Glu Ser Gln Asn Ser
 145 150 155 160
 Ala Thr Ser Ser His His Gln Gly Glu Cys Met His Thr Lys Pro Glu
 165 170 175
 Leu His Glu Val Asn Gly Leu Asn Glu Ile Gln Phe Leu Leu Asp His
 180 185 190
 Asp Asp Phe Asp Asp Ile Thr Ser Glu Phe Leu Gln Asp Asn Asp Ile
 195 200 205
 Leu Phe Pro Leu Asp Ser Leu Leu His Asn His Gln Thr His Ile Ser
 210 215 220
 Thr Gln Glu Met Thr Arg Glu Val Thr Lys Ser Gln Ser Phe Asp His
 225 230 235 240
 Pro Gln Pro Asp Ile Pro Cys Gly Phe Glu Asp Thr Asn Glu Glu Ser
 245 250 255
 Asp Leu Arg Arg Gln Leu Val Glu Ser Thr Thr Pro Asn Asn Glu Tyr
 260 265 270
 Asp Glu Trp Phe Asn Phe Ile Asp Asn Gln Thr Tyr Phe Asp Asp Phe
 275 280 285
 Asn Phe Val Gly Glu Val Cys Leu
 290 295

<210> 43
 <211> 1237
 <212> DNA
 <213> Arabidopsis thaliana
 <220>
 <221> CDS
 <222> (73)..(954)
 <223> G673

mbi19 Sequence Listing.ST25

```

<400> 43
tctctctcta accccttctc tcttcagtct ctctctctct agacgatctc tatcttgaat      60

aaaataccga ta atg acc tca acc aat ccg gtg gtc gcc gaa gta ata ccg      111
      Met Thr Ser Thr Asn Pro Val Val Ala Glu Val Ile Pro
      1          5          10

gcg gaa act tct aca gat gct aca gag acg acg att gca acg acg gaa      159
Ala Glu Thr Ser Thr Asp Ala Thr Glu Thr Thr Ile Ala Thr Thr Glu
      15          20          25

gct ggt gaa gca ccg gag aag aag gtg agg aaa gct tat aca atc acc      207
Ala Gly Glu Ala Pro Glu Lys Lys Val Arg Lys Ala Tyr Thr Ile Thr
      30          35          40          45

aag tct aga gag agt tgg act gaa gga gaa cac gac aag ttt ctg gaa      255
Lys Ser Arg Glu Ser Trp Thr Glu Gly Glu His Asp Lys Phe Leu Glu
      50          55          60

gct ctt caa ttg ttt gat cgt gac tgg aaa aag ata gaa gat ttt gtt      303
Ala Leu Gln Leu Phe Asp Arg Asp Trp Lys Lys Ile Glu Asp Phe Val
      65          70          75

ggt tca aag aca gtt att cag atc agg agc cat gcc caa aaa tac ttt      351
Gly Ser Lys Thr Val Ile Gln Ile Arg Ser His Ala Gln Lys Tyr Phe
      80          85          90

cta aag gtc caa aaa aat ggg act tta gca cat gtt cca ccc cct agg      399
Leu Lys Val Gln Lys Asn Gly Thr Leu Ala His Val Pro Pro Pro Arg
      95          100          105

cct aag cgc aaa gct gct cat cca tat cct caa aag gca tcg aaa aat      447
Pro Lys Arg Lys Ala Ala His Pro Tyr Pro Gln Lys Ala Ser Lys Asn
      110          115          120          125

gct caa atg tcg ctt cac gtt tcc atg tcc ttt cct act caa ata aat      495
Ala Gln Met Ser Leu His Val Ser Met Ser Phe Pro Thr Gln Ile Asn
      130          135          140

aac ctg cct gga tat act cca tgg gat gat gat aca tct gca ttg tta      543
Asn Leu Pro Gly Tyr Thr Pro Trp Asp Asp Asp Thr Ser Ala Leu Leu
      145          150          155

aac att gct gta agt ggg gtt att cca cca gaa gat gaa ctt gat act      591
Asn Ile Ala Val Ser Gly Val Ile Pro Pro Glu Asp Glu Leu Asp Thr
      160          165          170

ctt tgt gga gca gaa gtt gat gtt gga tca aat gac atg ata agt gaa      639
Leu Cys Gly Ala Glu Val Asp Val Gly Ser Asn Asp Met Ile Ser Glu
      175          180          185

act agt cct tca gca tct ggt atc gga agc tca agc aga aca cta tca      687
Thr Ser Pro Ser Ala Ser Gly Ile Gly Ser Ser Ser Arg Thr Leu Ser
      190          195          200          205

gat tct aag ggt ttg aga ctg gcg aaa caa gct ccc tca atg cat ggt      735
Asp Ser Lys Gly Leu Arg Leu Ala Lys Gln Ala Pro Ser Met His Gly
      210          215          220

ctt cct gat ttt gct gag gtt tat aac ttc att ggg agt gtg ttc gat      783
Leu Pro Asp Phe Ala Glu Val Tyr Asn Phe Ile Gly Ser Val Phe Asp
      225          230          235

cct gac agc aaa ggc cgc atg aaa aag ctc aag gaa atg gat cct ata      831
Pro Asp Ser Lys Gly Arg Met Lys Lys Leu Lys Glu Met Asp Pro Ile
      240          245          250

aat ttc gaa act gtt ttg ctg ttg atg aga aac ctc aca gtg aac ttg      879
Asn Phe Glu Thr Val Leu Leu Leu Met Arg Asn Leu Thr Val Asn Leu
      255          260          265

tca aac cct gac ttt gaa cct act tct gaa tat gtt gat gct gca gag      927
Ser Asn Pro Asp Phe Glu Pro Thr Ser Glu Tyr Val Asp Ala Ala Glu

```

270	275	280	285	
gaa ggt cat gaa cac tta agc tct tag ctggttggtgc actcaacaag				974
Glu Gly His Glu His Leu Ser Ser				
290				
ttatatatct tcttgacgac ttcttgctcg caacaactct ctaccagcta tcaaattgcat				1034
cgtacgggttg ttgtctgagg agaacataac tgagtcgtcg tcacaaacaa gaggaacata				1094
tgcagtttcg gtcagaacca gtcgtgtgaa tggtagatat atgtatgtgt gtgtagaaaa				1154
tggttaccaa ttgtatcttc tttttgataa ttattttttc atgccttttg taatatgtaa				1214
gtttcttttaa aaaaaaaaaa aaa				1237
<210> 44				
<211> 293				
<212> PRT				
<213> Arabidopsis thaliana				
<400> 44				
Met Thr Ser Thr Asn Pro Val Val Ala Glu Val Ile Pro Ala Glu Thr				
1	5	10	15	
Ser Thr Asp Ala Thr Glu Thr Thr Ile Ala Thr Thr Glu Ala Gly Glu				
	20	25	30	
Ala Pro Glu Lys Lys Val Arg Lys Ala Tyr Thr Ile Thr Lys Ser Arg				
	35	40	45	
Glu Ser Trp Thr Glu Gly Glu His Asp Lys Phe Leu Glu Ala Leu Gln				
	50	55	60	
Leu Phe Asp Arg Asp Trp Lys Lys Ile Glu Asp Phe Val Gly Ser Lys				
65	70	75	80	
Thr Val Ile Gln Ile Arg Ser His Ala Gln Lys Tyr Phe Leu Lys Val				
	85	90	95	
Gln Lys Asn Gly Thr Leu Ala His Val Pro Pro Pro Arg Pro Lys Arg				
	100	105	110	
Lys Ala Ala His Pro Tyr Pro Gln Lys Ala Ser Lys Asn Ala Gln Met				
	115	120	125	
Ser Leu His Val Ser Met Ser Phe Pro Thr Gln Ile Asn Asn Leu Pro				
	130	135	140	
Gly Tyr Thr Pro Trp Asp Asp Asp Thr Ser Ala Leu Leu Asn Ile Ala				
145	150	155	160	
Val Ser Gly Val Ile Pro Pro Glu Asp Glu Leu Asp Thr Leu Cys Gly				
	165	170	175	
Ala Glu Val Asp Val Gly Ser Asn Asp Met Ile Ser Glu Thr Ser Pro				
	180	185	190	
Ser Ala Ser Gly Ile Gly Ser Ser Ser Arg Thr Leu Ser Asp Ser Lys				
	195	200	205	

mbil9 Sequence Listing.ST25

Gly Leu Arg Leu Ala Lys Gln Ala Pro Ser Met His Gly Leu Pro Asp
 210 215 220

Phe Ala Glu Val Tyr Asn Phe Ile Gly Ser Val Phe Asp Pro Asp Ser
 225 230 235 240

Lys Gly Arg Met Lys Lys Leu Lys Glu Met Asp Pro Ile Asn Phe Glu
 245 250 255

Thr Val Leu Leu Leu Met Arg Asn Leu Thr Val Asn Leu Ser Asn Pro
 260 265 270

Asp Phe Glu Pro Thr Ser Glu Tyr Val Asp Ala Ala Glu Glu Gly His
 275 280 285

Glu His Leu Ser Ser
 290

<210> 45
 <211> 1764
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (1)..(1764)
 <223> G307

<400> 45
 atg aag aga gat cat cac caa ttc caa ggt cga ttg tcc aac cac ggg 48
 Met Lys Arg Asp His His Gln Phe Gln Gly Arg Leu Ser Asn His Gly
 1 5 10 15

act tct tct tct tca tca tca atc tct aaa gat aag atg atg atg gtg 96
 Thr Ser Ser Ser Ser Ser Ser Ile Ser Lys Asp Lys Met Met Val
 20 25 30

aaa aaa gaa gaa gac ggt gga ggt aac atg gac gac gag ctt ctc gct 144
 Lys Lys Glu Glu Asp Gly Gly Asn Met Asp Asp Glu Leu Leu Ala
 35 40 45

gtt tta ggt tac aaa gtt agg tca tcg gag atg gcg gag gtt gct ttg 192
 Val Leu Gly Tyr Lys Val Arg Ser Ser Glu Met Ala Glu Val Ala Leu
 50 55 60

aaa ctc gaa caa tta gag acg atg atg agt aat gtt caa gaa gat ggt 240
 Lys Leu Glu Gln Leu Glu Thr Met Met Ser Asn Val Gln Glu Asp Gly
 65 70 75 80

tta tct cat ctc gcg acg gat act gtt cat tat aat ccg tcg gag ctt 288
 Leu Ser His Leu Ala Thr Asp Thr Val His Tyr Asn Pro Ser Glu Leu
 85 90 95

tat tct tgg ctt gat aat atg ctc tct gag ctt aat cct cct cct ctt 336
 Tyr Ser Trp Leu Asp Asn Met Leu Ser Glu Leu Asn Pro Pro Pro Leu
 100 105 110

ccg gcg agt tct aac ggt tta gat ccg gtt ctt cct tcg ccg gag att 384
 Pro Ala Ser Ser Asn Gly Leu Asp Pro Val Leu Pro Ser Pro Glu Ile
 115 120 125

tgt ggt ttt ccg gct tcg gat tat gac ctt aaa gtc att ccc gga aac 432
 Cys Gly Phe Pro Ala Ser Tyr Asp Leu Lys Val Ile Pro Gly Asn
 130 135 140

gcg att tat cag ttt ccg gcg att gat tct tcg tct tcg tcg aat aat 480
 Ala Ile Tyr Gln Phe Pro Ala Ile Asp Ser Ser Ser Ser Ser Asn Asn

mbi19 Sequence Listing.ST25

145	150	155	160	
cag aac aag cgt ttg aaa tca tgc tcg agt cct gat tct atg gtt aca				528
Gln Asn Lys Arg Leu Lys Ser Cys Ser Ser Pro Asp Ser Met Val Thr	165	170	175	
tcg act tcg acg ggt acg cag att ggt gga gtc ata gga acg acg gtg				576
Ser Thr Ser Thr Gly Thr Gln Ile Gly Gly Val Ile Gly Thr Thr Val	180	185	190	
acg aca acc acc acg aca acg acg gcg gcg gct gag tca act cgt tct				624
Thr Thr Thr Thr Thr Thr Thr Ala Ala Ala Glu Ser Thr Arg Ser	195	200	205	
gtt atc ctg gtt gac tcg caa gag aac ggt gtt cgt tta gtc cac gcg				672
Val Ile Leu Val Asp Ser Gln Glu Asn Gly Val Arg Leu Val His Ala	210	215	220	
ctt atg gct tgt gca gaa gca atc cag cag aac aat ttg act cta gcg				720
Leu Met Ala Cys Ala Glu Ala Ile Gln Gln Asn Asn Leu Thr Leu Ala	225	230	235	240
gaa gct ctt gtg aag caa atc gga tgc tta gct gtg tct caa gcc gga				768
Glu Ala Leu Val Lys Gln Ile Gly Cys Leu Ala Val Ser Gln Ala Gly	245	250	255	
gct atg aga aaa gtg gct act tac ttc gcc gaa gct tta gct cgg cgg				816
Ala Met Arg Lys Val Ala Thr Tyr Phe Ala Glu Ala Leu Ala Arg Arg	260	265	270	
atc tac cgt ctc tct ccg ccg cag aat cag atc gat cat tgt ctc tcc				864
Ile Tyr Arg Leu Ser Pro Pro Gln Asn Gln Ile Asp His Cys Leu Ser	275	280	285	
gat act ctt cag atg cac ttt tac gag act tgt cct tat ctt aaa ttc				912
Asp Thr Leu Gln Met His Phe Tyr Glu Thr Cys Pro Tyr Leu Lys Phe	290	295	300	
gct cac ttc acg gcg aac caa gcg att ctc gaa gct ttt gaa ggt aag				960
Ala His Phe Thr Ala Asn Gln Ala Ile Leu Glu Ala Phe Glu Gly Lys	305	310	315	320
aag aga gta cac gtc att gat ttc tcg atg aac caa ggt ctt caa tgg				1008
Lys Arg Val His Val Ile Asp Phe Ser Met Asn Gln Gly Leu Gln Trp	325	330	335	
cct gcg ctt atg caa gct ctt gcg ctt cga gaa gga ggt cct cca act				1056
Pro Ala Leu Met Gln Ala Leu Ala Leu Arg Glu Gly Gly Pro Pro Thr	340	345	350	
ttc cgg tta acc gga att ggt cca ccg gcg ccg gat aat tct gat cat				1104
Phe Arg Leu Thr Gly Ile Gly Pro Pro Ala Pro Asp Asn Ser Asp His	355	360	365	
ctt cat gaa gtt ggt tgt aaa tta gct cag ctt gcg gag gcg att cac				1152
Leu His Glu Val Gly Cys Lys Leu Ala Gln Leu Ala Glu Ala Ile His	370	375	380	
gta gaa ttc gaa tac cgt gga ttc gtt gct aac agc tta gcc gat ctc				1200
Val Glu Phe Glu Tyr Arg Gly Phe Val Ala Asn Ser Leu Ala Asp Leu	385	390	395	400
gat gct tcg atg ctt gag ctt aga ccg agc gat acg gaa gct gtt gcg				1248
Asp Ala Ser Met Leu Glu Leu Arg Pro Ser Asp Thr Glu Ala Val Ala	405	410	415	
gtg aac tct gtt ttt gag cta cat aag ctc tta ggt cgt ccc ggt ggg				1296
Val Asn Ser Val Phe Glu Leu His Lys Leu Leu Gly Arg Pro Gly Gly	420	425	430	
ata gag aaa gtt ctc ggc gtt gtg aaa cag att aaa ccg gtg att ttc				1344
Ile Glu Lys Val Leu Gly Val Val Lys Gln Ile Lys Pro Val Ile Phe	435	440	445	
acg gtg gtt gag caa gaa tcg aac cat aac gga ccg gtt ttc tta gac				1392

mbi19 Sequence Listing.ST25

Thr Val Val Glu Gln Glu Ser Asn His Asn Gly Pro Val Phe Leu Asp
 450 455 460

cgg ttt act gaa tcg tta cat tat tat tcg act ctg ttt gat tcg ttg 1440
 Arg Phe Thr Glu Ser Leu His Tyr Tyr Ser Thr Leu Phe Asp Ser Leu
 465 470 475 480

gaa gga gtt ccg aat agt caa gac aaa gtc atg tct gaa gtt tac tta 1488
 Glu Gly Val Pro Asn Ser Gln Asp Lys Val Met Ser Glu Val Tyr Leu
 485 490 495

ggg aaa cag att tgt aat ctg gtg gct tgt gaa ggt cct gac aga gtc 1536
 Gly Lys Gln Ile Cys Asn Leu Val Ala Cys Glu Gly Pro Asp Arg Val
 500 505 510

gag aga cac gaa acg ttg agt caa tgg gga aac cgg ttt ggt tcg tcc 1584
 Glu Arg His Glu Thr Leu Ser Gln Trp Gly Asn Arg Phe Gly Ser Ser
 515 520 525

ggg tta gcg ccg gca cat ctt ggg tct aac gcg ttt aag caa gcg agt 1632
 Gly Leu Ala Pro Ala His Leu Gly Ser Asn Ala Phe Lys Gln Ala Ser
 530 535 540

atg ctt ttg tct gtg ttt aat agt ggc caa ggt tat cgt gtg gag gag 1680
 Met Leu Leu Ser Val Phe Asn Ser Gly Gln Gly Tyr Arg Val Glu Glu
 545 550 555 560

agt aat gga tgt ttg atg ttg ggt tgg cac act cgc cca ctc att acc 1728
 Ser Asn Gly Cys Leu Met Leu Gly Trp His Thr Arg Pro Leu Ile Thr
 565 570 575

acc tcc gct tgg aaa ctc tcg acg gcg gcg cac tga 1764
 Thr Ser Ala Trp Lys Leu Ser Thr Ala Ala His
 580 585

<210> 46
 <211> 587
 <212> PRT
 <213> Arabidopsis thaliana

<400> 46

Met Lys Arg Asp His His Gln Phe Gln Gly Arg Leu Ser Asn His Gly
 1 5 10 15

Thr Ser Ser Ser Ser Ser Ser Ile Ser Lys Asp Lys Met Met Met Val
 20 25 30

Lys Lys Glu Glu Asp Gly Gly Gly Asn Met Asp Asp Glu Leu Leu Ala
 35 40 45

Val Leu Gly Tyr Lys Val Arg Ser Ser Glu Met Ala Glu Val Ala Leu
 50 55 60

Lys Leu Glu Gln Leu Glu Thr Met Met Ser Asn Val Gln Glu Asp Gly
 65 70 75 80

Leu Ser His Leu Ala Thr Asp Thr Val His Tyr Asn Pro Ser Glu Leu
 85 90 95

Tyr Ser Trp Leu Asp Asn Met Leu Ser Glu Leu Asn Pro Pro Pro Leu
 100 105 110

Pro Ala Ser Ser Asn Gly Leu Asp Pro Val Leu Pro Ser Pro Glu Ile
 115 120 125

mbi19 Sequence Listing.ST25

Cys Gly Phe Pro Ala Ser Asp Tyr Asp Leu Lys Val Ile Pro Gly Asn
 130 135 140

Ala Ile Tyr Gln Phe Pro Ala Ile Asp Ser Ser Ser Ser Ser Asn Asn
 145 150 155 160

Gln Asn Lys Arg Leu Lys Ser Cys Ser Ser Pro Asp Ser Met Val Thr
 165 170 175

Ser Thr Ser Thr Gly Thr Gln Ile Gly Gly Val Ile Gly Thr Thr Val
 180 185 190

Thr Thr Thr Thr Thr Thr Thr Thr Ala Ala Ala Glu Ser Thr Arg Ser
 195 200 205

Val Ile Leu Val Asp Ser Gln Glu Asn Gly Val Arg Leu Val His Ala
 210 215 220

Leu Met Ala Cys Ala Glu Ala Ile Gln Gln Asn Asn Leu Thr Leu Ala
 225 230 235 240

Glu Ala Leu Val Lys Gln Ile Gly Cys Leu Ala Val Ser Gln Ala Gly
 245 250 255

Ala Met Arg Lys Val Ala Thr Tyr Phe Ala Glu Ala Leu Ala Arg Arg
 260 265 270

Ile Tyr Arg Leu Ser Pro Pro Gln Asn Gln Ile Asp His Cys Leu Ser
 275 280 285

Asp Thr Leu Gln Met His Phe Tyr Glu Thr Cys Pro Tyr Leu Lys Phe
 290 295 300

Ala His Phe Thr Ala Asn Gln Ala Ile Leu Glu Ala Phe Glu Gly Lys
 305 310 315 320

Lys Arg Val His Val Ile Asp Phe Ser Met Asn Gln Gly Leu Gln Trp
 325 330 335

Pro Ala Leu Met Gln Ala Leu Ala Leu Arg Glu Gly Gly Pro Pro Thr
 340 345 350

Phe Arg Leu Thr Gly Ile Gly Pro Pro Ala Pro Asp Asn Ser Asp His
 355 360 365

Leu His Glu Val Gly Cys Lys Leu Ala Gln Leu Ala Glu Ala Ile His
 370 375 380

Val Glu Phe Glu Tyr Arg Gly Phe Val Ala Asn Ser Leu Ala Asp Leu
 385 390 395 400

Asp Ala Ser Met Leu Glu Leu Arg Pro Ser Asp Thr Glu Ala Val Ala
 405 410 415

Val Asn Ser Val Phe Glu Leu His Lys Leu Leu Gly Arg Pro Gly Gly
 420 425 430

mbi19 Sequence Listing.ST25

Ile Glu Lys Val Leu Gly Val Val Lys Gln Ile Lys Pro Val Ile Phe
 435 440 445

Thr Val Val Glu Gln Glu Ser Asn His Asn Gly Pro Val Phe Leu Asp
 450 455 460

Arg Phe Thr Glu Ser Leu His Tyr Tyr Ser Thr Leu Phe Asp Ser Leu
 465 470 475 480

Glu Gly Val Pro Asn Ser Gln Asp Lys Val Met Ser Glu Val Tyr Leu
 485 490 495

Gly Lys Gln Ile Cys Asn Leu Val Ala Cys Glu Gly Pro Asp Arg Val
 500 505 510

Glu Arg His Glu Thr Leu Ser Gln Trp Gly Asn Arg Phe Gly Ser Ser
 515 520 525

Gly Leu Ala Pro Ala His Leu Gly Ser Asn Ala Phe Lys Gln Ala Ser
 530 535 540

Met Leu Leu Ser Val Phe Asn Ser Gly Gln Gly Tyr Arg Val Glu Glu
 545 550 555 560

Ser Asn Gly Cys Leu Met Leu Gly Trp His Thr Arg Pro Leu Ile Thr
 565 570 575

Thr Ser Ala Trp Lys Leu Ser Thr Ala Ala His
 580 585

<210> 47
 <211> 990
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (7)..(813)
 <223> G529

<400> 47
 gcaaag atg tct tct gat tcg tcc cgg gaa gag aat gtg tac ttg gcc 48
 Met Ser Ser Asp Ser Ser Arg Glu Glu Asn Val Tyr Leu Ala
 1 5 10

aag tta gcc gag caa gct gag cgt tac gag gaa atg gtt gag ttc atg 96
 Lys Leu Ala Glu Gln Ala Glu Arg Tyr Glu Glu Met Val Glu Phe Met
 15 20 25 30

gag aaa gtt gca aag acc gtg gag acc gag gaa ctt act gtt gaa gag 144
 Glu Lys Val Ala Lys Thr Val Glu Thr Glu Glu Leu Thr Val Glu Glu
 35 40 45

agg aat ctc ttg tct gtt gct tac aag aac gtg att ggt gct agg aga 192
 Arg Asn Leu Leu Ser Val Ala Tyr Lys Asn Val Ile Gly Ala Arg Arg
 50 55 60

gct tct tgg agg att atc tct tcc att gag cag aag gaa gat agc agg 240
 Ala Ser Trp Arg Ile Ile Ser Ser Ile Glu Gln Lys Glu Asp Ser Arg
 65 70 75

ggc aac agt gat cat gtt tcg att atc aag gat tac aga ggc aag att 288
 Gly Asn Ser Asp His Val Ser Ile Ile Lys Asp Tyr Arg Gly Lys Ile

mbi19 Sequence Listing.ST25

80	85	90	
gaa act gag ctc agc aag att tgt gat ggc att ttg aac ctt ctt gag			336
Glu Thr Glu Leu Ser Lys Ile Cys Asp Gly Ile Leu Asn Leu Leu Glu			
95	100	105	110
gct cat ctc att cct gct gct tct ttg gct gag tcc aaa gtt ttt tac			384
Ala His Leu Ile Lys Pro Ala Ala Ser Leu Ala Glu Ser Lys Val Phe Tyr			
	115	120	125
ctg aag atg aag gga gat tat cat cgg tac ctt gct gaa ttc aag act			432
Leu Lys Met Lys Gly Asp Tyr His Arg Tyr Leu Ala Glu Phe Lys Thr			
	130	135	140
ggg gct gag agg aaa gaa gct gct gag agc act ctt gtt gcc tac aag			480
Gly Ala Glu Arg Lys Glu Ala Ala Glu Ser Thr Leu Val Ala Tyr Lys			
	145	150	155
tct gct cag gat att gct ctt gct gat ctg gct ccc act cac cca atc			528
Ser Ala Gln Asp Ile Ala Leu Ala Asp Leu Ala Pro Thr His Pro Ile			
	160	165	170
aga ctg ggg ctt gct ctt aac ttc tct gtt ttc tac tat gag att ctc			576
Arg Leu Gly Leu Ala Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu			
	175	180	185
aac tca tct gat cgt gcg tgt agt ctc gca aag cag gct ttt gat gag			624
Asn Ser Ser Asp Arg Ala Cys Ser Leu Ala Lys Gln Ala Phe Asp Glu			
	195	200	205
gca atc tcg gag cta gac aca ttg gga gag gaa tca tac aag gac agt			672
Ala Ile Ser Glu Leu Asp Thr Leu Gly Glu Glu Ser Tyr Lys Asp Ser			
	210	215	220
aca ttg atc atg cag ctt ctc cgt gac aat ctc acc ctc tgg act tct			720
Thr Leu Ile Met Gln Leu Leu Arg Asp Asn Leu Thr Leu Trp Thr Ser			
	225	230	235
gac ctc aat gac gaa gct ggt gat gat atc aag gaa gcc ccg aaa gag			768
Asp Leu Asn Asp Glu Ala Gly Asp Asp Ile Lys Glu Ala Pro Lys Glu			
	240	245	250
gtg cag aaa gtt gat gaa caa gcc caa cca cct tcg cag tga			813
Val Gln Lys Val Asp Glu Gln Ala Gln Pro Pro Pro Ser Gln			
	255	260	265
taaaatcaga tccatggaat gatttgcaga caaaaagata tatggcttgg ttctgtgttt			873
ttaaacagaa aaaaaccttg tagtttcctt aaacatgggc ttagtttcc ttaaactgg			933
attttagta gtaattgtag ctgcatgatt tggttatcga tggttaaaaa aaaaaaa			990
<210> 48			
<211> 268			
<212> PRT			
<213> Arabidopsis thaliana			
<400> 48			
Met Ser Ser Asp Ser Ser Arg Glu Glu Asn Val Tyr Leu Ala Lys Leu			
1	5	10	15
Ala Glu Gln Ala Glu Arg Tyr Glu Glu Met Val Glu Phe Met Glu Lys			
	20	25	30
Val Ala Lys Thr Val Glu Thr Glu Glu Leu Thr Val Glu Glu Arg Asn			
	35	40	45
Leu Leu Ser Val Ala Tyr Lys Asn Val Ile Gly Ala Arg Arg Ala Ser			
	50	55	60

mbi19 Sequence Listing.ST25

Trp Arg Ile Ile Ser Ser Ile Glu Gln Lys Glu Asp Ser Arg Gly Asn
 65 70 75 80
 Ser Asp His Val Ser Ile Ile Lys Asp Tyr Arg Gly Lys Ile Glu Thr
 85 90 95
 Glu Leu Ser Lys Ile Cys Asp Gly Ile Leu Asn Leu Leu Glu Ala His
 100 105 110
 Leu Ile Pro Ala Ala Ser Leu Ala Glu Ser Lys Val Phe Tyr Leu Lys
 115 120 125
 Met Lys Gly Asp Tyr His Arg Tyr Leu Ala Glu Phe Lys Thr Gly Ala
 130 135 140
 Glu Arg Lys Glu Ala Ala Glu Ser Thr Leu Val Ala Tyr Lys Ser Ala
 145 150 155 160
 Gln Asp Ile Ala Leu Ala Asp Leu Ala Pro Thr His Pro Ile Arg Leu
 165 170 175
 Gly Leu Ala Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu Asn Ser
 180 185 190
 Ser Asp Arg Ala Cys Ser Leu Ala Lys Gln Ala Phe Asp Glu Ala Ile
 195 200 205
 Ser Glu Leu Asp Thr Leu Gly Glu Glu Ser Tyr Lys Asp Ser Thr Leu
 210 215 220
 Ile Met Gln Leu Leu Arg Asp Asn Leu Thr Leu Trp Thr Ser Asp Leu
 225 230 235 240
 Asn Asp Glu Ala Gly Asp Asp Ile Lys Glu Ala Pro Lys Glu Val Gln
 245 250 255
 Lys Val Asp Glu Gln Ala Gln Pro Pro Pro Ser Gln
 260 265

<210> 49
 <211> 1069
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (70)..(867)
 <223> G531

<400> 49
 ccacgcgtcc gcgacaaatc cctaattcca aaatcctctc ggatctaaaa gagtgtgtga 60
 taacataag atg tcg tct tct cgg gaa gag aat gtg tac tta gcc aag tta 111
 Met Ser Ser Ser Arg Glu Glu Asn Val Tyr Leu Ala Lys Leu
 1 5 10
 gct gag caa gct gaa cgt tat gag gaa atg gtt gag ttc atg gag aaa 159
 Ala Glu Gln Ala Glu Arg Tyr Glu Glu Met Val Glu Phe Met Glu Lys
 15 20 25 30

mbil9 Sequence Listing.ST25

ggt gca aag act ggt gac acc gat gag ctt act gtc gaa gag aga aac	207
Val Ala Lys Thr Val Asp Thr Asp Glu Leu Thr Val Glu Glu Arg Asn	
35 40 45	
ctc ttg tct gtt gct tac aag aac gtc att ggt gct agg aga gct tcc	255
Leu Leu Ser Val Ala Tyr Lys Asn Val Ile Gly Ala Arg Arg Ala Ser	
50 55 60	
tgg agg atc ata tct tcc att gaa cag aag gaa gaa agc aga gga aac	303
Trp Arg Ile Ile Ser Ser Ile Glu Gln Lys Glu Glu Ser Arg Gly Asn	
65 70 75	
gat gat cat gtt tcc att atc aag gac tac aga gga aag atc gaa act	351
Asp Asp His Val Ser Ile Ile Lys Asp Tyr Arg Gly Lys Ile Glu Thr	
80 85 90	
gaa ctc agc aaa atc tgt gat gga ata ctc aat ctt ctg gat tct cac	399
Glu Leu Ser Lys Ile Cys Asp Gly Ile Leu Asn Leu Leu Asp Ser His	
95 100 105 110	
ctt gtt ccc act gca tct ttg gcc gag tcc aaa gtc ttt tac ctc aaa	447
Leu Val Pro Thr Ala Ser Leu Ala Glu Ser Lys Val Phe Tyr Leu Lys	
115 120 125	
atg aaa gga gat tac cac agg tac ctt gct gag ttt aag act gga gct	495
Met Lys Gly Asp Tyr His Arg Tyr Leu Ala Glu Phe Lys Thr Gly Ala	
130 135 140	
gag agg aaa gaa gct gct gag agc act ctg gtt gct tac aag tca gct	543
Glu Arg Lys Glu Ala Ala Glu Ser Thr Leu Val Ala Tyr Lys Ser Ala	
145 150 155	
cag gat att gca ctt gct gat tta gct cct act cat ccg att aga ctg	591
Gln Asp Ile Ala Leu Ala Asp Leu Ala Pro Thr His Pro Ile Arg Leu	
160 165 170	
gga ctt gct ctt aac ttc tct gtc ttc tac tac gag att ctc aac tca	639
Gly Leu Ala Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu Asn Ser	
175 180 185 190	
cct gat cgt gcc tgc agt ctc gca aaa cag gct ttt gat gag gcc att	687
Pro Asp Arg Ala Cys Ser Leu Ala Lys Gln Ala Phe Asp Glu Ala Ile	
195 200 205	
tct gag ctg gat aca tta gga gaa gaa tca tac aaa gac agt acg ttg	735
Ser Glu Leu Asp Thr Leu Gly Glu Glu Ser Tyr Lys Asp Ser Thr Leu	
210 215 220	
ata atg caa ctt ctc cgt gac aat ctg acc ctt tgg aac tct gac atc	783
Ile Met Gln Leu Leu Arg Asp Asn Leu Thr Leu Trp Asn Ser Asp Ile	
225 230 235	
aat gat gag gcg ggc ggt gat gag atc aag gag gcg tca aaa cat gag	831
Asn Asp Glu Ala Gly Gly Asp Glu Ile Lys Glu Ala Ser Lys His Glu	
240 245 250	
ccg gaa gag ggg aaa cca gct gag aca ggg cag tga ccagagagag	877
Pro Glu Glu Gly Lys Pro Ala Glu Thr Gly Gln	
255 260 265	
agggagagac atttctaagt atgtatggta tggattttcc aaaaacatat gatatgatta	937
ggggattttgt agaagcagag agaaagatct ttatttgatt ttctccaaaa atctctgttc	997
cctttttttt ttattgggtt attaaagctg tttgagtcca aaaaaaaaaa aaaaaaaaaa	1057
aaaaaaaaaa aa	1069

<210> 50
 <211> 265
 <212> PRT
 <213> Arabidopsis thaliana
 <400> 50

mbil9 Sequence Listing.ST25

Met Ser Ser Ser Arg Glu Glu Asn Val Tyr Leu Ala Lys Leu Ala Glu
 1 5 10 15

Gln Ala Glu Arg Tyr Glu Glu Met Val Glu Phe Met Glu Lys Val Ala
 20 25 30

Lys Thr Val Asp Thr Asp Glu Leu Thr Val Glu Glu Arg Asn Leu Leu
 35 40 45

Ser Val Ala Tyr Lys Asn Val Ile Gly Ala Arg Arg Ala Ser Trp Arg
 50 55 60

Ile Ile Ser Ser Ile Glu Gln Lys Glu Glu Ser Arg Gly Asn Asp Asp
 65 70 75 80

His Val Ser Ile Ile Lys Asp Tyr Arg Gly Lys Ile Glu Thr Glu Leu
 85 90 95

Ser Lys Ile Cys Asp Gly Ile Leu Asn Leu Leu Asp Ser His Leu Val
 100 105 110

Pro Thr Ala Ser Leu Ala Glu Ser Lys Val Phe Tyr Leu Lys Met Lys
 115 120 125

Gly Asp Tyr His Arg Tyr Leu Ala Glu Phe Lys Thr Gly Ala Glu Arg
 130 135 140

Lys Glu Ala Ala Glu Ser Thr Leu Val Ala Tyr Lys Ser Ala Gln Asp
 145 150 155 160

Ile Ala Leu Ala Asp Leu Ala Pro Thr His Pro Ile Arg Leu Gly Leu
 165 170 175

Ala Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu Asn Ser Pro Asp
 180 185 190

Arg Ala Cys Ser Leu Ala Lys Gln Ala Phe Asp Glu Ala Ile Ser Glu
 195 200 205

Leu Asp Thr Leu Gly Glu Glu Ser Tyr Lys Asp Ser Thr Leu Ile Met
 210 215 220

Gln Leu Leu Arg Asp Asn Leu Thr Leu Trp Asn Ser Asp Ile Asn Asp
 225 230 235 240

Glu Ala Gly Gly Asp Glu Ile Lys Glu Ala Ser Lys His Glu Pro Glu
 245 250 255

Glu Gly Lys Pro Ala Glu Thr Gly Gln
 260 265

<210> 51
 <211> 2240
 <212> DNA
 <213> Arabidopsis thaliana
 <220>

mbi19 Sequence Listing.ST25

<221> CDS
 <222> (238)..(2064)
 <223> G214

```

<400> 51
tgagatttct ccattttcgt agcttctggt ctcttttctt tgtttcattg atcaaaagca      60
aatcacttct tcttcttctt cttctcgatt tcttactggt ttcttatcca acgaaatctg      120
gaattaaaaa tggaatcttt atcgaatcca agctgatttt gtttctttca ttgaatcatc      180
tctctaaagt ggaattttgt aaagagaaga tctgaagttg tgtagaggag cttagtgt      237
atg gag aca aat tcg tct gga gaa gat ctg gtt att aag act cgg aag      285
Met Glu Thr Asn Ser Ser Gly Glu Asp Leu Val Ile Lys Thr Arg Lys
1      5      10      15
cca tat acg ata aca aag caa cgt gaa agg tgg act gag gaa gaa cat      333
Pro Tyr Thr Ile Thr Lys Gln Arg Glu Arg Trp Thr Glu Glu Glu His
20      25      30
aat aga ttc att gaa gct ttg agg ctt tat ggt aga gca tgg cag aag      381
Asn Arg Phe Ile Glu Ala Leu Arg Leu Tyr Gly Arg Ala Trp Gln Lys
35      40      45
att gaa gaa cat gta gca aca aaa act gct gtc cag ata aga agt cac      429
Ile Glu Glu His Val Ala Thr Lys Thr Ala Val Gln Ile Arg Ser His
50      55      60
gct cag aaa ttt ttc tcc aag gta gag aaa gag gct gaa gct aaa ggt      477
Ala Gln Lys Phe Phe Ser Lys Val Glu Lys Glu Ala Glu Ala Lys Gly
65      70      75      80
gta gct atg ggt caa gcg cta gac ata gct att cct cct cca cgg cct      525
Val Ala Met Gly Gln Ala Leu Asp Ile Ala Ile Pro Pro Pro Arg Pro
85      90      95
aag cgt aaa cca aac aat cct tat cct cga aag acg gga agt gga acg      573
Lys Arg Lys Pro Asn Asn Pro Tyr Pro Arg Lys Thr Gly Ser Gly Thr
100      105      110
atc ctt atg tca aaa acg ggt gtg aat gat gga aaa gag tcc ctt gga      621
Ile Leu Met Ser Lys Thr Gly Val Asn Asp Gly Lys Glu Ser Leu Gly
115      120      125
tca gaa aaa gtg tcg cat cct gag atg gcc aat gaa gat cga caa caa      669
Ser Glu Lys Val Ser His Pro Glu Met Ala Asn Glu Asp Arg Gln Gln
130      135      140
tca aag cct gaa gag aaa act ctg cag gaa gac aac tgt tca gat tgt      717
Ser Lys Pro Glu Glu Lys Thr Leu Gln Glu Asp Asn Cys Ser Asp Cys
145      150      155      160
ttc act cat cag tat ctc tct gct gca tcc tcc atg aat aaa agt tgt      765
Phe Thr His Gln Tyr Leu Ser Ala Ala Ser Ser Met Asn Lys Ser Cys
165      170      175
ata gag aca tca aac gca agc act ttc cgc gag ttc ttg cct tca cgg      813
Ile Glu Thr Ser Asn Ala Ser Thr Phe Arg Glu Phe Leu Pro Ser Arg
180      185      190
gaa gag gga agt cag aat aac agg gta aga aag gag tca aac tca gat      861
Glu Glu Gly Ser Gln Asn Asn Arg Val Arg Lys Glu Ser Asn Ser Asp
195      200      205
ttg aat gca aaa tct ctg gaa aac ggt aat gag caa gga cct cag act      909
Leu Asn Ala Lys Ser Leu Glu Asn Gly Asn Glu Gln Gly Pro Gln Thr
210      215      220
tat ccg atg cat atc cct gtg cta gtg cca ttg ggg agc tca ata aca      957
Tyr Pro Met His Ile Pro Val Leu Val Pro Leu Gly Ser Ser Ile Thr
225      230      235      240
agt tct cta tca cat cct cct tca gag cca gat agt cat ccc cac aca      1005

```

mbil9 Sequence Listing.ST25

Ser	Ser	Leu	Ser	His	Pro	Pro	Ser	Glu	Pro	Asp	Ser	His	Pro	His	Thr	
245									250						255	
ggt	gca	gga	gat	tat	cag	tcg	ttt	cct	aat	cat	ata	atg	tca	acc	ctt	1053
Val	Ala	Gly	Asp	Tyr	Gln	Ser	Phe	Pro	Asn	His	Ile	Met	Ser	Thr	Leu	
		260						265					270			
tta	caa	aca	ccg	gct	ctt	tat	act	gcc	gca	act	ttc	gcc	tca	tca	ttt	1101
Leu	Gln	Thr	Pro	Ala	Leu	Tyr	Thr	Ala	Ala	Thr	Phe	Ala	Ser	Ser	Phe	
		275					280					285				
tgg	cct	ccc	gat	tct	agt	ggg	ggc	tca	cct	ggt	cca	ggg	aac	tca	cct	1149
Trp	Pro	Pro	Asp	Ser	Ser	Gly	Gly	Ser	Pro	Val	Pro	Gly	Asn	Ser	Pro	
	290					295					300					
ccg	aat	ctg	gct	gcc	atg	gcc	gca	gcc	act	ggt	gca	gct	gct	agt	gct	1197
Pro	Asn	Leu	Ala	Ala	Met	Ala	Ala	Ala	Thr	Val	Ala	Ala	Ala	Ser	Ala	
305					310					315					320	
tgg	tgg	gct	gcc	aat	gga	tta	tta	cct	tta	tgt	gct	cct	ctt	agt	tca	1245
Trp	Trp	Ala	Ala	Asn	Gly	Leu	Leu	Pro	Leu	Cys	Ala	Pro	Leu	Ser	Ser	
				325				330						335		
ggt	ggt	ttc	act	agt	cat	cct	cca	tct	act	ttt	gga	cca	tca	tgt	gat	1293
Gly	Gly	Phe	Thr	Ser	His	Pro	Pro	Ser	Thr	Phe	Gly	Pro	Ser	Cys	Asp	
		340						345					350			
gta	gag	tac	aca	aaa	gca	agc	act	tta	caa	cat	ggt	tct	gtg	cag	agc	1341
Val	Glu	Tyr	Thr	Lys	Ala	Ser	Thr	Leu	Gln	His	Gly	Ser	Val	Gln	Ser	
		355					360					365				
cga	gag	caa	gaa	cac	tcc	gag	gca	tca	aag	gct	cga	tct	tca	ctg	gac	1389
Arg	Glu	Gln	Glu	His	Ser		Ala	Ser	Lys	Ala	Arg	Ser	Ser	Leu	Asp	
	370					375					380					
tca	gag	gat	ggt	gaa	aat	aag	agt	aaa	cca	ggt	tgt	cat	gag	cag	cct	1437
Ser	Glu	Asp	Val	Glu	Asn	Lys	Ser	Lys	Pro	Val	Cys	His	Glu	Gln	Pro	
385					390					395					400	
tct	gca	aca	cct	gag	agt	gat	gca	aag	ggg	tca	gat	gga	gca	gga	gac	1485
Ser	Ala	Thr	Pro	Glu	Ser	Asp	Ala	Lys	Gly	Ser	Asp	Gly	Ala	Gly	Asp	
				405					410					415		
aga	aaa	caa	ggt	gac	cgg	tcc	tcg	tgt	ggc	tca	aac	act	ccg	tcg	agt	1533
Arg	Lys	Gln	Val	Asp	Arg	Ser	Ser	Cys	Gly	Ser	Asn	Thr	Pro	Ser	Ser	
		420						425					430			
agt	gat	gat	ggt	gag	gcg	gat	gca	tca	gaa	agg	caa	gag	gat	ggc	acc	1581
Ser	Asp	Asp	Val	Glu	Ala	Asp	Ala	Ser	Glu	Arg	Gln	Glu	Asp	Gly	Thr	
		435					440					445				
aat	ggt	gag	gtg	aaa	gaa	acg	aat	gaa	gac	act	aat	aaa	cct	caa	act	1629
Asn	Gly	Glu	Val	Lys	Glu	Thr	Asn	Glu	Asp	Thr	Asn	Lys	Pro	Gln	Thr	
	450					455					460					
tca	gag	tcc	aat	gca	cgc	cgc	agt	aga	atc	agc	tcc	aat	ata	acc	gat	1677
Ser	Glu	Ser	Asn	Ala	Arg	Arg	Ser	Arg	Ile	Ser	Ser	Asn	Ile	Thr	Asp	
465					470					475					480	
cca	tgg	aag	tct	gtg	tct	gac	gag	ggg	cga	att	gcc	ttc	caa	gct	ctc	1725
Pro	Trp	Lys	Ser	Val	Ser	Asp	Glu	Gly	Arg	Ile	Ala	Phe	Gln	Ala	Leu	
				485					490					495		
ttc	tcc	aga	gag	gta	ttg	ccg	caa	agt	ttt	aca	tat	cga	gaa	gaa	cac	1773
Phe	Ser	Arg	Glu	Val	Leu	Pro	Gln	Ser	Phe	Thr	Tyr	Arg	Glu	Glu	His	
		500						505					510			
aga	gag	gaa	gaa	caa	caa	caa	caa	gaa	caa	aga	tat	cca	atg	gca	ctt	1821
Arg	Glu	Glu	Glu	Gln	Gln	Gln	Gln	Glu	Gln	Arg	Tyr	Pro	Met	Ala	Leu	
		515					520					525				
gat	ctt	aac	ttc	aca	gct	cag	tta	aca	cca	ggt	gat	gat	caa	gag	gag	1869
Asp	Leu	Asn	Phe	Thr	Ala	Gln	Leu	Thr	Pro	Val	Asp	Asp	Gln	Glu	Glu	
	530					535					540					

mbi19 Sequence Listing.ST25

aag aga aac aca gga ttt ctt gga atc gga tta gat gct tca aag cta	1917
Lys Arg Asn Thr Gly Phe Leu Gly Ile Gly Leu Asp Ala Ser Lys Leu	
545 550 555 560	
atg agt aga gga aga aca ggt ttt aaa cca tac aaa aga tgt tcc atg	1965
Met Ser Arg Gly Arg Thr Gly Phe Lys Pro Tyr Lys Arg Cys Ser Met	
565 570 575	
gaa gcc aaa gaa agt aga atc ctc aac aac aat cct atc att cat gtg	2013
Glu Ala Lys Glu Ser Arg Ile Leu Asn Asn Asn Pro Ile Ile His Val	
580 585 590	
gaa cag aaa gat ccc aaa cgg atg cgg ttg gaa act caa gct tcc aca	2061
Glu Gln Lys Asp Pro Lys Arg Met Arg Leu Glu Thr Gln Ala Ser Thr	
595 600 605	
tga gactctattt tcactctgac tggtgtttgt actctgtttt taagttttca	2114
agaccactgc tacattttct ttttcttttg aggcctttgt atttgtttcc ttgtccatag	2174
tcttctctgta acatttgact ctgtattatt caacaaatca taaactgttt aatctttttt	2234
tttcca	2240
 <210> 52	
<211> 608	
<212> PRT	
<213> Arabidopsis thaliana	
 <400> 52	
Met Glu Thr Asn Ser Ser Gly Glu Asp Leu Val Ile Lys Thr Arg Lys	
1 5 10 15	
Pro Tyr Thr Ile Thr Lys Gln Arg Glu Arg Trp Thr Glu Glu Glu His	
20 25 30	
Asn Arg Phe Ile Glu Ala Leu Arg Leu Tyr Gly Arg Ala Trp Gln Lys	
35 40 45	
Ile Glu Glu His Val Ala Thr Lys Thr Ala Val Gln Ile Arg Ser His	
50 55 60	
Ala Gln Lys Phe Phe Ser Lys Val Glu Lys Glu Ala Glu Ala Lys Gly	
65 70 75 80	
Val Ala Met Gly Gln Ala Leu Asp Ile Ala Ile Pro Pro Pro Arg Pro	
85 90 95	
Lys Arg Lys Pro Asn Asn Pro Tyr Pro Arg Lys Thr Gly Ser Gly Thr	
100 105 110	
Ile Leu Met Ser Lys Thr Gly Val Asn Asp Gly Lys Glu Ser Leu Gly	
115 120 125	
Ser Glu Lys Val Ser His Pro Glu Met Ala Asn Glu Asp Arg Gln Gln	
130 135 140	
Ser Lys Pro Glu Glu Lys Thr Leu Gln Glu Asp Asn Cys Ser Asp Cys	
145 150 155 160	
Phe Thr His Gln Tyr Leu Ser Ala Ala Ser Ser Met Asn Lys Ser Cys	
165 170 175	

mbi19 Sequence Listing.ST25

Ile Glu Thr Ser Asn Ala Ser Thr Phe Arg Glu Phe Leu Pro Ser Arg
 180 185 190
 Glu Glu Gly Ser Gln Asn Asn Arg Val Arg Lys Glu Ser Asn Ser Asp
 195 200 205
 Leu Asn Ala Lys Ser Leu Glu Asn Gly Asn Glu Gln Gly Pro Gln Thr
 210 215 220
 Tyr Pro Met His Ile Pro Val Leu Val Pro Leu Gly Ser Ser Ile Thr
 225 230 235 240
 Ser Ser Leu Ser His Pro Pro Ser Glu Pro Asp Ser His Pro His Thr
 245 250 255
 Val Ala Gly Asp Tyr Gln Ser Phe Pro Asn His Ile Met Ser Thr Leu
 260 265 270
 Leu Gln Thr Pro Ala Leu Tyr Thr Ala Ala Thr Phe Ala Ser Ser Phe
 275 280 285
 Trp Pro Pro Asp Ser Ser Gly Gly Ser Pro Val Pro Gly Asn Ser Pro
 290 295 300
 Pro Asn Leu Ala Ala Met Ala Ala Ala Thr Val Ala Ala Ala Ser Ala
 305 310 315 320
 Trp Trp Ala Ala Asn Gly Leu Leu Pro Leu Cys Ala Pro Leu Ser Ser
 325 330 335
 Gly Gly Phe Thr Ser His Pro Pro Ser Thr Phe Gly Pro Ser Cys Asp
 340 345 350
 Val Glu Tyr Thr Lys Ala Ser Thr Leu Gln His Gly Ser Val Gln Ser
 355 360 365
 Arg Glu Gln Glu His Ser Glu Ala Ser Lys Ala Arg Ser Ser Leu Asp
 370 375 380
 Ser Glu Asp Val Glu Asn Lys Ser Lys Pro Val Cys His Glu Gln Pro
 385 390 395 400
 Ser Ala Thr Pro Glu Ser Asp Ala Lys Gly Ser Asp Gly Ala Gly Asp
 405 410 415
 Arg Lys Gln Val Asp Arg Ser Ser Cys Gly Ser Asn Thr Pro Ser Ser
 420 425 430
 Ser Asp Asp Val Glu Ala Asp Ala Ser Glu Arg Gln Glu Asp Gly Thr
 435 440 445
 Asn Gly Glu Val Lys Glu Thr Asn Glu Asp Thr Asn Lys Pro Gln Thr
 450 455 460
 Ser Glu Ser Asn Ala Arg Arg Ser Arg Ile Ser Ser Asn Ile Thr Asp
 465 470 475 480

mbil9 Sequence Listing.ST25

Pro Trp Lys Ser Val Ser Asp Glu Gly Arg Ile Ala Phe Gln Ala Leu
485 490 495

Phe Ser Arg Glu Val Leu Pro Gln Ser Phe Thr Tyr Arg Glu Glu His
500 505 510

Arg Glu Glu Glu Gln Gln Gln Gln Glu Gln Arg Tyr Pro Met Ala Leu
515 520 525

Asp Leu Asn Phe Thr Ala Gln Leu Thr Pro Val Asp Asp Gln Glu Glu
530 535 540

Lys Arg Asn Thr Gly Phe Leu Gly Ile Gly Leu Asp Ala Ser Lys Leu
545 550 555 560

Met Ser Arg Gly Arg Thr Gly Phe Lys Pro Tyr Lys Arg Cys Ser Met
565 570 575

Glu Ala Lys Glu Ser Arg Ile Leu Asn Asn Asn Pro Ile Ile His Val
580 585 590

Glu Gln Lys Asp Pro Lys Arg Met Arg Leu Glu Thr Gln Ala Ser Thr
595 600 605

<210> 53
<211> 1155
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (76)..(1077)
<223> G1930

<400> 53
attcacatta ctaatctctc aagatttcac aattttcttg tgattttctc tcagtttctt 60
atttcgtttc ataac atg gat gcc atg agt agc gta gac gag agc tct aca 111
Met Asp Ala Met Ser Ser Val Asp Glu Ser Ser Thr
1 5 10
act aca gat tcc att ccg gcg aga aag tca tcg tct ccg gcg agt tta 159
Thr Thr Asp Ser Ile Pro Ala Arg Lys Ser Ser Ser Pro Ala Ser Leu
15 20 25
cta tat aga atg gga agc gga aca agc gtg gta ctt gat tca gag aac 207
Leu Tyr Arg Met Gly Ser Gly Thr Ser Val Val Leu Asp Ser Glu Asn
30 35 40
ggg gtc gaa gtc gaa gtc gaa gcc gaa tca aga aag ctt cct tct tca 255
Gly Val Glu Val Glu Val Glu Ala Glu Ser Arg Lys Leu Pro Ser Ser
45 50 55 60
aga ttc aaa ggt gtt gtt cct caa cca aat gga aga tgg gga gct cag 303
Arg Phe Lys Gly Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln
65 70 75
att tac gag aaa cat caa cgc gtg tgg ctt ggt act ttc aac gag gaa 351
Ile Tyr Glu Lys His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Glu
80 85 90
gac gaa gca gct cgt gct tac gac gtc gcg gct cac cgt ttc cgt ggc 399
Asp Glu Ala Ala Arg Ala Tyr Asp Val Ala Ala His Arg Phe Arg Gly
95 100 105

mbil9 Sequence Listing.ST25

cgc gat gcc gtt act aat ttc aaa gac acg acg ttc gaa gaa gag gtt Arg Asp Ala Val Thr Asn Phe Lys Asp Thr Thr Phe Glu Glu Glu Val 110 115 120	447
gag ttc tta aac gcg cat tcg aaa tca gag atc gta gat atg ttg aga Glu Phe Leu Asn Ala His Ser Lys Ser Glu Ile Val Asp Met Leu Arg 125 130 135 140	495
aaa cac act tac aaa gaa gag tta gac caa agg aaa cgt aac cgt gac Lys His Thr Tyr Lys Glu Glu Leu Asp Gln Arg Lys Arg Asn Arg Asp 145 150 155	543
ggg aac gga aaa gag acg acg gcg ttt gct ttg gct tcg atg gtg gtt Gly Asn Gly Lys Glu Thr Thr Ala Phe Ala Leu Ala Ser Met Val Val 160 165 170	591
atg acg ggg ttt aaa acg gcg gag tta ctg ttt gag aaa acg gta acg Met Thr Gly Phe Lys Thr Ala Glu Leu Leu Phe Glu Lys Thr Val Thr 175 180 185	639
cca agt gac gtc ggg aaa cta aac cgt tta gtt ata cca aaa cac caa Pro Ser Asp Val Gly Lys Leu Asn Arg Leu Val Ile Pro Lys His Gln 190 195 200	687
gcg gag aaa cat ttt ccg tta ccg tta ggt aat aat aac gtc tcc gtt Ala Glu Lys His Phe Pro Leu Pro Leu Gly Asn Asn Asn Val Ser Val 205 210 215 220	735
aaa ggt atg ctg ttg aat ttc gaa gac gtt aac ggg aaa gtg tgg agg Lys Gly Met Leu Leu Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg 225 230 235	783
ttc cgt tac tct tat tgg aat agt agt caa agt tat gtg ttg acc aaa Phe Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys 240 245 250	831
ggg tgg agt aga ttc gtt aaa gag aag aga ctt tgt gct ggt gat ttg Gly Trp Ser Arg Phe Val Lys Glu Lys Arg Leu Cys Ala Gly Asp Leu 255 260 265	879
atc agt ttt aaa aga tcc aac gat caa gat caa aaa ttc ttt atc ggg Ile Ser Phe Lys Arg Ser Asn Asp Gln Asp Gln Lys Phe Phe Ile Gly 270 275 280	927
tgg aaa tcg aaa tcc ggg ttg gat cta gag acg ggt cgg gtt atg aga Trp Lys Ser Lys Ser Gly Leu Asp Leu Glu Thr Gly Arg Val Met Arg 285 290 295 300	975
ttg ttt ggg gtt gat att tct tta aac gcc gtc gtt gta gtg aag gaa Leu Phe Gly Val Asp Ile Ser Leu Asn Ala Val Val Val Val Lys Glu 305 310 315	1023
aca acg gag gtg tta atg tcg tcg tta agg tgt aag aag caa cga gtt Thr Thr Glu Val Leu Met Ser Ser Leu Arg Cys Lys Lys Gln Arg Val 320 325 330	1071
ttg taa taacaattta acaacttggg aaagaaaaaa aagctttttg attttaattt Leu	1127
ctcttcaacg ttaatcttgc tgagatta	1155
<210> 54	
<211> 333	
<212> PRT	
<213> Arabidopsis thaliana	
<400> 54	
Met Asp Ala Met Ser Ser Val Asp Glu Ser Ser Thr Thr Thr Asp Ser 1 5 10 15	

mbi19 Sequence Listing.ST25

Ile Pro Ala Arg Lys Ser Ser Ser Pro Ala Ser Leu Leu Tyr Arg Met
 20 25 30

Gly Ser Gly Thr Ser Val Val Leu Asp Ser Glu Asn Gly Val Glu Val
 35 40 45

Glu Val Glu Ala Glu Ser Arg Lys Leu Pro Ser Ser Arg Phe Lys Gly
 50 55 60

Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys
 65 70 75 80

His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Glu Asp Glu Ala Ala
 85 90 95

Arg Ala Tyr Asp Val Ala Ala His Arg Phe Arg Gly Arg Asp Ala Val
 100 105 110

Thr Asn Phe Lys Asp Thr Thr Phe Glu Glu Glu Val Glu Phe Leu Asn
 115 120 125

Ala His Ser Lys Ser Glu Ile Val Asp Met Leu Arg Lys His Thr Tyr
 130 135 140

Lys Glu Glu Leu Asp Gln Arg Lys Arg Asn Arg Asp Gly Asn Gly Lys
 145 150 155 160

Glu Thr Thr Ala Phe Ala Leu Ala Ser Met Val Val Met Thr Gly Phe
 165 170 175

Lys Thr Ala Glu Leu Leu Phe Glu Lys Thr Val Thr Pro Ser Asp Val
 180 185 190

Gly Lys Leu Asn Arg Leu Val Ile Pro Lys His Gln Ala Glu Lys His
 195 200 205

Phe Pro Leu Pro Leu Gly Asn Asn Asn Val Ser Val Lys Gly Met Leu
 210 215 220

Leu Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg Phe Arg Tyr Ser
 225 230 235 240

Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly Trp Ser Arg
 245 250 255

Phe Val Lys Glu Lys Arg Leu Cys Ala Gly Asp Leu Ile Ser Phe Lys
 260 265 270

Arg Ser Asn Asp Gln Asp Gln Lys Phe Phe Ile Gly Trp Lys Ser Lys
 275 280 285

Ser Gly Leu Asp Leu Glu Thr Gly Arg Val Met Arg Leu Phe Gly Val
 290 295 300

Asp Ile Ser Leu Asn Ala Val Val Val Val Lys Glu Thr Thr Glu Val
 305 310 315 320

mbi19 Sequence Listing.ST25

Leu Met Ser Ser Leu Arg Cys Lys Lys Gln Arg Val Leu
 325 330

<210> 55
 <211> 1246
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (81)..(1139)
 <223> G9

<400> 55
 gtgtttcttc tttctgctaa aaggttataa tttttgtttc ttggtttggt gagaatcttc 60
 aagaaactga aacaaagaaa atg gat tct agt tgc ata gac gag ata agt tcc 113
 Met Asp Ser Ser Cys Ile Asp Glu Ile Ser Ser
 1 5 10
 tcc act tca gaa tct ttc tcc gcc acc acc gcc aag aag ctc tct cct 161
 Ser Thr Ser Glu Ser Phe Ser Ala Thr Thr Ala Lys Lys Leu Ser Pro
 15 20 25
 cct ccc gcg gcg gcg tta cgc ctc tac cgg atg gga agc ggc ggg agc 209
 Pro Pro Ala Ala Ala Leu Arg Leu Tyr Arg Met Gly Ser Gly Gly Ser
 30 35 40
 agc gtc gtg ttg gat ccc gag aac ggc cta gag acg gag tca cga aag 257
 Ser Val Val Leu Asp Pro Glu Asn Gly Leu Glu Thr Glu Ser Arg Lys
 45 50 55
 cta cca tct tca aaa tac aaa ggt gtt gtt cct cag cct aac gga aga 305
 Leu Pro Ser Ser Lys Tyr Lys Gly Val Val Pro Gln Pro Asn Gly Arg
 60 65 70 75
 tgg gga gct cag atc tac gag aag cac caa cga gta tgg ctc ggg act 353
 Trp Gly Ala Gln Ile Tyr Glu Lys His Gln Arg Val Trp Leu Gly Thr
 80 85 90
 ttc aac gag caa gaa gaa gct gct cgt tcc tac gac atc gca gct tgt 401
 Phe Asn Glu Gln Glu Glu Ala Ala Arg Ser Tyr Asp Ile Ala Ala Cys
 95 100 105
 aga ttc cgt ggc cgc gac gcc gtc gtc aac ttc aag aac gtt ctg gaa 449
 Arg Phe Arg Gly Arg Asp Ala Val Val Asn Phe Lys Asn Val Leu Glu
 110 115 120
 gac ggc gat tta gct ttt ctt gaa gct cac tca aag gcc gag atc gtc 497
 Asp Gly Asp Leu Ala Phe Leu Glu Ala His Ser Lys Ala Glu Ile Val
 125 130 135
 gac atg ttg aga aaa cac act tac gcc gag gac ctt gaa cag aac aat 545
 Asp Met Leu Arg Lys His Thr Tyr Ala Asp Glu Leu Glu Gln Asn Asn
 140 145 150 155
 aaa cgg cag ttg ttt ctc tcc gtc gac gct aac gga aaa cgt aac gga 593
 Lys Arg Gln Leu Phe Leu Ser Val Asp Ala Asn Gly Lys Arg Asn Gly
 160 165 170
 tcg agt act act caa aac gac aaa gtt tta aag acg tgt gaa gtt ctt 641
 Ser Ser Thr Thr Gln Asn Asp Lys Val Leu Lys Thr Cys Glu Val Leu
 175 180 185
 ttc gag aag gct gtt aca cct agc gac gtt ggg aag cta aac cgt ctc 689
 Phe Glu Lys Ala Val Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu
 190 195 200
 gtg ata cct aaa caa cac gcc gag aaa cac ttt ccg tta ccg tca ccg 737
 Val Ile Pro Lys Gln His Ala Glu Lys His Phe Pro Leu Pro Ser Pro
 205 210 215

mbil9 Sequence Listing.ST25

tca ccg gca gtg act aaa gga gtt ttg atc aac ttc gaa gac gtt aac	785
Ser Pro Ala Val Thr Lys Gly Val Leu Ile Asn Phe Glu Asp Val Asn	
220 225 230 235	
ggg aaa gtg tgg agg ttc cgt tac tca tac tgg aac agt agt caa agt	833
Gly Lys Val Trp Arg Phe Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser	
240 245 250	
tac gtg ttg acc aag gga tgg agt cga ttc gtc aag gag aag aat ctt	881
Tyr Val Leu Thr Lys Gly Trp Ser Arg Phe Val Lys Glu Lys Asn Leu	
255 260 265	
cga gcc ggt gat gtt gtt act ttc gag aga tcg acc gga cta gag cgg	929
Arg Ala Gly Asp Val Val Thr Phe Glu Arg Ser Thr Gly Leu Glu Arg	
270 275 280	
cag tta tat att gat tgg aaa gtt cgg tct ggt ccg aga gaa aac ccg	977
Gln Leu Tyr Ile Asp Trp Lys Val Arg Ser Gly Pro Arg Glu Asn Pro	
285 290 295	
gtt cag gtg gtg gtt cgg ctt ttc gga gtt gat atc ttt aat gtg acc	1025
Val Gln Val Val Val Arg Leu Phe Gly Val Asp Ile Phe Asn Val Thr	
300 305 310 315	
acc gtg aag cca aac gac gtc gtg gcc gtt tgc ggt gga aag aga tct	1073
Thr Val Lys Pro Asn Asp Val Val Ala Val Cys Gly Gly Lys Arg Ser	
320 325 330	
cga gat gtt gat gat atg ttt gcg tta cgg tgt tcc aag aag cag gcg	1121
Arg Asp Val Asp Asp Met Phe Ala Leu Arg Cys Ser Lys Lys Gln Ala	
335 340 345	
ata atc aat gct ttg tga catatttcct tttccgattt tatgctttcg	1169
Ile Ile Asn Ala Leu	
350	
ttttttaatt ttttttttg tcaagttgtg taggttgtga ttcattgctag gttgtattta	1229
ggaaaagaga taagacc	1246
<210> 56	
<211> 352	
<212> PRT	
<213> Arabidopsis thaliana	
<400> 56	
Met Asp Ser Ser Cys Ile Asp Glu Ile Ser Ser Ser Thr Ser Glu Ser	
1 5 10 15	
Phe Ser Ala Thr Thr Ala Lys Lys Leu Ser Pro Pro Pro Ala Ala Ala	
20 25 30	
Leu Arg Leu Tyr Arg Met Gly Ser Gly Gly Ser Ser Val Val Leu Asp	
35 40 45	
Pro Glu Asn Gly Leu Glu Thr Glu Ser Arg Lys Leu Pro Ser Ser Lys	
50 55 60	
Tyr Lys Gly Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln Ile	
65 70 75 80	
Tyr Glu Lys His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Gln Glu	
85 90 95	
Glu Ala Ala Arg Ser Tyr Asp Ile Ala Ala Cys Arg Phe Arg Gly Arg	
100 105 110	

mbil9 Sequence Listing.ST25

Asp Ala Val Val Asn Phe Lys Asn Val Leu Glu Asp Gly Asp Leu Ala
 115 120 125
 Phe Leu Glu Ala His Ser Lys Ala Glu Ile Val Asp Met Leu Arg Lys
 130 135 140
 His Thr Tyr Ala Asp Glu Leu Glu Gln Asn Asn Lys Arg Gln Leu Phe
 145 150 155 160
 Leu Ser Val Asp Ala Asn Gly Lys Arg Asn Gly Ser Ser Thr Thr Gln
 165 170 175
 Asn Asp Lys Val Leu Lys Thr Cys Glu Val Leu Phe Glu Lys Ala Val
 180 185 190
 Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu Val Ile Pro Lys Gln
 195 200 205
 His Ala Glu Lys His Phe Pro Leu Pro Ser Pro Ser Pro Ala Val Thr
 210 215 220
 Lys Gly Val Leu Ile Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg
 225 230 235 240
 Phe Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys
 245 250 255
 Gly Trp Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val
 260 265 270
 Val Thr Phe Glu Arg Ser Thr Gly Leu Glu Arg Gln Leu Tyr Ile Asp
 275 280 285
 Trp Lys Val Arg Ser Gly Pro Arg Glu Asn Pro Val Gln Val Val Val
 290 295 300
 Arg Leu Phe Gly Val Asp Ile Phe Asn Val Thr Thr Val Lys Pro Asn
 305 310 315 320
 Asp Val Val Ala Val Cys Gly Gly Lys Arg Ser Arg Asp Val Asp Asp
 325 330 335
 Met Phe Ala Leu Arg Cys Ser Lys Lys Gln Ala Ile Ile Asn Ala Leu
 340 345 350

<210> 57
 <211> 1239
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (6)..(1091)
 <223> G993

<400> 57
 caaat atg gaa tac agc tgt gta gac gac agt agt aca acg tca gaa tct
 Met Glu Tyr Ser Cys Val Asp Asp Ser Ser Thr Thr Ser Glu Ser

50

mbi19 Sequence Listing.ST25

1	5	10	15	
ctc tcc atc tct act act cca aag ccg aca acg acg acg gag aag aaa	Leu Ser Ile Ser Thr Thr Pro Lys Pro Thr Thr Thr Thr Glu Lys Lys	20 25 30	98	
ctc tct tct ccg ccg gcg acg tcg atg cgt ctc tac aga atg gga agc	Leu Ser Ser Pro Pro Ala Thr Ser Met Arg Leu Tyr Arg Met Gly Ser	35 40 45	146	
ggc gga agc agc gtc gtt ttg gat tca gag aac ggc gtc gag acc gag	Gly Gly Ser Ser Val Val Leu Asp Ser Glu Asn Gly Val Glu Thr Glu	50 55 60	194	
tca cgt aag ctt cct tcg tcg aaa tat aaa ggc gtt gtg cct cag cct	Ser Arg Lys Leu Pro Ser Ser Lys Tyr Lys Gly Val Val Pro Gln Pro	65 70 75	242	
aac gga aga tgg gga gct cag att tac gag aag cat cag cga gtt tgg	Asn Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys His Gln Arg Val Trp	80 85 90 95	290	
ctc ggt act ttc aac gag gaa gaa gaa gct gcg tct tct tac gac atc	Leu Gly Thr Phe Asn Glu Glu Glu Glu Ala Ala Ser Ser Tyr Asp Ile	100 105 110	338	
gcc gtg agg aga ttc cgc ggc cgc gac gcc gtc act aac ttc aaa tct	Ala Val Arg Arg Phe Arg Gly Arg Asp Ala Val Thr Asn Phe Lys Ser	115 120 125	386	
caa gtt gat gga aac gac gcc gaa tcg gct ttt ctt gac gct cat tct	Gln Val Asp Gly Asn Asp Ala Glu Ser Ala Phe Leu Asp Ala His Ser	130 135 140	434	
aaa gct gag atc gtg gat atg ttg agg aaa cac act tac gcc gat gag	Lys Ala Glu Ile Val Asp Met Leu Arg Lys His Thr Tyr Ala Asp Glu	145 150 155	482	
ttt gag cag agt aga cgg aag ttt gtt aac ggc gac gga aaa cgc tct	Phe Glu Gln Ser Arg Arg Lys Phe Val Asn Gly Asp Gly Lys Arg Ser	160 165 170 175	530	
ggg ttg gag acg gcg acg tac gga aac gac gct gtt ttg aga gcg cgt	Gly Leu Glu Thr Ala Thr Tyr Gly Asn Asp Ala Val Leu Arg Ala Arg	180 185 190	578	
gag gtt ttg ttc gag aag act gtt acg ccg agc gac gtc ggg aag ctg	Glu Val Leu Phe Glu Lys Thr Val Thr Pro Ser Asp Val Gly Lys Leu	195 200 205	626	
aac cgt tta gtg ata ccg aaa caa cac gcg gag aag cat ttt ccg tta	Asn Arg Leu Val Ile Pro Lys Gln His Ala Glu Lys His Phe Pro Leu	210 215 220	674	
ccg gcg atg acg acg gcg atg ggg atg aat ccg tct ccg acg aaa ggc	Pro Ala Met Thr Thr Ala Met Gly Met Asn Pro Ser Pro Thr Lys Gly	225 230 235	722	
gtt ttg att aac ttg gaa gat aga aca ggg aaa gtg tgg cgg ttc cgt	Val Leu Ile Asn Leu Glu Asp Arg Thr Gly Lys Val Trp Arg Phe Arg	240 245 250 255	770	
tac agt tac tgg aac agc agt caa agt tac gtg ttg acc aag ggc tgg	Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly Trp	260 265 270	818	
agc cgg ttc gtt aaa gag aag aat ctt cga gcc ggt gat gtg gtt tgt	Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val Val Cys	275 280 285	866	
ttc gag aga tca acc gga cca gac ccg caa ttg tat atc cac tgg aaa	Phe Glu Arg Ser Thr Gly Pro Asp Arg Gln Leu Tyr Ile His Trp Lys	290 295 300	914	
gtc cgg tct agt ccg gtt cag act gtg gtt agg cta ttc gga gtc aac			962	

mbil9 Sequence Listing.ST25

Val Arg Ser Ser Pro Val Gln Thr Val Val Arg Leu Phe Gly Val Asn
 305 310 315
 att ttc aat gtg agt aac gag aaa cca aac gac gtc gca gta gag tgt 1010
 Ile Phe Asn Val Ser Asn Glu Lys Pro Asn Asp Val Ala Val Glu Cys
 320 325 330 335
 gtt ggc aag aag aga tct cgg gaa gat gat ttg ttt tcg tta ggg tgt 1058
 Val Gly Lys Lys Arg Ser Arg Glu Asp Asp Leu Phe Ser Leu Gly Cys
 340 345 350
 tcc aag aag cag gcg att atc aac atc ttg tga caaattcttt ttttttggtt 1111
 Ser Lys Lys Gln Ala Ile Ile Asn Ile Leu
 355 360
 tttttcttca atttggttct cctttttcaa tattttgtat tgaaatgaca agttgtaaat 1171
 taggacaaga caagaaaaaa tgacaactag acaaaatagt ttttgtttaa aaaaaaaaaa 1231
 aaaaaaaaaa 1239

<210> 58
 <211> 361
 <212> PRT
 <213> Arabidopsis thaliana

<400> 58

Met Glu Tyr Ser Cys Val Asp Asp Ser Ser Thr Thr Ser Glu Ser Leu
 1 5 10 15

Ser Ile Ser Thr Thr Pro Lys Pro Thr Thr Thr Thr Glu Lys Lys Leu
 20 25 30

Ser Ser Pro Pro Ala Thr Ser Met Arg Leu Tyr Arg Met Gly Ser Gly
 35 40 45

Gly Ser Ser Val Val Leu Asp Ser Glu Asn Gly Val Glu Thr Glu Ser
 50 55 60

Arg Lys Leu Pro Ser Ser Lys Tyr Lys Gly Val Val Pro Gln Pro Asn
 65 70 75 80

Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys His Gln Arg Val Trp Leu
 85 90 95

Gly Thr Phe Asn Glu Glu Glu Glu Ala Ala Ser Ser Tyr Asp Ile Ala
 100 105 110

Val Arg Arg Phe Arg Gly Arg Asp Ala Val Thr Asn Phe Lys Ser Gln
 115 120 125

Val Asp Gly Asn Asp Ala Glu Ser Ala Phe Leu Asp Ala His Ser Lys
 130 135 140

Ala Glu Ile Val Asp Met Leu Arg Lys His Thr Tyr Ala Asp Glu Phe
 145 150 155 160

Glu Gln Ser Arg Arg Lys Phe Val Asn Gly Asp Gly Lys Arg Ser Gly
 165 170 175

Leu Glu Thr Ala Thr Tyr Gly Asn Asp Ala Val Leu Arg Ala Arg Glu
 180 185 190

mbi19 Sequence Listing.ST25

Val Leu Phe Glu Lys Thr Val Thr Pro Ser Asp Val Gly Lys Leu Asn
195 200 205

Arg Leu Val Ile Pro Lys Gln His Ala Glu Lys His Phe Pro Leu Pro
210 215 220

Ala Met Thr Thr Ala Met Gly Met Asn Pro Ser Pro Thr Lys Gly Val
225 230 235 240

Leu Ile Asn Leu Glu Asp Arg Thr Gly Lys Val Trp Arg Phe Arg Tyr
245 250 255

Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly Trp Ser
260 265 270

Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val Val Cys Phe
275 280 285

Glu Arg Ser Thr Gly Pro Asp Arg Gln Leu Tyr Ile His Trp Lys Val
290 295 300

Arg Ser Ser Pro Val Gln Thr Val Val Arg Leu Phe Gly Val Asn Ile
305 310 315 320

Phe Asn Val Ser Asn Glu Lys Pro Asn Asp Val Ala Val Glu Cys Val
325 330 335

Gly Lys Lys Arg Ser Arg Glu Asp Asp Leu Phe Ser Leu Gly Cys Ser
340 345 350

Lys Lys Gln Ala Ile Ile Asn Ile Leu
355 360

<210> 59
<211> 803
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (35)..(658)
<223> G41

<400> 59
ctgatcaatg aactcatttt ctgccttttc tgaa atg ttt ggc tcc gat tac gag 55
Met Phe Gly Ser Asp Tyr Glu
1 5

tct ccg gtt tcc tca ggc ggt gat tac agt ccg aag ctt gcc acg agc 103
Ser Pro Val Ser Ser Gly Gly Asp Tyr Ser Pro Lys Leu Ala Thr Ser
10 15 20

tgc ccc aag aaa cca gcg gga agg aag aag ttt cgt gag act cgt cac 151
Cys Pro Lys Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His
25 30 35

cca att tac aga gga gtt cgt caa aga aac tcc ggt aag tgg gtg tgt 199
Pro Ile Tyr Arg Gly Val Arg Gln Arg Asn Ser Gly Lys Trp Val Cys
40 45 50 55

gag ttg aga gag cca aac aag aaa acg agg att tgg ctc ggg act ttc 247

mbi19 Sequence Listing.ST25

Glu Leu Arg Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe
60 65 70

caa acc gct gag atg gca gct cgt gct cac gac gtc gcc gcc ata gct 295
Gln Thr Ala Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Ile Ala
75 80 85

ctc cgt ggc aga tct gcc tgt ctc aat ttc gct gac tcg gct tgg cgg 343
Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg
90 95 100

cta cga atc ccg gaa tca acc tgt gcc aag gaa atc caa aag gcg gcg 391
Leu Arg Ile Pro Glu Ser Thr Cys Ala Lys Glu Ile Gln Lys Ala Ala
105 110 115

gct gaa gcc gcg ttg aat ttt caa gat gag atg tgt cat atg acg acg 439
Ala Glu Ala Ala Leu Asn Phe Gln Asp Glu Met Cys His Met Thr Thr
120 125 130 135

gat gct cat ggt ctt gac atg gag gag acc ttg gtg gag gct att tat 487
Asp Ala His Gly Leu Asp Met Glu Glu Thr Leu Val Glu Ala Ile Tyr
140 145 150

acg ccg gaa cag agc caa gat gcg ttt tat atg gat gaa gag gcg atg 535
Thr Pro Glu Gln Ser Gln Asp Ala Phe Tyr Met Asp Glu Glu Ala Met
155 160 165

ttg ggg atg tct agt ttg ttg gat aac atg gcc gaa ggg atg ctt tta 583
Leu Gly Met Ser Ser Leu Leu Asp Asn Met Ala Glu Gly Met Leu Leu
170 175 180

ccg tcg ccg tcg gtt caa tgg aac tat aat ttt gat gtc gag gga gat 631
Pro Ser Pro Ser Val Gln Trp Asn Tyr Asn Phe Asp Val Glu Gly Asp
185 190 195

gat gac gtg tcc tta tgg agc tat taa aattcgattt ttatttccat 678
Asp Asp Val Ser Leu Trp Ser Tyr
200 205

ttttggtatt atagcttttt atacatttga tcctttttta gaatggatct tcttcttttt 738

ttggttgtga gaaacgaatg taaatggtaa aagttgttgt caaatgcaaa tgtttttgag 798

tgacag 803

<210> 60
<211> 207
<212> PRT
<213> Arabidopsis thaliana

<400> 60

Met Phe Gly Ser Asp Tyr Glu Ser Pro Val Ser Ser Gly Gly Asp Tyr
1 5 10 15

Ser Pro Lys Leu Ala Thr Ser Cys Pro Lys Lys Pro Ala Gly Arg Lys
20 25 30

Lys Phe Arg Glu Thr Arg His Pro Ile Tyr Arg Gly Val Arg Gln Arg
35 40 45

Asn Ser Gly Lys Trp Val Cys Glu Leu Arg Glu Pro Asn Lys Lys Thr
50 55 60

Arg Ile Trp Leu Gly Thr Phe Gln Thr Ala Glu Met Ala Ala Arg Ala
65 70 75 80

His Asp Val Ala Ala Ile Ala Leu Arg Gly Arg Ser Ala Cys Leu Asn
85 90 95

mbi19 Sequence Listing.ST25

Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile Pro Glu Ser Thr Cys Ala
 100 105 110

Lys Glu Ile Gln Lys Ala Ala Ala Glu Ala Ala Leu Asn Phe Gln Asp
 115 120 125

Glu Met Cys His Met Thr Thr Asp Ala His Gly Leu Asp Met Glu Glu
 130 135 140

Thr Leu Val Glu Ala Ile Tyr Thr Pro Glu Gln Ser Gln Asp Ala Phe
 145 150 155 160

Tyr Met Asp Glu Glu Ala Met Leu Gly Met Ser Ser Leu Leu Asp Asn
 165 170 175

Met Ala Glu Gly Met Leu Leu Pro Ser Pro Ser Val Gln Trp Asn Tyr
 180 185 190

Asn Phe Asp Val Glu Gly Asp Asp Asp Val Ser Leu Trp Ser Tyr
 195 200 205

<210> 61
 <211> 929
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (164)..(805)
 <223> G40

<400> 61
 cttgaaaaag aatctacctg aaaagaaaaa aaagagagag agatataaat agctttacca 60
 agacagatat actatctttt attaatccaa aaagactgag aactctagta actacgtact 120
 acttaaacct tatccagttt cttgaaacag agtactctga tca atg aac tca ttt 175
 Met Asn Ser Phe
 1
 tca gct ttt tct gaa atg ttt ggc tcc gat tac gag cct caa ggc gga 223
 Ser Ala Phe Ser Glu Met Phe Gly Ser Asp Tyr Glu Pro Gln Gly Gly
 5 10 15 20
 gat tat tgt ccg acg ttg gcc acg agt tgt ccg aag aaa ccg gcg ggc 271
 Asp Tyr Cys Pro Thr Leu Ala Thr Ser Cys Pro Lys Lys Pro Ala Gly
 25 30 35
 cgt aag aag ttt cgt gag act cgt cac cca att tac aga gga gtt cgt 319
 Arg Lys Lys Phe Arg Glu Thr Arg His Pro Ile Tyr Arg Gly Val Arg
 40 45 50
 caa aga aac tcc ggt aag tgg gtt tct gaa gtg aga gag cca aac aag 367
 Gln Arg Asn Ser Gly Lys Trp Val Ser Glu Val Arg Glu Pro Asn Lys
 55 60 65
 aaa acc agg att tgg ctc ggg act ttc caa acc gct gag atg gca gct 415
 Lys Thr Arg Ile Trp Leu Gly Thr Phe Gln Thr Ala Glu Met Ala Ala
 70 75 80
 cgt gct cac gac gtc gct gca tta gcc ctc cgt ggc cga tca gca tgt 463
 Arg Ala His Asp Val Ala Ala Leu Ala Leu Arg Gly Arg Ser Ala Cys
 85 90 95 100
 ctc aac ttc gct gac tcg gct tgg cgg cta cga atc ccg gag tca aca 511

mbi19 Sequence Listing.ST25

Leu Asn Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile Pro Glu Ser Thr
 105 110 115
 tgc gcc aag gat atc caa aaa gcg gct gct gaa gcg gcg ttg gct ttt 559
 Cys Ala Lys Asp Ile Gln Lys Ala Ala Glu Ala Ala Leu Ala Phe
 120 125 130
 caa gat gag acg tgt gat acg acg acc acg aat cat ggc ctg gac atg 607
 Gln Asp Glu Thr Cys Asp Thr Thr Thr Asn His Gly Leu Asp Met
 135 140 145
 gag gag acg atg gtg gaa gct att tat aca ccg gaa cag agc gaa ggt 655
 Glu Glu Thr Met Val Glu Ala Ile Tyr Thr Pro Glu Gln Ser Glu Gly
 150 155 160
 gcg ttt tat atg gat gag gag aca atg ttt ggg atg ccg act ttg ttg 703
 Ala Phe Tyr Met Asp Glu Glu Thr Met Phe Gly Met Pro Thr Leu Leu
 165 170 175 180
 gat aat atg gct gaa ggc atg ctt tta ccg ccg ccg tct gtt caa tgg 751
 Asp Asn Met Ala Glu Gly Met Leu Leu Pro Pro Pro Ser Val Gln Trp
 185 190 195
 aat cat aat tat gac ggc gaa gga gat ggt gac gtg tcg ctt tgg agt 799
 Asn His Asn Tyr Asp Gly Glu Gly Asp Gly Asp Val Ser Leu Trp Ser
 200 205 210
 tac taa tattcgatag tcgtttccat ttttgtacta tagtttgaaa atattctagt 855
 Tyr
 tcctttttttt agaatgggttc cttcatttta ttttatttta ttgttgtaga aacgagtgga 915
 aaataattca atac 929
 <210> 62
 <211> 213
 <212> PRT
 <213> Arabidopsis thaliana
 <400> '62
 Met Asn Ser Phe Ser Ala Phe Ser Glu Met Phe Gly Ser Asp Tyr Glu
 1 5 10 15
 Pro Gln Gly Gly Asp Tyr Cys Pro Thr Leu Ala Thr Ser Cys Pro Lys
 20 25 30
 Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His Pro Ile Tyr
 35 40 45
 Arg Gly Val Arg Gln Arg Asn Ser Gly Lys Trp Val Ser Glu Val Arg
 50 55 60
 Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe Gln Thr Ala
 65 70 75 80
 Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Leu Ala Leu Arg Gly
 85 90 95
 Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile
 100 105 110
 Pro Glu Ser Thr Cys Ala Lys Asp Ile Gln Lys Ala Ala Ala Glu Ala
 115 120 125

mbi19 Sequence Listing.ST25

Ala Leu Ala Phe Gln Asp Glu Thr Cys Asp Thr Thr Thr Asn His
130 135 140

Gly Leu Asp Met Glu Glu Thr Met Val Glu Ala Ile Tyr Thr Pro Glu
145 150 155 160

Gln Ser Glu Gly Ala Phe Tyr Met Asp Glu Glu Thr Met Phe Gly Met
165 170 175

Pro Thr Leu Leu Asp Asn Met Ala Glu Gly Met Leu Leu Pro Pro Pro
180 185 190

Ser Val Gln Trp Asn His Asn Tyr Asp Gly Glu Gly Asp Gly Asp Val
195 200 205

Ser Leu Trp Ser Tyr
210

<210> 63
<211> 908
<212> DNA
<213> Arabidopsis thaliana

<220>
<221> CDS
<222> (119)..(769)
<223> G42

<400> 63
cctgaactag aacagaaaga gagagaaact attatttcag caaacatcac caacaaaaaa 60
gacagagatc ttttaggtac cttatccagt ttcttgaaac agagtactct tctgatca 118
atg aac tca ttt tct gct ttt tct gaa atg ttt ggc tcc gat tac gag 166
Met Asn Ser Phe Ser Ala Phe Ser Glu Met Phe Gly Ser Asp Tyr Glu
1 5 10 15
tct tcg gtt tcc tca ggc ggt gat tat att ccg acg ctt gcg agc agc 214
Ser Ser Val Ser Ser Gly Gly Asp Tyr Ile Pro Thr Leu Ala Ser Ser
20 25 30
tgc ccc aag aaa ccg gcg ggt cgt aag aag ttt cgt gag act cgt cac 262
Cys Pro Lys Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His
35 40 45
cca ata tac aga gga gtt cgt cgg aga aac tcc ggt aag tgg gtt tgt 310
Pro Ile Tyr Arg Gly Val Arg Arg Arg Asn Ser Gly Lys Trp Val Cys
50 55 60
gag gtt aga gaa cca aac aag aaa aca agg att tgg ctc gga aca ttt 358
Glu Val Arg Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe
65 70 75 80
caa acc gct gag atg gca gct cga gct cac gac gtt gcc gct tta gcc 406
Gln Thr Ala Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Leu Ala
85 90 95
ctt cgt ggc cga tca gcc tgt ctc aat ttc gct gac tcg gct tgg aga 454
Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg
100 105 110
ctc cga atc ccg gaa tca act tgc gct aag gac atc caa aag gcg gcg 502
Leu Arg Ile Pro Glu Ser Thr Cys Ala Lys Asp Ile Gln Lys Ala Ala
115 120 125
gct gaa gct gcg ttg gcg ttt cag gat gag atg tgt gat gcg acg acg 550
Ala Glu Ala Ala Leu Ala Phe Gln Asp Glu Met Cys Asp Ala Thr Thr
130 135 140

mbil9 Sequence Listing.ST25

```

gat cat ggc ttc gac atg gag gag acg ttg gtg gag gct att tac acg      598
Asp His Gly Phe Asp Met Glu Glu Thr Leu Val Glu Ala Ile Tyr Thr
145                      150                      155                      160

gcg gaa cag agc gaa aat gcg ttt tat atg cac gat gag gcg atg ttt      646
Ala Glu Gln Ser Glu Asn Ala Phe Tyr Met His Asp Glu Ala Met Phe
165                      170                      175

gag atg ccg agt ttg ttg gct aat atg gca gaa ggg atg ctt ttg ccg      694
Glu Met Pro Ser Leu Leu Ala Asn Met Ala Glu Gly Met Leu Leu Pro
180                      185                      190

ctt ccg tcc gta cag tgg aat cat aat cat gaa gtc gac ggc gat gat      742
Leu Pro Ser Val Gln Trp Asn His Asn His Glu Val Asp Gly Asp Asp
195                      200                      205

gac gac gta tcg tta tgg agt tat taa aactcagatt attatttcca      789
Asp Asp Val Ser Leu Trp Ser Tyr
210                      215

tttttagtac gatactttttt attttatttat tatttttaga tcctttttta gaatggaatc      849

tncattatgt ttgtaaaact gagaaacgag tgtaaattaa attgattcag tttcagtat      908

<210> 64
<211> 216
<212> PRT
<213> Arabidopsis thaliana

<400> 64

Met Asn Ser Phe Ser Ala Phe Ser Glu Met Phe Gly Ser Asp Tyr Glu
1                      5                      10                      15

Ser Ser Val Ser Ser Gly Gly Asp Tyr Ile Pro Thr Leu Ala Ser Ser
20                      25                      30

Cys Pro Lys Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His
35                      40                      45

Pro Ile Tyr Arg Gly Val Arg Arg Arg Asn Ser Gly Lys Trp Val Cys
50                      55                      60

Glu Val Arg Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe
65                      70                      75                      80

Gln Thr Ala Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Leu Ala
85                      90                      95

Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg
100                      105                      110

Leu Arg Ile Pro Glu Ser Thr Cys Ala Lys Asp Ile Gln Lys Ala Ala
115                      120                      125

Ala Glu Ala Ala Leu Ala Phe Gln Asp Glu Met Cys Asp Ala Thr Thr
130                      135                      140

Asp His Gly Phe Asp Met Glu Glu Thr Leu Val Glu Ala Ile Tyr Thr
145                      150                      155                      160

Ala Glu Gln Ser Glu Asn Ala Phe Tyr Met His Asp Glu Ala Met Phe
165                      170                      175

```

mbi19 Sequence Listing.ST25

Glu Met Pro Ser Leu Leu Ala Asn Met Ala Glu Gly Met Leu Leu Pro
 180 185 190

Leu Pro Ser Val Gln Trp Asn His Asn His Glu Val Asp Gly Asp Asp
 195 200 205

Asp Asp Val Ser Leu Trp Ser Tyr
 210 215

<210> 65
 <211> 1407
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (191)..(1351)
 <223> G1127

<400> 65
 gacagactct ctctgtatgt gtgcgagaag cgagaagcga gagagagaga gagagagttg 60
 ttagctcaca cgctttctct attttctcgg aattcacaaa acagaaagtt tcattccttta 120
 cgagaattaa gccgaaagaa acaatctttg agtttgattt cttcttcctt ccttctctct 180
 ctctgctcta atg gat tcc aga gac atc cca ccg tca cat aac cag ctt 229
 Met Asp Ser Arg Asp Ile Pro Pro Ser His Asn Gln Leu
 1 5 10
 caa cca cca ccg gga atg tta atg tct cat tac cgt aac cct aac gcc 277
 Gln Pro Pro Gly Met Leu Met Ser His Tyr Arg Asn Pro Asn Ala
 15 20 25
 gcc gct tca cca tta atg gtt ccc act tcc aca tct caa ccg att caa 325
 Ala Ala Ser Pro Leu Met Val Pro Thr Ser Thr Ser Gln Pro Ile Gln
 30 35 40 45
 cac cct cgt ctt cct ttt ggc aat caa caa caa tct caa acg ttt cat 373
 His Pro Arg Leu Pro Phe Gly Asn Gln Gln Gln Ser Gln Thr Phe His
 50 55 60
 cag cag caa caa caa caa atg gat cag aag act ctt gaa tct ctt gga 421
 Gln Gln Gln Gln Gln Gln Met Asp Gln Lys Thr Leu Glu Ser Leu Gly
 65 70 75
 ttt ggt gat gga tca cct tct tct caa ccg atg cga ttc ggg atc gat 469
 Phe Gly Asp Gly Ser Pro Ser Ser Gln Pro Met Arg Phe Gly Ile Asp
 80 85 90
 gat cag aat cag caa ctg caa gtg aag aag aag cga gga agg ccg aga 517
 Asp Gln Asn Gln Gln Leu Gln Val Lys Lys Lys Arg Gly Arg Pro Arg
 95 100 105
 aag tat act cct gat ggt agc att gct tta ggt tta gct cct acg tct 565
 Lys Tyr Thr Pro Asp Gly Ser Ile Ala Leu Gly Leu Ala Pro Thr Ser
 110 115 120 125
 cct ctt ctc tct gca gct tct aat tct tac ggt gag ggt ggt gtt gga 613
 Pro Leu Leu Ser Ala Ala Ser Asn Ser Tyr Gly Glu Gly Gly Val Gly
 130 135 140
 gat agt ggt gga aat gga aac tct gtt gat cca cct gtt aaa cgt aac 661
 Asp Ser Gly Gly Asn Gly Asn Ser Val Asp Pro Pro Val Lys Arg Asn
 145 150 155
 aga gga agg cct cct ggt tct agt aag aaa cag ctt gat gct tta gga 709
 Arg Gly Arg Pro Pro Gly Ser Ser Lys Lys Gln Leu Asp Ala Leu Gly
 160 165 170

mbi19 Sequence Listing.ST25

gga act tca gga gtt ggg ttt aca cct cat gtc att gaa gtg aac aca Gly Thr Ser Gly Val Gly Phe Thr Pro His Val Ile Glu Val Asn Thr 175 180 185	757
gga gag gac ata gcg tca aag gtg atg gct ttt tcg gat caa ggg tca Gly Glu Asp Ile Ala Ser Lys Val Met Ala Phe Ser Asp Gln Gly Ser 190 195 200 205	805
aga aca att tgt att ctc tct gca agt ggt gca gtt tct aga gtg atg Arg Thr Ile Cys Ile Leu Ser Ala Ser Gly Ala Val Ser Arg Val Met 210 215 220	853
ctt cgt caa gct tct cat tct agt gga atc gtt act tat gag gga cga Leu Arg Gln Ala Ser His Ser Ser Gly Ile Val Thr Tyr Glu Gly Arg 225 230 235	901
ttt gag atc att act ctc tca ggc tca gtc ttg aat tat gag gta aat Phe Glu Ile Ile Thr Leu Ser Gly Ser Val Leu Asn Tyr Glu Val Asn 240 245 250	949
ggt tcc acc aac aga agt ggt aac ttg agt gtg gct ttg gct gga cct Gly Ser Thr Asn Arg Ser Gly Asn Leu Ser Val Ala Leu Ala Gly Pro 255 260 265	997
gat ggc ggc atc gta ggt ggc agt gta gtt ggt aat cta gta gct gca Asp Gly Gly Ile Val Gly Gly Ser Val Val Gly Asn Leu Val Ala Ala 270 275 280 285	1045
aca caa gtc cag gtg ata gtg gga agc ttt gtt gca gaa gca aag aaa Thr Gln Val Gln Val Ile Val Gly Ser Phe Val Ala Glu Ala Lys Lys 290 295 300	1093
ccg aaa caa agt agt gtt aac att gct cgg ggg cag aat cct gaa ccg Pro Lys Gln Ser Ser Val Asn Ile Ala Arg Gly Gln Asn Pro Glu Pro 305 310 315	1141
gct tca gcg ccg gct aac atg ttg aac ttt gga tca gtc tct caa gga Ala Ser Ala Pro Ala Asn Met Leu Asn Phe Gly Ser Val Ser Gln Gly 320 325 330	1189
cca tcg agc gag tca tca gaa gag aat gag agc ggt tct cct gca atg Pro Ser Ser Glu Ser Ser Glu Glu Asn Glu Ser Gly Ser Pro Ala Met 335 340 345	1237
cac cgt gac aat aat aat ggg ata tat gga gct caa caa caa caa caa His Arg Asp Asn Asn Asn Gly Ile Tyr Gly Ala Gln Gln Gln Gln Gln 350 355 360 365	1285
caa caa cct ctt cat cct cat cag atg caa atg tac caa cat ctt tgg Gln Gln Pro Leu His Pro His Gln Met Gln Met Tyr Gln His Leu Trp 370 375 380	1333
tct aat cat ggt caa taa aatgaagcgg aaattaattt gtttccgttt Ser Asn His Gly Gln 385	1381
tggttacggt tatggtttga tttctt	1407

<210> 66
 <211> 386
 <212> PRT
 <213> Arabidopsis thaliana

<400> 66

Met Asp Ser Arg Asp Ile Pro Pro Ser His Asn Gln Leu Gln Pro Pro
 1 5 10 15

Pro Gly Met Leu Met Ser His Tyr Arg Asn Pro Asn Ala Ala Ala Ser
 20 25 30

mbi19 Sequence Listing.ST25

Pro Leu Met Val Pro Thr Ser Thr Ser Gln Pro Ile Gln His Pro Arg
 35 40 45

Leu Pro Phe Gly Asn Gln Gln Gln Ser Gln Thr Phe His Gln Gln Gln
 50 55 60

Gln Gln Gln Met Asp Gln Lys Thr Leu Glu Ser Leu Gly Phe Gly Asp
 65 70 75 80

Gly Ser Pro Ser Ser Gln Pro Met Arg Phe Gly Ile Asp Asp Gln Asn
 85 90 95

Gln Gln Leu Gln Val Lys Lys Lys Arg Gly Arg Pro Arg Lys Tyr Thr
 100 105 110

Pro Asp Gly Ser Ile Ala Leu Gly Leu Ala Pro Thr Ser Pro Leu Leu
 115 120 125

Ser Ala Ala Ser Asn Ser Tyr Gly Glu Gly Gly Val Gly Asp Ser Gly
 130 135 140

Gly Asn Gly Asn Ser Val Asp Pro Pro Val Lys Arg Asn Arg Gly Arg
 145 150 155 160

Pro Pro Gly Ser Ser Lys Lys Gln Leu Asp Ala Leu Gly Gly Thr Ser
 165 170 175

Gly Val Gly Phe Thr Pro His Val Ile Glu Val Asn Thr Gly Glu Asp
 180 185 190

Ile Ala Ser Lys Val Met Ala Phe Ser Asp Gln Gly Ser Arg Thr Ile
 195 200 205

Cys Ile Leu Ser Ala Ser Gly Ala Val Ser Arg Val Met Leu Arg Gln
 210 215 220

Ala Ser His Ser Ser Gly Ile Val Thr Tyr Glu Gly Arg Phe Glu Ile
 225 230 235 240

Ile Thr Leu Ser Gly Ser Val Leu Asn Tyr Glu Val Asn Gly Ser Thr
 245 250 255

Asn Arg Ser Gly Asn Leu Ser Val Ala Leu Ala Gly Pro Asp Gly Gly
 260 265 270

Ile Val Gly Gly Ser Val Val Gly Asn Leu Val Ala Ala Thr Gln Val
 275 280 285

Gln Val Ile Val Gly Ser Phe Val Ala Glu Ala Lys Lys Pro Lys Gln
 290 295 300

Ser Ser Val Asn Ile Ala Arg Gly Gln Asn Pro Glu Pro Ala Ser Ala
 305 310 315 320

Pro Ala Asn Met Leu Asn Phe Gly Ser Val Ser Gln Gly Pro Ser Ser
 325 330 335

mbi19 Sequence Listing.ST25

Glu Ser Ser Glu Glu Asn Glu Ser Gly Ser Pro Ala Met His Arg Asp
 340 345 350

Asn Asn Asn Gly Ile Tyr Gly Ala Gln Gln Gln Gln Gln Gln Pro
 355 360 365

Leu His Pro His Gln Met Gln Met Tyr Gln His Leu Trp Ser Asn His
 370 375 380

Gly Gln
 385

<210> 67
 <211> 1020
 <212> DNA
 <213> Arabidopsis thaliana

<220>
 <221> CDS
 <222> (1)..(1020)
 <223> G2657

<400> 67
 atg gat cca gtt caa tct cat gga tca caa agc tct ctt cct cct cct 48
 Met Asp Pro Val Gln Ser His Gly Ser Gln Ser Ser Leu Pro Pro Pro
 1 5 10 15
 ttc cat gct aga gat ttc caa tta cat ctt caa caa caa caa caa cat 96
 Phe His Ala Arg Asp Phe Gln Leu His Leu Gln Gln Gln Gln Gln His
 20 25 30
 caa caa caa cat caa caa caa caa caa caa cag ttc ttt ctc cac cat 144
 Gln Gln Gln His Gln Gln Gln Gln Gln Gln Phe Phe Leu His His
 35 40 45
 cat cag caa cca caa aga aac ctt gat caa gat cac gag cag caa gga 192
 His Gln Gln Pro Gln Arg Asn Leu Asp Gln Asp His Glu Gln Gln Gly
 50 55 60
 ggg tca ata ttg aat aga tct atc aag atg gat cgc gaa gag aca agc 240
 Gly Ser Ile Leu Asn Arg Ser Ile Lys Met Asp Arg Glu Glu Thr Ser
 65 70 75 80
 gat aac atg gac aac atc gct aat acc aac agc ggt agc gaa ggt aaa 288
 Asp Asn Met Asp Asn Ile Ala Asn Thr Asn Ser Gly Ser Glu Gly Lys
 85 90 95
 gag atg agt tta cac gga gga gaa gga gga agc ggt ggt gga gga agt 336
 Glu Met Ser Leu His Gly Gly Glu Gly Ser Gly Gly Gly Gly Ser
 100 105 110
 gga gaa cag atg aca aga agg cca aga gga aga cca gca gga tcc aag 384
 Gly Glu Gln Met Thr Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys
 115 120 125
 aac aaa cct aaa gct cca ata atc ata aca aga gac agc gca aac gcg 432
 Asn Lys Pro Lys Ala Pro Ile Ile Ile Thr Arg Asp Ser Ala Asn Ala
 130 135 140
 ctt cga act cac gtc atg gag ata gga gac gga tgt gac ata gtt gac 480
 Leu Arg Thr His Val Met Glu Ile Gly Asp Gly Cys Asp Ile Val Asp
 145 150 155 160
 tgt atg gct acg ttc gct aga cgc cgc caa aga ggc gtt tgc gtt atg 528
 Cys Met Ala Thr Phe Ala Arg Arg Arg Gln Arg Gly Val Cys Val Met
 165 170 175
 agc ggt aca gga agc gtt act aac gtc act ata cgt cag cct gga tcg 576
 Ser Gly Thr Gly Ser Val Thr Asn Val Thr Ile Arg Gln Pro Gly Ser

mbi19 Sequence Listing.ST25

180	185	190	
cca cct ggc tcg gtg gtt agc ctt cac ggc cgg ttt gaa atc ctc tct Pro Pro Gly Ser Val Val Ser Leu His Gly Arg Phe Glu Ile Leu Ser 195 200 205			624
ctt tcg gga tct ttc ttg cct ccg cct gcg ccg cct gca gcc acc gga Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro Pro Ala Ala Thr Gly 210 215 220			672
cta agc gtt tac cta gcc gga gga caa ggg cag gtc gtt gga ggt agt Leu Ser Val Tyr Leu Ala Gly Gly Gln Gly Val Val Gly Gly Ser 225 230 235 240			720
gtg gtg gga cct ttg ttg tgt tcg ggt cct gtg gtg gtt atg gcg gct Val Val Gly Pro Leu Leu Cys Ser Gly Pro Val Val Val Met Ala Ala 245 250 255			768
tct ttt agc aat gcg gcg tac gaa agg ctg cct ttg gaa gaa gat gag Ser Phe Ser Asn Ala Ala Tyr Glu Arg Leu Pro Leu Glu Glu Asp Glu 260 265 270			816
atg cag acg cca gtt caa gga ggc ggt gga gga gga gga ggt ggt ggt Met Gln Thr Pro Val Gln Gly Gly Gly Gly Gly Gly Gly Gly Gly 275 280 285			864
gga atg gga tct ccc ccg atg atg gga cag caa caa gct atg gca gct Gly Met Gly Ser Pro Pro Met Met Gly Gln Gln Ala Met Ala Ala 290 295 300			912
atg gcg gcg gct caa gga cta cca ccg aat ctt ctt ggt tcg gtt cag Met Ala Ala Ala Gln Gly Leu Pro Pro Asn Leu Leu Gly Ser Val Gln 305 310 315 320			960
ttg cca ccg cca caa cag aat gat cag cag tat tgg tct acg ggt cgg Leu Pro Pro Pro Gln Gln Asn Asp Gln Gln Tyr Trp Ser Thr Gly Arg 325 330 335			1008
cca ccg tat tga Pro Pro Tyr			1020

<210> 68
 <211> 339
 <212> PRT
 <213> Arabidopsis thaliana

<400> 68

Met Asp Pro Val Gln Ser His Gly Ser Gln Ser Ser Leu Pro Pro Pro
 1 5 10 15

Phe His Ala Arg Asp Phe Gln Leu His Leu Gln Gln Gln Gln Gln His
 20 25 30

Gln Gln Gln His Gln Gln Gln Gln Gln Gln Gln Phe Phe Leu His His
 35 40 45

His Gln Gln Pro Gln Arg Asn Leu Asp Gln Asp His Glu Gln Gln Gly
 50 55 60

Gly Ser Ile Leu Asn Arg Ser Ile Lys Met Asp Arg Glu Glu Thr Ser
 65 70 75 80

Asp Asn Met Asp Asn Ile Ala Asn Thr Asn Ser Gly Ser Glu Gly Lys
 85 90 95

Glu Met Ser Leu His Gly Gly Glu Gly Gly Ser Gly Gly Gly Ser

mbi19 Sequence Listing.ST25
105 110

100
 Gly Glu Gln Met Thr Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys
 115 120 125
 Asn Lys Pro Lys Ala Pro Ile Ile Ile Thr Arg Asp Ser Ala Asn Ala
 130 135 140
 Leu Arg Thr His Val Met Glu Ile Gly Asp Gly Cys Asp Ile Val Asp
 145 150 155 160
 Cys Met Ala Thr Phe Ala Arg Arg Arg Gln Arg Gly Val Cys Val Met
 165 170 175
 Ser Gly Thr Gly Ser Val Thr Asn Val Thr Ile Arg Gln Pro Gly Ser
 180 185 190
 Pro Pro Gly Ser Val Val Ser Leu His Gly Arg Phe Glu Ile Leu Ser
 195 200 205
 Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro Pro Ala Ala Thr Gly
 210 215 220
 Leu Ser Val Tyr Leu Ala Gly Gly Gln Gly Gln Val Val Gly Gly Ser
 225 230 235 240
 Val Val Gly Pro Leu Leu Cys Ser Gly Pro Val Val Val Met Ala Ala
 245 250 255
 Ser Phe Ser Asn Ala Ala Tyr Glu Arg Leu Pro Leu Glu Glu Asp Glu
 260 265 270
 Met Gln Thr Pro Val Gln Gly Gly Gly Gly Gly Gly Gly Gly Gly
 275 280 285
 Gly Met Gly Ser Pro Pro Met Met Gly Gln Gln Gln Ala Met Ala Ala
 290 295 300
 Met Ala Ala Ala Gln Gly Leu Pro Pro Asn Leu Leu Gly Ser Val Gln
 305 310 315 320
 Leu Pro Pro Pro Gln Gln Asn Asp Gln Gln Tyr Trp Ser Thr Gly Arg
 325 330 335
 Pro Pro Tyr

<210> 69
 <211> 1558
 <212> DNA
 <213> Arabidopsis thaliana
 <220>
 <221> CDS
 <222> (191)..(1396)
 <223> G326

<400> 69

mbi19 Sequence Listing.ST25

caattaatga catcttcttc ttctcctttc actgcaaaac cgaaagcttg agactttgag	60
attatgtcta tgtcatcttc ttcttcttcc atcgatcact tcatcacctt tcgtcatctt	120
gatcttattc tccactgtat aaaatcagcg agattttaag ggattgtgaa ggtaccatct	180
taaacacaaa atg ggt act tct act aca gag agt gtg gtg gcg tgt gaa	229
Met Gly Thr Ser Thr Thr Glu Ser Val Val Ala Cys Glu	
1 5 10	
ttt tgc ggc gag aga acg gcg gtt ctg ttt tgt aga gcc gat acg gcg	277
Phe Cys Gly Glu Arg Thr Ala Val Leu Phe Cys Arg Ala Asp Thr Ala	
15 20 25	
aag ctt tgt ttg cct tgt gac cag cac gtg cac tcg gcg aac ctt ctc	325
Lys Leu Cys Leu Pro Cys Asp Gln His Val His Ser Ala Asn Leu Leu	
30 35 40 45	
tcg agg aag cat gtt cgt tct cag atc tgt gat aac tgt agc aaa gag	373
Ser Arg Lys His Val Arg Ser Gln Ile Cys Asp Asn Cys Ser Lys Glu	
50 55 60	
ccg gtg tcc gta cgt tgc ttc aca gat aat ctc gta ttg tgt cag gag	421
Pro Val Ser Val Arg Cys Phe Thr Asp Asn Leu Val Leu Cys Gln Glu	
65 70 75	
tgt gat tgg gat gtt cac gga agc tgt tcc tcc tcc gcg acg cat gaa	469
Cys Asp Trp Asp Val His Gly Ser Cys Ser Ser Ser Ala Thr His Glu	
80 85 90	
cgc tcc gcc gtg gaa ggg ttt tca ggt tgt cct tcg gtt ttg gag ctt	517
Arg Ser Ala Val Glu Gly Phe Ser Gly Cys Pro Ser Val Leu Glu Leu	
95 100 105	
gct gct gtg tgg gga atc gat tta aag ggt aag aag aaa gaa gat gac	565
Ala Ala Val Trp Gly Ile Asp Leu Lys Gly Lys Lys Lys Glu Asp Asp	
110 115 120 125	
gaa gac gaa ttg act aag aat ttt ggg atg ggg ttg gat tcg tgg ggt	613
Glu Asp Glu Leu Thr Lys Asn Phe Gly Met Gly Leu Asp Ser Trp Gly	
130 135 140	
tct gga tct aac atc gtt caa gaa ctg att gtt cct tat gat gtg tct	661
Ser Gly Ser Asn Ile Val Gln Glu Leu Ile Val Pro Tyr Asp Val Ser	
145 150 155	
tgc aaa aag caa agc ttt agc ttt ggg agg tct aag cag gta gtg ttt	709
Cys Lys Lys Gln Ser Phe Ser Phe Gly Arg Ser Lys Gln Val Val Phe	
160 165 170	
gaa cag ctt gag tta ctg aag aga ggc ttc gtt gaa ggc gaa gga gag	757
Glu Gln Leu Glu Leu Leu Lys Arg Gly Phe Val Glu Gly Glu Gly Glu	
175 180 185	
att atg gtt ccg gag gga atc aat ggc gga gga agc att tct cag cca	805
Ile Met Val Pro Glu Gly Ile Asn Gly Gly Ser Ile Ser Gln Pro	
190 195 200 205	
tct ccg acg acg tcg ttt act tct ttg ctt atg tct caa agt ctt tgt	853
Ser Pro Thr Thr Ser Phe Thr Ser Leu Leu Met Ser Gln Ser Leu Cys	
210 215 220	
ggg aat ggt atg caa tgg aat gct act aat cat agc act ggc cag aac	901
Gly Asn Gly Met Gln Trp Asn Ala Thr Asn His Ser Thr Gly Gln Asn	
225 230 235	
act cag ata tgg gat ttt aac ttg gga cag tcg agg aac cct gat gaa	949
Thr Gln Ile Trp Asp Phe Asn Leu Gly Gln Ser Arg Asn Pro Asp Glu	
240 245 250	
cct agt cca gtc gaa act aaa ggc tct act ttc aca ttc aac aac gtt	997
Pro Ser Pro Val Glu Thr Lys Gly Ser Thr Phe Thr Phe Asn Asn Val	
255 260 265	
act cat ctc aag aac gat acc cga acc acc aat atg aat gct ttc aaa	1045

mbi19 Sequence Listing.ST25

```

Thr His Leu Lys Asn Asp Thr Arg Thr Thr Asn Met Asn Ala Phe Lys
270                275                280                285

gag agt tac cag gag gat tcc gtc cac tca act tct acc aag gga cag    1093
Glu Ser Tyr Gln Glu Asp Ser Val His Ser Thr Ser Thr Lys Gly Gln
                290                295                300

gaa aca tct aag agc aac aat att cct gct gcc att cac tcg cat aaa    1141
Glu Thr Ser Lys Ser Asn Asn Ile Pro Ala Ala Ile His Ser His Lys
                305                310                315

agt tct aac gac tcc tgt ggc ttg cat tgc acg gaa cat att gct att    1189
Ser Ser Asn Asp Ser Cys Gly Leu His Cys Thr Glu His Ile Ala Ile
                320                325                330

act agt aat aga gcc aca aga ttg gtg gcg gta acg aat gct gat cta    1237
Thr Ser Asn Arg Ala Thr Arg Leu Val Ala Val Thr Asn Ala Asp Leu
                335                340                345

gag cag atg gca cag aac aga gat aat gct atg cag cgg tac aag gaa    1285
Glu Gln Met Ala Gln Asn Arg Asp Asn Ala Met Gln Arg Tyr Lys Glu
350                355                360                365

aag aag aaa acg cgg aga tat gat aag acc ata aga tat gaa acg agg    1333
Lys Lys Lys Thr Arg Arg Tyr Asp Lys Thr Ile Arg Tyr Glu Thr Arg
                370                375                380

aag gcg aga gcc gag acc agg ttg cgt gtt aag ggc aga ttt gtg aaa    1381
Lys Ala Arg Ala Glu Thr Arg Leu Arg Val Lys Gly Arg Phe Val Lys
                385                390                395

gct aca gat cct tag atgtctctcc acgttaggtt ttacatttga gatcctaagt    1436
Ala Thr Asp Pro
                400

taggaacttt ttttgttttt tctactttca actaccttgt aaatgtaaata gatcgatctt    1496

cagctgcata atgtgtggcc agatttttgt aatttttacg tttaaccttc taaaaaaaaa    1556
aa
21558

<210> 70
<211> 401
<212> PRT
<213> Arabidopsis thaliana

<400> 70

Met Gly Thr Ser Thr Thr Glu Ser Val Val Ala Cys Glu Phe Cys Gly
1                5                10                15

Glu Arg Thr Ala Val Leu Phe Cys Arg Ala Asp Thr Ala Lys Leu Cys
20                25                30

Leu Pro Cys Asp Gln His Val His Ser Ala Asn Leu Leu Ser Arg Lys
35                40                45

His Val Arg Ser Gln Ile Cys Asp Asn Cys Ser Lys Glu Pro Val Ser
50                55                60

Val Arg Cys Phe Thr Asp Asn Leu Val Leu Cys Gln Glu Cys Asp Trp
65                70                75                80

Asp Val His Gly Ser Cys Ser Ser Ser Ala Thr His Glu Arg Ser Ala
85                90                95

Val Glu Gly Phe Ser Gly Cys Pro Ser Val Leu Glu Leu Ala Ala Val
100                105                110

```

mbi19 Sequence Listing.ST25

Trp Gly Ile Asp Leu Lys Gly Lys Lys Lys Glu Asp Asp Glu Asp Glu
 115 120 125
 Leu Thr Lys Asn Phe Gly Met Gly Leu Asp Ser Trp Gly Ser Gly Ser
 130 135 140
 Asn Ile Val Gln Glu Leu Ile Val Pro Tyr Asp Val Ser Cys Lys Lys
 145 150 155 160
 Gln Ser Phe Ser Phe Gly Arg Ser Lys Gln Val Val Phe Glu Gln Leu
 165 170 175
 Glu Leu Leu Lys Arg Gly Phe Val Glu Gly Glu Gly Glu Ile Met Val
 180 185 190
 Pro Glu Gly Ile Asn Gly Gly Gly Ser Ile Ser Gln Pro Ser Pro Thr
 195 200 205
 Thr Ser Phe Thr Ser Leu Leu Met Ser Gln Ser Leu Cys Gly Asn Gly
 210 215 220
 Met Gln Trp Asn Ala Thr Asn His Ser Thr Gly Gln Asn Thr Gln Ile
 225 230 235 240
 Trp Asp Phe Asn Leu Gly Gln Ser Arg Asn Pro Asp Glu Pro Ser Pro
 245 250 255
 Val Glu Thr Lys Gly Ser Thr Phe Thr Phe Asn Asn Val Thr His Leu
 260 265 270
 Lys Asn Asp Thr Arg Thr Thr Asn Met Asn Ala Phe Lys Glu Ser Tyr
 275 280 285
 Gln Glu Asp Ser Val His Ser Thr Ser Thr Lys Gly Gln Glu Thr Ser
 290 295 300
 Lys Ser Asn Asn Ile Pro Ala Ala Ile His Ser His Lys Ser Ser Asn
 305 310 315 320
 Asp Ser Cys Gly Leu His Cys Thr Glu His Ile Ala Ile Thr Ser Asn
 325 330 335
 Arg Ala Thr Arg Leu Val Ala Val Thr Asn Ala Asp Leu Glu Gln Met
 340 345 350
 Ala Gln Asn Arg Asp Asn Ala Met Gln Arg Tyr Lys Glu Lys Lys Lys
 355 360 365
 Thr Arg Arg Tyr Asp Lys Thr Ile Arg Tyr Glu Thr Arg Lys Ala Arg
 370 375 380
 Ala Glu Thr Arg Leu Arg Val Lys Gly Arg Phe Val Lys Ala Thr Asp
 385 390 395 400
 Pro

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/31414

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A01H 1/00, 5/00; C12N 5/04, 15/00, 15/82; C12P 21/02
US CL : 435/69.1, 320.1, 410, 419, 468; 800/278, 284, 287, 290

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
U.S. : 435/69.1, 320.1, 410, 419, 468; 800/278, 284, 287, 290

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
East, USPAT; STN, Agricola, Biosis, CaPlus, Embase; Sequence Search of SEQ ID NOS. 1 & 2

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	AOYAMA, T. et al. Ectopic expression of the Arabidopsis transcriptional activator Athb-1 alters leaf cell fate in tobacco, The Plant Cell, November 1995, Vol. 7, pages 1773-1785, entire document.	1-10, 13, 25
---		-----
Y		11, 12, 26
X	BELLIS, L.D. et al. Distinct cis-acting sequences are required for the germination and sugar responses of the cucumber isocitrate lyase gene. Gene 1997, Vol. 197, pages 375-378, entire document.	1-10, 13, 25
X	KIM, S. et al. Sugar response element enhances wound response of potato proteinase inhibitor II promoter in transgenic tobacco. Plant Mol. Biol. 1991, Vol. 17, pages 973-983, entire document.	1-10, 13, 25
Y	Database Genbank on NCBI, US National Library of Medicine, (Bethesda, MD, USA), No. U78721, LIN, X. et al. 'Sequence and analysis of chromosome 2 of the plant Arabidopsis thaliana' 5 April 2000, especially bases 14,116-14,895.	1-10, 13, 25

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

Special categories of cited documents:	
* "A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

23 February 2001 (23.02.2001)

Date of mailing of the international search report

04 APR 2001

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

David Kruse

Telephone No. 703-308-1600

TERRY J. DEY
PARALEGAL SPECIALIST
TECHNOLOGY CENTER 1600

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/31414

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☒ Claim Nos.: 14 & 24
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-13, 25 and 26; SEQ ID NOs 1 & 2

Remark on Protest

☐
☐

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/31414

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Groups I-XXXV, claim(s) 1-13 and 25-26, drawn to a transgenic plant having modified seed characteristics, polynucleotides and vectors for producing said transgenic plant and a method of making said transgenic plant. Applicant must elect one pair of sequences (one nucleic acid and the corresponding amino acid translation) to be examined, *i.e.* SEQ ID NO: 1 and 2 in Group I, SEQ ID NO: 3 and 4 in Group II, SEQ ID NO: 5 and 6 in Group III, etc.

Group XXXVI, claim(s) 15-17, drawn to a method of identifying a factor that is modulated.

Group XXXVII, claims(s) 18, drawn to a method of identifying a molecule that modulates activity or expression of a polynucleotide or polypeptide.

Group XXXVIII, claims(s) 19 and 20, drawn to an integrated computer system.

Group XXXIV, claim(s) 21-23, drawn to a method for identifying a polynucleotide sequence comprising selecting a nucleic acid sequence from a database that meets a selected sequence criteria.

The inventions listed as Groups I-XXXIV do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The inventions listed as Groups I-XXXIX do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: Groups I-XXXV are drawn to a transgenic plant and a method of producing said plant with a nucleic acid sequence. The methods of Groups I-XXXV differ from each other in that they are directed to a plant transformation method and transgenic plant with a structurally and functionally distinct nucleic acid sequence which encodes a structurally and functionally distinct amino acid sequence. In addition, Groups XXXVI, XXXVII and XXXIX are different methods from any of Groups I-XXXV in that they have different method steps and different end products, and Group XXXVIII requires a computer system. Thus, there is no single special technical feature, which links the inventions of Groups I-XXXIX under PCT Rule 13.2.